



MICROSOFT® PROGRAMMING SERIES

**Microsoft®**

2-Disc Set Includes:



CD-ROM

Includes  
120-day  
evaluation copy  
of Microsoft  
SQL Server 2000  
Enterprise  
Edition

# Inside Microsoft **SQL Server 2000**

The definitive guide  
to the architecture  
and internals of the  
premier enterprise-  
class **RDBMS**

**Kalen Delaney,**  
based on the first  
edition by Ron Soukup

**Foreword by Jim Gray,**  
head of the Microsoft  
San Francisco Research  
Lab and 1999 ACM Turing  
Award winner

Suranaree University of Technology



31051000656633

# Table of Contents

|                     |       |
|---------------------|-------|
| Foreword            | xxi   |
| Prefaces            | xxiii |
| System Requirements | xxxv  |

## Part I Overview

|                  |  |           |
|------------------|--|-----------|
| <i>Chapter 1</i> | <b>The Evolution of Microsoft SQL Server: 1989 to 2000</b> | <b>3</b>  |
|                  | <b>SQL SERVER: THE EARLY YEARS</b>                         | <b>4</b>  |
|                  | <b>RON'S STORY</b>   | <b>6</b>  |
|                  | <b>KALEN'S STORY</b>                                       | <b>7</b>  |
|                  | <b>MICROSOFT SQL SERVER SHIPS</b>                          | <b>8</b>  |
|                  | <b>DEVELOPMENT ROLES EVOLVE</b>                            | <b>10</b> |
|                  | <b>OS/2 AND FRIENDLY FIRE</b>                              | <b>11</b> |
|                  | <b>SQL SERVER 4.2</b>                                      | <b>13</b> |
|                  | <b>OS/2 2.0 Release on Hold</b>                            | <b>14</b> |
|                  | <b>Version 4.2 Released</b>                                | <b>14</b> |
|                  | <b>SQL SERVER FOR WINDOWS NT</b>                           | <b>15</b> |
|                  | <b>SUCCESS BRINGS FUNDAMENTAL CHANGE</b>                   | <b>20</b> |
|                  | <b>THE END OF JOINT DEVELOPMENT</b>                        | <b>21</b> |
|                  | <b>THE CHARGE TO SQL95</b>                                 | <b>23</b> |
|                  | <b>THE NEXT VERSION</b>                                    | <b>25</b> |
|                  | <b>THE SECRET OF THE SPHINX</b>                            | <b>26</b> |
|                  | <b>SOFTWARE FOR THE NEW CENTURY</b>                        | <b>28</b> |
| <i>Chapter 2</i> | <b>A Tour of SQL Server</b>                                | <b>31</b> |
|                  | <b>THE SQL SERVER ENGINE</b>                               | <b>33</b> |
|                  | <b>Transact-SQL</b>  | <b>33</b> |
|                  | <b>DBMS-ENFORCED DATA INTEGRITY</b>                        | <b>37</b> |
|                  | <b>Declarative Data Integrity</b>                          | <b>38</b> |
|                  | <b>Datatypes</b>   | <b>39</b> |
|                  | <b>CHECK Constraints and Rules</b>                         | <b>40</b> |

|   |           |
|---|-----------|
| <b>Defaults</b>                                   | <b>40</b> |
| <b>Triggers</b>                                   | <b>40</b> |
| <b>TRANSACTION PROCESSING</b>                     | <b>42</b> |
| <b>Atomicity</b>                                  | <b>42</b> |
| <b>Consistency</b>                                | <b>43</b> |
| <b>Isolation</b>                                  | <b>43</b> |
| <b>Durability</b>                                 | <b>43</b> |
| <b>SYMMETRIC SERVER ARCHITECTURE</b>              | <b>44</b> |
| <b>Traditional Process/Thread Model</b>           | <b>44</b> |
| <b>SQL Server Process/Thread Model</b>            | <b>45</b> |
| <b>Multuser Performance</b>                       | <b>45</b> |
| <b>SECURITY</b>                                   | <b>46</b> |
| <b>Monitoring and Managing Security</b>           | <b>47</b> |
| <b>HIGH AVAILABILITY</b>                          | <b>47</b> |
| <b>DISTRIBUTED DATA PROCESSING</b>                | <b>48</b> |
| <b>DATA REPLICATION</b>                           | <b>50</b> |
| <b>SYSTEMS MANAGEMENT</b>                         | <b>52</b> |
| <b>SQL Server Enterprise Manager</b>              | <b>52</b> |
| <b>Distributed Management Objects</b>             | <b>54</b> |
| <b>Windows Management Instrumentation</b>         | <b>54</b> |
| <b>SQL-DMO and Visual Basic Scripting</b>         | <b>55</b> |
| <b>SQL Server Agent</b>                           | <b>55</b> |
| <b>SQL SERVER UTILITIES AND EXTENSIONS</b>        | <b>57</b> |
| <b>Web Assistant Wizard and Internet Enabling</b> | <b>57</b> |
| <b>SQL Profiler</b>                               | <b>58</b> |
| <b>SQL Server Service Manager</b>                 | <b>59</b> |
| <b>System Monitor Integration</b>                 | <b>60</b> |
| <b>Client Network Utility</b>                     | <b>60</b> |
| <b>Server Network Utility</b>                     | <b>61</b> |
| <b>SQL Server Installation</b>                    | <b>61</b> |
| <b>OSQL and ISQL</b>                              | <b>61</b> |
| <b>SQL Query Analyzer</b>                         | <b>61</b> |
| <b>Bulk Copy and Data Transformation Services</b> | <b>62</b> |
| <b>SNMP Integration</b>                           | <b>63</b> |
| <b>SQL Server Books Online</b>                    | <b>63</b> |

|                                      |           |
|--------------------------------------|-----------|
| <b>CLIENT DEVELOPMENT INTERFACES</b> | <b>63</b> |
| <b>ODBC</b>                          | <b>64</b> |
| <b>OLE DB</b>                        | <b>64</b> |
| <b>ADO</b>                           | <b>64</b> |
| <b>DB-Library</b>                    | <b>65</b> |
| <b>ESQL/C</b>                        | <b>65</b> |
| <b>Server Development Interface</b>  | <b>65</b> |
| <b>SUMMARY</b>                       | <b>66</b> |

## **Part II Architectural Overview**

|   |            |
|---|------------|
| <i>Chapter 3</i> <b>SQL Server Architecture</b>         | <b>69</b>  |
| <b>THE SQL SERVER ENGINE</b>                            | <b>69</b>  |
| <b>The Net-Library</b>                                  | <b>70</b>  |
| <b>Open Data Services</b>                               | <b>74</b>  |
| <b>The Relational Engine and the Storage Engine</b>     | <b>77</b>  |
| <b>The Access Methods Manager</b>                       | <b>81</b>  |
| <b>The Row Operations Manager and the Index Manager</b> | <b>82</b>  |
| <b>The Page Manager and the Text Manager</b>            | <b>86</b>  |
| <b>The Transaction Manager</b>                          | <b>87</b>  |
| <b>The Lock Manager</b>                                 | <b>90</b>  |
| <b>Other Managers</b>                                   | <b>91</b>  |
| <b>MANAGING MEMORY</b>                                  | <b>91</b>  |
| <b>The Buffer Manager and Memory Pools</b>              | <b>92</b>  |
| <b>Access to In-Memory Pages</b>                        | <b>92</b>  |
| <b>Access to Free Pages (Lazywriter)</b>                | <b>93</b>  |
| <b>Checkpoints</b>                                      | <b>95</b>  |
| <b>Accessing Pages Using the Buffer Manager</b>         | <b>97</b>  |
| <b>Large Memory Issues</b>                              | <b>97</b>  |
| <b>The Log Manager</b>                                  | <b>101</b> |
| <b>TRANSACTION LOGGING AND RECOVERY</b>                 | <b>101</b> |
| <b>Locking and Recovery</b>                             | <b>104</b> |
| <b>Page LSNs and Recovery</b>                           | <b>104</b> |
| <b>THE SQL SERVER KERNEL AND</b>                        |            |
| <b>INTERACTION WITH THE OPERATING SYSTEM</b>            | <b>106</b> |
| <b>Threading and Symmetric Multiprocessing</b>          | <b>107</b> |

|                             |            |
|-----------------------------|------------|
| The Worker Thread Pool      | 109        |
| Disk I/O in Windows NT/2000 | 111        |
| <b>SUMMARY</b>              | <b>111</b> |

## **Part III Using Microsoft SQL Server**

|  |            |
|--|------------|
| <i>Chapter 4</i> <b>Planning for and Installing SQL Server</b>                         | <b>115</b> |
| <b>SQL SERVER EDITIONS</b>   | <b>116</b> |
| Embedded SQL Server  | 119        |
| <b>HARDWARE GUIDELINES</b>   | <b>119</b> |
| Use Hardware on the<br>Windows Hardware Compatibility List                             | 119        |
| Performance = Fn<br>(Processor Cycles, Memory, I/O Throughput)                         | 120        |
| Invest in Benchmarking   | 121        |
| <b>HARDWARE COMPONENTS</b>   | <b>121</b> |
| The Processor  | 122        |
| Memory   | 124        |
| Disk Drives, Controllers, and Disk Arrays  | 125        |
| RAID Solutions   | 120        |
| More About Drives and Controllers  | 137        |
| Uninterruptible Power Supply   | 138        |
| The Disk Subsystem   | 139        |
| Fallback Server Capability   | 140        |
| Other Hardware Considerations  | 141        |
| <b>THE OPERATING SYSTEM</b>  | <b>141</b> |
| <b>THE FILE SYSTEM</b>   | <b>142</b> |
| <b>SECURITY AND THE USER CONTEXT</b>   | <b>143</b> |
| <b>LICENSING</b>   | <b>145</b> |
| SQL Server Processor License   | 145        |
| Server Licenses and CALs   | 145        |
| Multiplexing: Use of Middleware,<br>Transaction Servers, and Multitiered Architectures | 146        |
| Multiple Instances   | 147        |
| <b>NETWORK PROTOCOLS</b>   | <b>150</b> |

|  |            |
|--|------------|
| <b>COLLATION</b>                                     | <b>150</b> |
| <b>Character Sets</b>                                | <b>151</b> |
| <b>Sort Orders</b>                                   | <b>152</b> |
| <b>MULTIPLE INSTANCES</b>                            | <b>157</b> |
| <i>Installing Named Instances</i>                    | <b>158</b> |
| <b>Named Instance Server Connectivity</b>            | <b>159</b> |
| <b>INSTALLING SQL SERVER</b>                         | <b>160</b> |
| <b>Upgrading from a Previous Version</b>             | <b>161</b> |
| <b>BASIC CONFIGURATION AFTER INSTALLATION</b>        | <b>162</b> |
| <b>Starting the SQL Server Service</b>               | <b>162</b> |
| <b>Changing the System Administrator Password</b>    | <b>163</b> |
| <b>Configuring SQL Server's Error Log</b>            | <b>164</b> |
| <b>Working with Multiple Instances</b>               | <b>164</b> |
| <b>REMOTE AND UNATTENDED INSTALLATION</b>            | <b>166</b> |
| <b>Remote Installation</b>                           | <b>167</b> |
| <b>Unattended Installation</b>                       | <b>167</b> |
| <b>Changing Installation Options</b>                 | <b>168</b> |
| <b>Adding Additional Components</b>                  | <b>169</b> |
| <b>SUMMARY</b>                                       | <b>170</b> |
| <i>Chapter 5</i> <b>Databases and Database Files</b> | <b>171</b> |
| <b>SPECIAL SYSTEM DATABASES</b>                      | <b>172</b> |
| <i>master</i>  | <b>172</b> |
| <i>model</i>   | <b>173</b> |
| <i>tempdb</i>  | <b>173</b> |
| <i>pubs</i>  | <b>174</b> |
| <i>Northwind</i>                                     | <b>174</b> |
| <i>msdb</i>  | <b>175</b> |
| <b>DATABASE FILES</b>                                | <b>175</b> |
| <b>CREATING A DATABASE</b>                           | <b>176</b> |
| <b>A CREATE DATABASE Example</b>                     | <b>178</b> |
| <b>EXPANDING AND SHRINKING A DATABASE</b>            | <b>179</b> |
| <b>Automatic File Expansion</b>                      | <b>179</b> |
| <b>Manual File Expansion</b>                         | <b>179</b> |
| <b>Automatic File Shrinkage</b>                      | <b>179</b> |
| <b>Manual File Shrinkage</b>                         | <b>180</b> |

|   |            |
|---|------------|
| <b>CHANGES IN LOG SIZE</b>                  | <b>182</b> |
| <b>Log Truncation</b>                       | <b>185</b> |
| <b>USING DATABASE FILEGROUPS</b>            | <b>186</b> |
| <b>The Default Filegroup</b>                | <b>187</b> |
| <b>A FILEGROUP CREATION Example</b>         | <b>189</b> |
| <b>ALTERING A DATABASE</b>                  | <b>190</b> |
| <b>ALTER DATABASE Examples</b>              | <b>191</b> |
| <b>DATABASES UNDER THE HOOD</b>             | <b>192</b> |
| <b>Space Allocation</b>                     | <b>194</b> |
| <b>SETTING DATABASE OPTIONS</b>             | <b>197</b> |
| <b>State Options</b>                        | <b>198</b> |
| <b>Cursor Options</b>                       | <b>202</b> |
| <b>Auto Options</b>                         | <b>202</b> |
| <b>SQL Options</b>                          | <b>203</b> |
| <b>Recovery Options</b>                     | <b>205</b> |
| <b>OTHER DATABASE CONSIDERATIONS</b>        | <b>205</b> |
| <b>Databases vs. Schemas</b>                | <b>205</b> |
| <b>Using Removable Media</b>                | <b>206</b> |
| <b>Detaching and Reattaching a Database</b> | <b>207</b> |
| <b>Compatibility Levels</b>                 | <b>208</b> |
| <b>BACKING UP AND RESTORING A DATABASE</b>  | <b>209</b> |
| <b>Types of Backups</b>                     | <b>210</b> |
| <b>Recovery Models</b>                      | <b>211</b> |
| <b>Choosing a Backup Type</b>               | <b>214</b> |
| <b>Restoring a Database</b>                 | <b>215</b> |
| <b>SUMMARY</b>                              | <b>219</b> |

*Chapter 6*    **Tables**    **221**

|                                  |            |
|----------------------------------|------------|
| <b>CREATING TABLES</b>           | <b>222</b> |
| <b>Naming Tables and Columns</b> | <b>223</b> |
| <b>Reserved Keywords</b>         | <b>224</b> |
| <b>Delimited Identifiers</b>     | <b>224</b> |
| <b>Naming Conventions</b>        | <b>225</b> |
| <b>Datatypes</b>                 | <b>226</b> |
| <b>Much Ado About NULL</b>       | <b>235</b> |
| <b>USER-DEFINED DATATYPES</b>    | <b>239</b> |
| <b>IDENTITY PROPERTY</b>         | <b>241</b> |

|  |            |
|--|------------|
| <b>INTERNAL STORAGE</b>                                      | <b>245</b> |
| <b>Data Pages</b>  | <b>246</b> |
| <b>Examining Data Pages</b>                                  | <b>248</b> |
| <b>The Structure of Data Rows</b>                            | <b>252</b> |
| <b>Column Offset Arrays</b>                                  | <b>254</b> |
| <b>Storage of Fixed-Length and Variable-Length Rows</b>      | <b>255</b> |
| <b>Page Linkage</b>  | <b>259</b> |
| <b>Text and Image Data</b>                                   | <b>260</b> |
| <b><i>sql_variant</i> Datatype</b>                           | <b>266</b> |
| <b>CONSTRAINTS</b>   | <b>270</b> |
| <b>PRIMARY KEY and UNIQUE Constraints</b>                    | <b>271</b> |
| <b>FOREIGN KEY Constraints</b>                               | <b>277</b> |
| <b>Constraint-Checking Solutions</b>                         | <b>286</b> |
| <b>Restrictions on Dropping Tables</b>                       | <b>287</b> |
| <b>Self-Referencing Tables</b>                               | <b>287</b> |
| <b>CHECK Constraints</b>                                     | <b>289</b> |
| <b>Default Constraints</b>                                   | <b>294</b> |
| <b>More About Constraints</b>                                | <b>298</b> |
| <b>ALTERING A TABLE</b>                                      | <b>306</b> |
| <b>Changing a Datatype</b>                                   | <b>306</b> |
| <b>Adding a New Column</b>                                   | <b>308</b> |
| <b>Adding, Dropping, Disabling, or Enabling a Constraint</b> | <b>308</b> |
| <b>Dropping a Column</b>                                     | <b>309</b> |
| <b>Enabling or Disabling a Trigger</b>                       | <b>309</b> |
| <b>TEMPORARY TABLES</b>                                      | <b>309</b> |
| <b>Private Temporary Tables (#)</b>                          | <b>310</b> |
| <b>Global Temporary Tables (##)</b>                          | <b>310</b> |
| <b>Direct Use of <i>tempdb</i></b>                           | <b>311</b> |
| <b>Constraints on Temporary Tables</b>                       | <b>311</b> |
| <b>SYSTEM TABLES</b>   | <b>312</b> |
| <b>SUMMARY</b>   | <b>315</b> |
| <b>Chapter 7 Querying Data</b>                               | <b>317</b> |
| <b>THE SELECT STATEMENT</b>                                  | <b>317</b> |
| <b>JOINS</b>   | <b>320</b> |
| <b>Outer Joins</b>   | <b>324</b> |
| <b>The Obsolete *= OUTER JOIN Operator</b>                   | <b>329</b> |



|  |            |
|--|------------|
| <b>Cross Joins</b>                             | <b>335</b> |
| <b>DEALING WITH NULL</b>                       | <b>336</b> |
| <b>NULL in the Real World</b>                  | <b>340</b> |
| <b>IS NULL and = NULL</b>                      | <b>343</b> |
| <b>SUBQUERIES</b>                              | <b>345</b> |
| <b>Correlated Subqueries</b>                   | <b>350</b> |
| <b>VIEWS AND DERIVED TABLES</b>                | <b>357</b> |
| <b>Altering Views</b>                          | <b>361</b> |
| <b>Partitioned Views</b>                       | <b>362</b> |
| <b>OTHER SEARCH EXPRESSIONS</b>                | <b>365</b> |
| <b>LIKE</b>                                    | <b>365</b> |
| <b>BETWEEN</b>                                 | <b>371</b> |
| <b>Aggregate Functions</b>                     | <b>371</b> |
| <b>Datacube—Aggregate Variations</b>           | <b>378</b> |
| <b>TOP</b>                                     | <b>392</b> |
| <b>UNION</b>                                   | <b>395</b> |
| <b>SUMMARY</b>                                 | <b>401</b> |
| <i>Chapter 8</i> <b>Indexes</b>                | <b>403</b> |
| <b>INDEX ORGANIZATION</b>                      | <b>404</b> |
| <b>Clustered Indexes</b>                       | <b>406</b> |
| <b>Nonclustered Indexes</b>                    | <b>406</b> |
| <b>CREATING AN INDEX</b>                       | <b>408</b> |
| <b>Constraints and Indexes</b>                 | <b>410</b> |
| <b>THE STRUCTURE OF INDEX PAGES</b>            | <b>411</b> |
| <b>Clustered Index Rows with a Uniquelfier</b> | <b>412</b> |
| <b>Index Row Formats</b>                       | <b>415</b> |
| <b>INDEX SPACE REQUIREMENTS</b>                | <b>427</b> |
| <b>B-Tree Size</b>                             | <b>427</b> |
| <b>Actual vs. Estimated Size</b>               | <b>428</b> |
| <b>MANAGING AN INDEX</b>                       | <b>431</b> |
| <b>Types of Fragmentation</b>                  | <b>431</b> |
| <b>Detecting Fragmentation</b>                 | <b>432</b> |
| <b>Removing Fragmentation</b>                  | <b>435</b> |

|  |            |
|--|------------|
| <b>SPECIAL INDEXES</b>                                 | <b>437</b> |
| <b>Prerequisites</b>                                   | <b>437</b> |
| <b>Indexes on Computed Columns</b>                     | <b>441</b> |
| <b>Indexed Views</b>                                   | <b>443</b> |
| <b>USING AN INDEX</b>                                  | <b>446</b> |
| <b>Looking for Rows</b>                                | <b>446</b> |
| <b>Joining</b>   | <b>446</b> |
| <b>Sorting</b>   | <b>446</b> |
| <b>Grouping</b>  | <b>448</b> |
| <b>Maintaining Uniqueness</b>                          | <b>448</b> |
| <b>SUMMARY</b>   | <b>448</b> |
| <br>   |            |
| <i>Chapter 9</i> <b>Modifying Data</b>                 | <b>449</b> |
| <b>BASIC MODIFICATION OPERATIONS</b>                   | <b>449</b> |
| <b>INSERT</b>  | <b>450</b> |
| <b>UPDATE</b>  | <b>463</b> |
| <b>DELETE</b>  | <b>465</b> |
| <b>Modifying Data Through Views</b>                    | <b>467</b> |
| <b>DATA MODIFICATION INTERNALS</b>                     | <b>476</b> |
| <b>Inserting Rows</b>                                  | <b>477</b> |
| <b>Splitting Pages</b>                                 | <b>477</b> |
| <b>Deleting Rows</b>                                   | <b>481</b> |
| <b>Updating Rows</b>                                   | <b>489</b> |
| <b>Table-Level vs. Index-Level Data Modification</b>   | <b>495</b> |
| <b>Logging</b>   | <b>497</b> |
| <b>Locking</b>   | <b>497</b> |
| <b>SUMMARY</b>   | <b>498</b> |
| <br>   |            |
| <i>Chapter 10</i> <b>Programming with Transact-SQL</b> | <b>499</b> |
| <b>TRANSACTION-SQL AS A PROGRAMMING LANGUAGE</b>       | <b>500</b> |
| <b>Programming at Multiple Levels</b>                  | <b>501</b> |
| <b>TRANSACTION-SQL PROGRAMMING CONSTRUCTS</b>          | <b>503</b> |
| <b>Variables</b>                                       | <b>503</b> |
| <b>Control-of-Flow Tools</b>                           | <b>510</b> |
| <b>CASE</b>  | <b>511</b> |

|  |            |
|--|------------|
| <b>PRINT</b>   | <b>514</b> |
| <b>RAISERROR</b>   | <b>515</b> |
| <b>FORMATMESSAGE</b>   | <b>518</b> |
| <b>Operators</b>   | <b>519</b> |
| <b>Scalar Functions</b>  | <b>527</b> |
| <b>Table-Valued Functions</b>                                      | <b>562</b> |
| <b>TRANSACTION-SQL</b>   |            |
| <b>EXAMPLES AND BRAINTEASERS</b>                                   | <b>563</b> |
| <b>Generating Test Data</b>  | <b>563</b> |
| <b>Getting Rankings</b>  | <b>567</b> |
| <b>Finding Differences Between Intervals</b>                       | <b>573</b> |
| <b>Selecting Instead of Iterating</b>                              | <b>578</b> |
| <b>FULL-TEXT SEARCHING</b>   | <b>579</b> |
| <b>Full-Text Indexes</b>   | <b>581</b> |
| <b>Setting Up Full-Text Indexes</b>                                | <b>582</b> |
| <b>Maintaining Full-Text Indexes</b>                               | <b>585</b> |
| <b>Querying Full-Text Indexes</b>                                  | <b>589</b> |
| <b>Performance Considerations for Full-Text Indexes</b>            | <b>597</b> |
| <b>SUMMARY</b>   | <b>598</b> |
| <i>Chapter 11</i> <b>Batches, Stored Procedures, and Functions</b> | <b>599</b> |
| <b>BATCHES</b>   | <b>600</b> |
| <b>ROUTINES</b>  | <b>604</b> |
| <b>STORED PROCEDURES</b>   | <b>605</b> |
| <b>Nested Stored Procedures</b>                                    | <b>607</b> |
| <b>Recursion in Stored Procedures</b>                              | <b>608</b> |
| <b>Stored Procedure Parameters</b>                                 | <b>613</b> |
| <b>USER-DEFINED FUNCTIONS</b>                                      | <b>617</b> |
| <b>Table Variables</b>   | <b>617</b> |
| <b>Scalar-Valued Functions</b>                                     | <b>618</b> |
| <b>Table-Valued Functions</b>                                      | <b>621</b> |
| <b>System Table-Valued Functions</b>                               | <b>624</b> |
| <b>Managing User-Defined Functions</b>                             | <b>624</b> |
| <b>REWRITING STORED PROCEDURES AS FUNCTIONS</b>                    | <b>627</b> |

|   |            |
|---|------------|
| <b>ROLLING YOUR OWN SYSTEM ROUTINES</b>               | <b>628</b> |
| Your Own System Procedures                            | 628        |
| Your Own System Functions                             | 630        |
| <b>EXECUTING BATCHES, OR WHAT'S STORED</b>            |            |
| <b>ABOUT STORED PROCEDURES (AND FUNCTIONS)?</b>       | <b>632</b> |
| Step One: Parse Commands and Create the Sequence Tree | 632        |
| Step Two: Compile the Batch                           | 632        |
| Step Three: Execute                                   | 632        |
| Step Four: Recompile Execution Plans                  | 634        |
| Storage of Routines                                   | 636        |
| Encrypting Routines                                   | 637        |
| Altering a Routine                                    | 640        |
| <b>TEMPORARY STORED PROCEDURES</b>                    | <b>640</b> |
| Private Temporary Stored Procedures                   | 640        |
| Global Temporary Stored Procedures                    | 641        |
| Procedures Created from Direct Use of <i>tempdb</i>   | 641        |
| <b>AUTOSTART STORED PROCEDURES</b>                    | <b>642</b> |
| <b>SYSTEM STORED PROCEDURES</b>                       | <b>643</b> |
| General System Procedures                             | 644        |
| Catalog Stored Procedures                             | 645        |
| SQL Server Agent Stored Procedures                    | 646        |
| Replication Stored Procedures                         | 646        |
| Extended Stored Procedures                            | 647        |
| <b>EXECUTE("ANY STRING")</b>                          | <b>653</b> |
| <b>SUMMARY</b>  | <b>655</b> |

## *Chapter 12* **Transactions and Triggers** **657**

|                                       |            |
|---------------------------------------|------------|
| <b>TRANSACTIONS</b>                   | <b>657</b> |
| Explicit and Implicit Transactions    | 659        |
| Error Checking In Transactions        | 660        |
| Transaction Isolation Levels          | 666        |
| Other Characteristics of Transactions | 676        |
| Nested Transaction Blocks             | 677        |
| Savepoints                            | 681        |

|  |            |
|--|------------|
| <b>TRIGGERS</b>  | <b>682</b> |
| <b>After Triggers</b>                                  | <b>682</b> |
| <b>Instead-of Triggers</b>                             | <b>688</b> |
| <b>Managing Triggers</b>                               | <b>692</b> |
| <b>Using Triggers to Implement Referential Actions</b> | <b>692</b> |
| <b>Recursive Triggers</b>                              | <b>700</b> |
| <b>SUMMARY</b>   | <b>701</b> |

*Chapter 13* **Special Transact-SQL Operations:  
Working with Cursors and Large Objects** **703**

|  |            |
|--|------------|
| <b>CURSOR BASICS</b>   | <b>704</b> |
| <b>CURSORS AND ISAMs</b>                                       | <b>707</b> |
| <b>Problems with ISAM-Style Applications</b>                   | <b>710</b> |
| <b>CURSOR MODELS</b>   | <b>711</b> |
| <b>Transact-SQL Cursors</b>                                    | <b>711</b> |
| <b>API Server Cursors</b>                                      | <b>712</b> |
| <b>Client Cursors</b>  | <b>713</b> |
| <b>Default Result Sets</b>                                     | <b>714</b> |
| <b>API Server Cursors vs. Transact-SQL Cursors</b>             | <b>714</b> |
| <b>APPROPRIATE USE OF CURSORS</b>                              | <b>715</b> |
| <b>Row-by-Row Operations</b>                                   | <b>716</b> |
| <b>Query Operations</b>  | <b>716</b> |
| <b>Scrolling Applications</b>                                  | <b>717</b> |
| <b>Choosing a Cursor</b>                                       | <b>718</b> |
| <b>Cursor Membership, Scrolling, and Sensitivity to Change</b> | <b>720</b> |
| <b>WORKING WITH TRANSACT-SQL CURSORS</b>                       | <b>725</b> |
| <b>DECLARE</b>   | <b>726</b> |
| <b>OPEN</b>  | <b>728</b> |
| <b>FETCH</b>   | <b>729</b> |
| <b>UPDATE</b>  | <b>730</b> |
| <b>DELETE</b>  | <b>731</b> |
| <b>CLOSE</b>   | <b>731</b> |
| <b>DEALLOCATE</b>  | <b>732</b> |
| <b>The Simplest Cursor Syntax</b>                              | <b>732</b> |
| <b>Fully Scrollable Transact-SQL Cursors</b>                   | <b>732</b> |
| <b>Concurrency Control with Transact-SQL Cursors</b>           | <b>735</b> |

|   |            |
|---|------------|
| <b>CURSOR VARIABLES</b>                 | <b>743</b> |
| <b>Obtaining Cursor Information</b>     | <b>744</b> |
| <b>WORKING WITH TEXT AND IMAGE DATA</b> | <b>750</b> |
| <b>WRITETEXT</b>                        | <b>752</b> |
| <b>READTEXT</b>                         | <b>755</b> |
| <b>UPDATETEXT</b>                       | <b>761</b> |
| <b>SUMMARY</b>                          | <b>769</b> |

## **Part IV Performance and Tuning**

|  |            |
|--|------------|
| <i>Chapter 14</i> <b>Locking</b>             | <b>773</b> |
| <b>THE LOCK MANAGER</b>                      | <b>773</b> |
| <b>The Lock Manager and Isolation Levels</b> | <b>774</b> |
| <b>Spinlocks</b>                             | <b>775</b> |
| <b>Deadlocks</b>                             | <b>775</b> |
| <b>LOCK TYPES FOR USER DATA</b>              | <b>779</b> |
| <b>Lock Modes</b>                            | <b>780</b> |
| <b>Lock Granularity</b>                      | <b>780</b> |
| <b>Lock Duration</b>                         | <b>790</b> |
| <b>Lock Ownership</b>                        | <b>790</b> |
| <b>Viewing Locks</b>                         | <b>791</b> |
| <b>LOCK COMPATIBILITY</b>                    | <b>798</b> |
| <b>INTERNAL LOCKING ARCHITECTURE</b>         | <b>800</b> |
| <b>Lock Blocks</b>                           | <b>802</b> |
| <b>Lock Owner Blocks</b>                     | <b>804</b> |
| <b>Syslockinfo Table</b>                     | <b>804</b> |
| <b>BOUND CONNECTIONS</b>                     | <b>807</b> |
| <b>ROW-LEVEL VS. PAGE-LEVEL LOCKING</b>      | <b>811</b> |
| <b>Lock Escalation</b>                       | <b>812</b> |
| <b>LOCKING HINTS AND TRACE FLAGS</b>         | <b>813</b> |
| <b>SUMMARY</b>                               | <b>813</b> |
| <i>Chapter 15</i> <b>The Query Processor</b> | <b>815</b> |
| <b>THE SQL MANAGER</b>                       | <b>816</b> |
| <b>COMPILATION AND OPTIMIZATION</b>          | <b>816</b> |
| <b>Compilation</b>                           | <b>817</b> |
| <b>Optimization</b>                          | <b>818</b> |

|   |            |
|---|------------|
| How the Query Optimizer Works                                 | 820        |
| Join Selection  | 839        |
| Other Processing Strategies                                   | 845        |
| Maintaining Statistics  | 846        |
| THE PROCEDURE CACHE   | 852        |
| USING STORED PROCEDURES AND CACHING MECHANISMS                | 855        |
| Ad Hoc Caching  | 856        |
| Autoparameterization  | 856        |
| The <i>sp_executesql</i> Procedure                            | 857        |
| The Prepare and Execute Method                                | 857        |
| Sharing Cached Plans  | 857        |
| Examining the Plan Cache                                      | 858        |
| Multiple Plans in Cache                                       | 860        |
| When to Use Stored Procedures<br>and Other Caching Mechanisms | 862        |
| Recompiling Stored Procedures                                 | 862        |
| Other Benefits of Stored Procedures                           | 863        |
| EXECUTION   | 865        |
| SUMMARY   | 865        |
| <i>Chapter 16</i> Query Tuning                                | <b>867</b> |
| THE DEVELOPMENT TEAM  | 868        |
| APPLICATION AND DATABASE DESIGN                               | 868        |
| Normalize Your Database                                       | 869        |
| Evaluate Your Critical Transactions                           | 871        |
| Keep Table Row Lengths and Keys Compact                       | 873        |
| PLANNING FOR PEAK USAGE                                       | 874        |
| PERCEIVED RESPONSE TIME FOR INTERACTIVE SYSTEMS               | 874        |
| PROTOTYPING, BENCHMARKING, AND TESTING                        | 876        |
| Development Methodologies                                     | 878        |
| CREATING USEFUL INDEXES                                       | 880        |
| Choose the Clustered Index Carefully                          | 881        |
| Make Nonclustered Indexes Highly Selective                    | 882        |
| Tailor Indexes to Critical Transactions                       | 883        |
| Pay Attention to Column Order                                 | 885        |
| Index Columns Used in Joins                                   | 885        |

|  |     |
|--|-----|
| Create or Drop Indexes as Needed         | 887 |
| The Index Tuning Wizard                  | 887 |
| MONITORING QUERY PERFORMANCE             | 889 |
| STATISTICS IO                            | 889 |
| STATISTICS TIME                          | 893 |
| Showplan                                 | 893 |
| Using Query Hints                        | 908 |
| Stored Procedure Optimization            | 912 |
| CONCURRENCY AND CONSISTENCY TRADEOFFS    | 914 |
| RESOLVING BLOCKING PROBLEMS              | 915 |
| Indexes and Blocking                     | 917 |
| RESOLVING DEADLOCK PROBLEMS              | 919 |
| Cycle Deadlock Example                   | 919 |
| Conversion Deadlock Example              | 919 |
| Preventing Deadlocks                     | 922 |
| Handling Deadlocks                       | 922 |
| Volunteering to Be the Deadlock Victim   | 923 |
| Watching Locking Activity                | 923 |
| Identifying the Culprit                  | 924 |
| Lock Hints                               | 931 |
| SEGREGATING OLTP AND DSS APPLICATIONS    | 934 |
| ENVIRONMENTAL CONCERNS                   | 935 |
| Case Sensitivity                         | 935 |
| Nullability and ANSI Compliance Settings | 936 |
| Locale-Specific SET Options              | 942 |
| SUMMARY                                  | 942 |

## *Chapter 17* **Configuration and Performance Monitoring** **943**

|   |     |
|---|-----|
| OPERATING SYSTEM CONFIGURATION SETTINGS | 944 |
| Task Management                         | 944 |
| Resource Allocation                     | 944 |
| PAGEFILE.SYS Location                   | 945 |
| File System Selection                   | 945 |
| Nonessential Services                   | 946 |
| Network Protocols                       | 946 |



|  |            |
|--|------------|
| <b>SQL SERVER CONFIGURATION SETTINGS</b>           | <b>946</b> |
| <b>Serverwide Options</b>                          | <b>947</b> |
| <b>Buffer Manager Options</b>                      | <b>958</b> |
| <b>Startup Parameters on SQLSERVER.EXE</b>         | <b>960</b> |
| <b>SYSTEM MAINTENANCE</b>                          | <b>960</b> |
| <b>MONITORING SYSTEM BEHAVIOR</b>                  | <b>961</b> |
| <b>SQL Profiler</b>                                | <b>961</b> |
| <b>System Monitor</b>                              | <b>976</b> |
| <b>Other Performance Monitoring Considerations</b> | <b>985</b> |
| <b>SUMMARY</b>                                     | <b>985</b> |
| <br>   |            |
| <b>Bibliography and Suggested Reading</b>          | <b>987</b> |
| <b>Index</b>                                       | <b>993</b> |