





# CLAY SCIENCE FOR ENGINEERING



Dry condition



Wet condition

Edited by K. Adachi & M. Fukue

|                  |      |
|------------------|------|
| Preface          | xi   |
| Organization     | xiii |
| Acknowledgements | xv   |

## *Special lectures*

|                                                                                 |    |
|---------------------------------------------------------------------------------|----|
| Water infiltration and suction in clay in relation to swelling and/or expansion | 3  |
| <i>M.Nakano</i>                                                                 |    |
| Interactions in clays in relation to geoenvironmental engineering               | 13 |
| <i>R.N.Yong</i>                                                                 |    |
| Clay liners for waste landfill                                                  | 29 |
| <i>M.Kamon &amp; T.Katsumi</i>                                                  |    |
| Microstructural modelling of transport in smectitic clay buffer                 | 47 |
| <i>R.Pusch, L.Moreno &amp; I.Neretnieks</i>                                     |    |

## *1 Suction and swelling of clays/unsaturated soils*

|                                                                                     |    |
|-------------------------------------------------------------------------------------|----|
| Predicted and measured suction and volume changes in expansive soil                 | 55 |
| <i>B.M.El-Garhy, A.A.Youssef &amp; W.K.Wray</i>                                     |    |
| Suction – Water content relationship in swelling clays                              | 65 |
| <i>M.Yahia-Aissa, P.Delage &amp; Y.J.Cui</i>                                        |    |
| Influence of stress and suction on volume changes and microtexture of a Ca-smectite | 69 |
| <i>X.Guillot, F.Bergaya, M.Al Mukhtar &amp; J.-M.Fleureau</i>                       |    |
| Some considerations of clay suction by using thermodynamics theory of water in soil | 77 |
| <i>H.Suzuki</i>                                                                     |    |
| Sample storage time effects on suction and in-situ undrained strength               | 83 |
| <i>T.Shogaki, F.Nakamura &amp; N.Sakakibara</i>                                     |    |
| Behavior of unsaturated silty clay during water infiltration                        | 89 |
| <i>T.Nishigata &amp; K.Nishida</i>                                                  |    |

|                                                                                                                                             |     |
|---------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Residual effective stress in undisturbed samples collected from very large depth<br><i>Y.Watabe</i>                                         | 95  |
| Swelling and suction properties of six compacted European clays<br><i>D.C.Wijeyesekera</i>                                                  | 101 |
| Swelling pressure of a compacted bentonite subjected to high suction<br><i>T.Nishimura</i>                                                  | 109 |
| The swelling of montmorillonite in nonaqueous liquids<br><i>M.Onikata &amp; M.Kondo</i>                                                     | 115 |
| Swelling characteristics of fly ash-treated expansive soils<br><i>B.R.P.Kumar &amp; S.N.Reddayya</i>                                        | 121 |
| Stabilization of a compacted swelling clayey soil<br><i>B.Wibawa &amp; H.Rahardjo</i>                                                       | 125 |
| Upheaval damage to a wooden house by swelling of mudstone due to weathering<br><i>H.Kawakami &amp; H.Abe</i>                                | 131 |
| Strain softening of unsaturated swelling clays<br><i>T.Ito</i>                                                                              | 137 |
| Shrinkage strain potentials of fiber reinforced and raw expansive soils<br><i>A.J.Puppala &amp; C.Musenda</i>                               | 143 |
| A technique for making unsaturated samples using membrane filters<br><i>K.Ando, J.Konishi, T.Toyoda &amp; H.Tanahashi</i>                   | 149 |
| Behavior of unsaturated soil in triaxial test under undrained condition<br><i>K.Kawai, D.Karube &amp; R.Yoshimuta</i>                       | 155 |
| Strength characteristics of compacted soils in unconfined compression test<br><i>Y.Yoshimura, S.Kato &amp; K.Kawai</i>                      | 161 |
| DEM analysis for effects of intergranular force on behavior of granular material<br><i>S.Kato, S.Yamamoto &amp; S.Nonami</i>                | 167 |
| Interrelationship among consistency limits of clays<br><i>J.H.Park &amp; T.Koumoto</i>                                                      | 173 |
| A case study on failure of cut slope consisting of swelling clay<br><i>M.Mukaitani, E.Ichinose, M.Hori, N.Yagi, R.Yatabe &amp; K.Yokota</i> | 179 |
| Methodology for prediction of desiccation of clay liners<br><i>G.L.Sivakumar Babu &amp; E.Gartung</i>                                       | 187 |
| Soil water suction and compaction influence on desiccation cracks of mineral liners<br><i>S.Wendling &amp; H.Meißner</i>                    | 191 |
| Influence of the distribution of soil suction on crack patterns in farmlands<br><i>S.Yoshida, K.Adachi &amp; K.Takaki</i>                   | 199 |
| Viscosity and yield stress of dilute suspension of Na-montmorillonite<br><i>Y.Adachi, K.Nakaishi, K.Miyahara &amp; M.Ohtsubo</i>            | 207 |

|                                                                                                                                         |     |
|-----------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>2 Permeability and contaminant transport</b>                                                                                         |     |
| Predicting the permeability function for unsaturated soils<br><i>D.G.Fredlund, M.D.Fredlund &amp; N.Zakerzadeh</i>                      | 215 |
| Hydraulic properties of high swelling Na/Ca smectites<br><i>N.Toride, H.Miyamoto &amp; M.Regaa</i>                                      | 223 |
| Hydraulic properties in compacted bentonite under unsaturated condition<br><i>T.Fujita, H.Suzuki, Y.Sugita, H.Sugino &amp; M.Nakano</i> | 229 |
| A study on coupling behavior of seepage and swelling of sand/bentonite mixture soil<br><i>Y.Sun &amp; M.Nishigaki</i>                   | 239 |
| Hydromechanical behavior of a compacted bentonite-silt mixture<br><i>Ph.Tabani, F.Masrouri, S.Rolland &amp; D.Stemmelen</i>             | 245 |
| Numerical determination of coupled flow parameters in unsaturated soil<br><i>M.Elzahabi &amp; R.N.Yong</i>                              | 251 |
| Variation of the intrinsic permeability of expansive clays upon saturation<br><i>M.V.Villar &amp; A.Lloret</i>                          | 259 |
| Evaluation of permeability of bentonite mud cake<br><i>M.Minase, M.Kondo &amp; M.Kamon</i>                                              | 267 |
| The effects of density and hydraulic gradient on clay permeability<br><i>S.C.H.Cheung &amp; R.Yu</i>                                    | 275 |
| Permeability, swelling and microstructure of Pliocene clays from Warsaw<br><i>R.Kaczynski</i>                                           | 281 |
| Viscous fingering of solution in bentonite slurries<br><i>M.Mizoguchi</i>                                                               | 285 |
| Critical coagulation concentration and permeability of the Fukaya clayey soils<br><i>T.Nishimura, K.Nakano, M.Kato &amp; T.Miyazaki</i> | 291 |
| Soft X-ray radiography of structure-induced macropore flow in clayey soils<br><i>Y.Mori, I.Takeda &amp; A.Fukushima</i>                 | 297 |
| Permeability test of unsaturated soil approximating moisture distribution<br><i>T.Sugii, K.Yamada, Y.Umeda &amp; M.Uemura</i>           | 303 |
| Diffusion and sorption coupled transport in mineral sealing cut-off walls<br><i>R.H.Stengele, G.Kahr &amp; X.Wittmann</i>               | 311 |
| Hydraulic conductivity of an Andisol leached with mixture of dilute acids<br><i>M.Ishiguro, T.Nakajima, K.Nakaishi &amp; T.Makino</i>   | 315 |
| Role of clay in preventing arsenic dispersion in the Ganges delta of Bangladesh<br><i>A.A.Khan, S.M.M.Alam &amp; S.H.Akhter</i>         | 321 |
| Transport of aqueous species through aggregated soil<br><i>T.Sato, Y.Usui, K.Kawaberi &amp; H.Tanahashi</i>                             | 327 |
| BEM solutions of contaminant transport with time-dependent sorption<br><i>C.J.Leo</i>                                                   | 333 |

|                                                                                                                                                      |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Modelling the transport of lead in partly saturated soil</b><br><i>H.R.Thomas, R.N.Yong &amp; A.A.Hashm</i>                                       | 341 |
| <b>Evaluation of groundwater discharge through nuclear waste repository</b><br><i>T.Shiraishi, M.Horita &amp; T.Sasaki</i>                           | 347 |
| <b>Modelling and analysis of fully coupled thermo-hydro-diffusion phenomena</b><br><i>Ö.Aydan</i>                                                    | 353 |
| <b>Application of a connected tubes model to gas permeability of a silty soil</b><br><i>J.-M.Couvreux, A.Mertens de Wilmars &amp; A.Monjoie</i>      | 361 |
| <b>3 Adsorption and desorption in clays</b>                                                                                                          |     |
| <b>Role of laboratory procedure on determination of heavy metal retention</b><br><i>R.N.Yong</i>                                                     | 371 |
| <b>The use of selective extraction procedures for soil remediation</b><br><i>C.N.Mulligan, R.N.Yong &amp; B.F.Gibbs</i>                              | 377 |
| <b>Surface complexes of Cd adsorbed on montmorillonite</b><br><i>R.Takamatsu, T.Miyazaki, K.Asakura &amp; M.Nakano</i>                               | 385 |
| <b>Containment, sorption and desorption of heavy metals for dredged sediments</b><br><i>M.Fukue, M.Yanai, Y.Takami, S.Kuboshima &amp; S.Yamasaki</i> | 389 |
| <b>Phosphate ion transport and retention in a tropical compacted clay</b><br><i>R.M.G.Mendonça, M.C.Barbosa &amp; F.J.C.O.Castro</i>                 | 393 |
| <b>4 Structure of clays</b>                                                                                                                          |     |
| <b>Porosimetry and collapse studies on Ca-montmorillonite silts</b><br><i>S.M.Rao &amp; P.M.R.Reddy</i>                                              | 403 |
| <b>Quantitative evaluation of microstructure of clays</b><br><i>T.Moriwaki &amp; Y.Wada</i>                                                          | 411 |
| <b>Investigation on the microstructure of Ariake clay from mechanical viewpoint</b><br><i>K.Onitsuka, T.Negami &amp; J.N.Shen</i>                    | 419 |
| <b>Thickness of adsorbed water layer for clay particles</b><br><i>M.Fukue, T.Minato, N.Taya &amp; T.Chida</i>                                        | 423 |
| <b>Properties and structural changes of macropore in Andosol</b><br><i>H.Narioka &amp; M.Komamura</i>                                                | 429 |
| <b>Cracking in clays with an image analysis perspective</b><br><i>D.C.Wijeyesekera &amp; M.C.Papadopoulos</i>                                        | 437 |
| <b>Transformation of Fe oxides and tillability in upland field converted from paddy</b><br><i>T.Takahashi &amp; K.Kamekawa</i>                       | 443 |
| <b>Fabric change in a volcanic soil due to disturbance estimated by MIP</b><br><i>T.Sato, T.Kuwayama &amp; K.Kuwayama</i>                            | 449 |

|                                                                                                                                                               |            |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>Strength behavior of swollen bentonite</b><br><i>N.P.Bhandary, R.Yatabe, N.Yagi &amp; K.Yokota</i>                                                         | <b>453</b> |
| <b>Elasto-plastic analysis for structured soils under complex loading</b><br><i>C.Zhou, Z.J.Shen, J.H.Yin, S.S.Chen &amp; T.L.Chen</i>                        | <b>459</b> |
| <b>Modelling of state surfaces of unsaturated soils</b><br><i>Y.Kohgo, I.Asano &amp; H.Tagashira</i>                                                          | <b>467</b> |
| <b>Saponite clay tailing treatment by artificial sedimentation</b><br><i>A.A.Tchistiakov, V.N.Sokolov, V.I.Osipov &amp; B.-L.Nguyen</i>                       | <b>475</b> |
| <b>5 Clay liners</b>                                                                                                                                          |            |
| <b>Pellets/powder mixture of bentonite for backfill and sealing of HLW repositories</b><br><i>B.Dereeper, G.Volckaert, Ch.Imbert &amp; M.VVillar</i>          | <b>487</b> |
| <b>Behavior of clayey soils in liner systems concerning self-healing</b><br><i>K.Mallwitz</i>                                                                 | <b>491</b> |
| <b>Fixing of heavy metals in montmorillonite and the effects on physical properties</b><br><i>K.Emmerich &amp; M.Plötze</i>                                   | <b>497</b> |
| <b>Quality control of a landfill base and capping clay liner</b><br><i>W.Haegeman</i>                                                                         | <b>501</b> |
| <b>Redox effect on hydraulic conductivity and heavy metal leaching from marine clay</b><br><i>M.Kamon, T.Katsumi, H.Zhang, N.Sawa &amp; G.Rajasekaran</i>     | <b>505</b> |
| <b>Cutoff wall construction using bentonite/ethanol slurry</b><br><i>M.Asada, A.Ishikawa &amp; S.Horiuchi</i>                                                 | <b>511</b> |
| <b>Assessment of self healing properties of Geosynthetic Clay Liners</b><br><i>G.L.Sivakumar Babu, H.Sporer, H.Zanzinger &amp; E.Gartung</i>                  | <b>517</b> |
| <b>Use of fine fractions after sand extraction as clay liner</b><br><i>M.Fukue, T.Ide, T.Minato, T.Ohba &amp; H.Sasaki</i>                                    | <b>521</b> |
| <b>Alteration of salient characteristics of clay liner materials caused by waste leachate</b><br><i>M.K.Uddin</i>                                             | <b>527</b> |
| <b>6 Buffer materials</b>                                                                                                                                     |            |
| <b>Swelling deformation of compacted bentonite/sand mixture</b><br><i>H.Nakashima, T.Ishii, A.Nakahata, H.Tanabe &amp; S.Tanuma</i>                           | <b>537</b> |
| <b>Self-sealing ability of buffer materials containing bentonite for HLW disposal</b><br><i>H.Komine, N.Ogata, H.Takao, A.Nakashima, T.Osada &amp; H.Ueda</i> | <b>543</b> |
| <b>Study on mechanism of gas migration through saturated bentonite/sand mixtures</b><br><i>T.Hokari, T.Ishii, M.Nakajima &amp; R.Tomita</i>                   | <b>553</b> |
| <b>Modelling of bentonite swelling as solid particle diffusion</b><br><i>T.Kanno, Y.Iwata &amp; H.Sugino</i>                                                  | <b>561</b> |

|                                                                                                                                                                           |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Compressibility and permeability of two swelling clays under high pressure<br><i>D. Marcial, P. Delage &amp; Y.J. Cui</i>                                                 | 571 |
| Long-term stability of clay barrier by microstructural approach<br><i>N. Theramast, T. Taniguchi, Y. Ichikawa, K. Kawamura &amp; T. Seiki</i>                             | 577 |
| Experimental and thermodynamic examination on buffer material<br><i>A. Kobayashi, K. Fujii, T. Fujita &amp; M. Chijimatsu</i>                                             | 585 |
| Observations of pore generation due to interaction between bentonite and high pH solution<br><i>T. Sato, T. Okada, Y. Iida, T. Yamaguchi &amp; S. Nakayama</i>            | 593 |
| Interaction between clay and bentonite-cement stone around large diameter well<br><i>L. B. Prozorov, A. V. Tkachenko, V. I. Titkov, A. V. Gouskov &amp; S. A. Korneva</i> | 599 |
| Author index                                                                                                                                                              | 605 |