


High Temperature Ceramic Matrix Composites

Edited by W. Krenkel,
R. Naslain, H. Schneider



Contents

I Fibers

New High Temperature Oxide Fibers <i>D. Wilson, 3M Co., St. Paul (USA)</i>	3
A Low-Cost and Unique Carbon Fiber for CMC <i>J. Withers, B. Safadi, W. Kowbel, R. Loutfy, MER Corporation, Tucson (USA)</i>	13
The Formation Mechanism of the Stabilized Microstructure in the Fibers of Al_2O_3 - SiO_2 System <i>B. Schetanov, E. Kablov, T. Scheglova, VIAM, Moscow (RUS)</i>	17
Polycomponent Aluminium Oxide-Based Fibres <i>T. Ulyanova, L. Titova, N. Krut'ko, Institute of General and Inorganic Chemistry of the National Academy of Sciences, Minsk (BY)</i>	22
High-Performance Si-N-O Fibres for HT-Insulation and Short-Fibre Reinforced HT- CMCs/MMCs <i>A. Vital, U. Vogt, EMPA, Swiss Federal Institute for Materials' Testing and Research, Duebendorf (CH)</i>	29
Fine Silicon Carbide Fiber Synthesized from a Silicon-Based Polymer Blend Using Radiation Curing <i>A. Idesaki, M. Sugimoto, S. Tanaka, Y. Morita, Japan Atomic Energy Research Institute, Gunma (J); M. Narisawa, K. Okamura, Osaka Prefecture University, Osaka (J); M. Itoh, Fukushima National College of Technology, Fukushima (J)</i>	35
Influence of Water-Vapor-Containing Atmosphere on the Pyrolysis of Polymer-Derived SiC Fibers <i>Z. Chu, C. Feng, Y. Song, J. Wang, Y.D. Wang, Y.F. Wang, Key Lab. of New Ceramic Fibers, National University of Defense Technology, Changsha (VRC)</i>	41
A novel Si-N-C fiber with a low Oxygen Content Prepared from a Vinyl-Containing Polysilazane Precursor <i>Z. Chu, Y. Song, C. Feng, Key Lab. of New Ceramic Fibers, National University of Defense Technology, Changsha (VRC)</i>	46
Novel Ceramic SiCN-Fibers from the Polycarbosilazane ABSE <i>J. Hacker, G. Motz, G. Ziegler, Institute for Materials Research, University of Bayreuth (D)</i>	52

Preparation of Non-Oxide Ceramic Fibers in the Systems Si-C-N and Si-B-C-N <i>D. Schawaller, B. Clauss, Institut für Chemiefasern (ICF), Denkendorf (D)</i>	56
New Fiber Precursors in the System Si-B-N-C <i>J. Clade, D. Sporn, Fraunhofer-Institut für Silicatiforschung ISC, Würzburg (D); U. Müller, Rheinische Friedrich-Wilhelms-Universität, Bonn (D); M. Jansen, Max-Planck-Institut für Festkörperforschung, Stuttgart (D)</i>	62
Origin and Effect of Fiber Attack for the Processing of C/SiC <i>M. Müller, J. Mentz, H.-P. Buchkremer, D. Stöver, Institut für Werkstoffe und Verfahren der Energietechnik IWW-1, Forschungszentrum Jülich GmbH (D)</i>	66
Temperature Stability of 3M Nextel™ 610, 650, and 720 Fibers - A Microstructural Study <i>M. Schmücker, F. Flucht, H. Schneider, German Aerospace Center (DLR), Institute of Materials Research, Köln (D)</i>	73
Influence of High Temperature Argon Heat Treatment on Tensile Properties for Four Types of BN/SiC Coated SiC Fiber Preforms <i>T. Bhatt, US Army Research Laboratory-Vehicle Technology Center, NASA Glenn Research Center, Cleveland (USA)</i>	79
Microstructural Evolution and Mechanical Behaviour up to 1500 °C of Nextel™ 720 Mullite-Alumina Fibres <i>F. Deléglise, M. Berger, A. Bunsell, Centre des Matériaux, Ecole des Mines de Paris, Evry (F)</i>	84
Failure Analysis of Nextel™ 720 Fibers Subjected to High-Temperature Testing: The Role of Intrinsic Fiber Impurities <i>W. Braue, R. Borath, F. Flucht, J. Goering, H. Schneider, German Aerospace Center (DLR), Materials Research Institute, Cologne (D)</i>	90
Microstructural Response of SiBN ₃ C-Fibers Upon Annealing in Oxidizing and Reducing Atmospheres <i>W. Braue, G. Paul, German Aerospace Center (DLR), Materials Research Institute, Cologne (D); H. Baldus, Bayer Fiber GmbH, D-41538 Dormagen (D)</i>	96
Effects of 2-D Fabric Geometry on the Tensile Strength of Stoichiometric SiC Fiber-Reinforced Composites <i>H. Yun, J. DiCarlo, NASA Glenn Research Center, Cleveland (USA)</i>	99
Mechanical and Microstructural Characterisation of Nextel 650 Alumina-Zirconia Fibres <i>A. Poulon-Quintin, M. Berger, A. Bunsell, Centre des Matériaux Pierre-Marie Fourt, Ecole des Mines de Paris, Evry (F)</i>	106
Creep Behaviour of Single SiNO Fibres <i>O. Lesemann, D. Koch, G. Grathwohl, Keramische Werkstoffe und Bauteile, Universität Bremen (D)</i>	112

Microscopic Thermal Characterization of C/C-SiC Composites

- J. Jumel, F. Lepoutre, ONERA, Châtillon (F); M. Frieß, W. Krenkel, DLR., Stuttgart (D); G. Neuer, IKE, Universität Stuttgart (D) 120*

II Interphases and Coatings

Oxide Fiber-Coatings for Interface Control in Ceramic Composites

- R. Kerans, R. Hay, M. Cinibulk, Air Force Research Laboratory, Materials and Manufacturing Directorate, AFRL/MLLN, Wright-Patterson AFB (USA); E. Boakye, K. Keller, T. Mah, T. Parthasarathy, UES Inc., Dayton (USA) (under AFRL contract) 129*

Interphase Formation, Microstructure and Performance

- M. Lewis, University of Warwick, Coventr (GB) 136*

Experimental Investigation of Multifunctional Interphase Coatings on SiC fibers for Non-Oxide High Temperature Resistant CMCs

- A. Tsirlin, Y. Pronin, E. Florina, S. Mukhametov, M. Khatsernov, SRC of RF GNIChTEOS, Moscow (RUS); H. Yun, NASA Glenn Research Center, Cleveland (USA); R. Riedel, E. Kroke, Technische Universität, Darmstadt (D) 149*

Coating of SiC Fibers with Yb-Doped Ceria

- H. Sueyoshi, Department of Mechanical Engineering, Kagoshima University, (J); R. Dong, M. Higo, Y. Uemura, Y. Hirata, Department of Applied Chemistry and Chemical Engineering, Kagoshima University (J) 157*

Stability of Mullite-Precursor Versus Potential Fiber-Coating Materials

- P. Mechnich, M. Schmücker, H. Schneider, Deutsches Zentrum für Luft- und Raumfahrt e.V., Institut für Werkstoff-Forschung, Köln (D) 164*

Microscopic Thermal Characterization of C/C Composites

- J. Jumel, F. Lepoutre, ONERA, Châtillon (F); F. Enguehard, D. Rochais, CEA Le Ripault, Monts (F); M. Cataldi, SNECMA, Saint Médard en Jalles (F) 168*

Fiber Induced Failure of Carbon/Carbon Composites

- B. Müller, D. Ekenhorst, K.-W. Brzezinka, M. Hentschel, Bundesanstalt für Materialforschung und -prüfung (BAM), Berlin (D) 175*

The Interlaminar Shear Strength of C/C-SiC

- J. Schulte-Fischedick, M. Frieß, W. Krenkel, Deutsches Zentrum für Luft- und Raumfahrt, Institut für Bauweisen- und Konstruktionsforschung, Stuttgart (D); B. Thielicke, Fraunhofer-Institut für Werkstoffmechanik, Freiburg (D) 181*

Stability in Air at Ambient Temperature of BN Coatings Processed from $\text{BCl}_3\text{-NH}_3\text{-H}_2$ Gas Mixtures

- S. Le Gallet, F. Rebillat, A. Guette, R. Naslain, Laboratoire des Composites Thermostructuraux, UMR 5801 (CNRS-SNECMA-CEA-UB1), University Bordeaux I, Pessac (F) 187*

Oxidation Resistance of BN Coatings with Different Textures <i>F. Rebillat, S. Le Gallet, A. Guette, X. Bourrat, R. Naslain, Laboratoire des Composites Thermostructuraux, UMR 5801 (CNRS-SNECMA-CEA-UBI), University Bordeaux 1, Pessac (F)</i>	193
CVD-Coating of Fabric Sheets in Combination with the LSI Process <i>M. Frieß, W. Krenkel, K. Nestler, Deutsches Zentrum für Luft- und Raumfahrt e.V. (DLR), Institute of Structures and Design, Stuttgart (D); G. Marx, Technische Universität Chemnitz, Institut für Chemie, Professur für Physikalische Chemie, Chemnitz (D)</i>	199
Mechanical Properties of SiC/SiC Composites with ZrSiO₄ Interphase at a High Temperature <i>Y. Tanaka, Y. Inoue, N. Miyamoto, M. Sato, Research Institute of Advanced Material Gas Generator, Tokyo (J)</i>	205
Multiscale Investigation of the Creep Behavior of SiC-SiBC <i>S. Darzens, G. Farizy, J. Vicens, J. Chermant, LERMAT, URA CNRS 1317, ISMRA, Caen (F)</i>	211
Evaluation of Damage by Oxidation Corrosion at High Temperatures of Coated C/C-SiC Ceramic Composite <i>M. Labanti, G. Martignani, C. Mingazzini, G. Minoccari, L. Pilotti, A. Ricci, ENEA CRF - Faenza (I); R. Weiss, SCHUNK - Heuchelheim (D)</i>	218
Environmental Barrier Coatings for Silicon-Based Ceramics <i>K. Lee, D. Fox, R. Robinson, N. Bansal, NASA Glenn Research Center, Cleveland (USA)</i>	244
Yttrium-Silicates for Oxidation Protection of C/C-SiC Composites <i>T. Ullmann, H. Hald, Institute of Structures and Design, Stuttgart (D); M. Schmäcker, H. Schneider, Institute of Material Research, Köln (D); R. Henne, Institute of Technical Thermodynamics, Stuttgart (D)</i>	230
Polymer-Spraying as a Deposition Technique for CMCs <i>O. Goerke, E. Feike, H. Schubert, Institute for Material Science and Technology, Berlin (D)</i>	236
Protective Coating for Carbon-Carbon Composites <i>F. Smeacetto, M. Ferraris, M. Salvo, Materials Science and Chemical Engineering Dept., Polytechnic of Torino (I)</i>	240
Low Cost Oxidation Resistant C-C Composites <i>W. Kowbel, C. Bruce, J. Withers, MER Corporation, Tucson (USA)</i>	245
Analysis of Asymmetrical Four-Point Bending Test of Ceramic Composite Joints By Using Finite Element Method <i>H. Serizawa, H. Murakawa, Joining and Welding Research Institute, Osaka University (J); C. Lewinsohn, Pacific Northwest National Laboratory, WA (USA)</i>	251

Thermal Expansion and Phase Transitions up to 850 °C of a Celsian-Hexacelsian (BaAl₂Si₂O₈) Mixture	
<i>J. Schneider, Institut für Kristallographie und Angewandte Mineralogie, Universität München (D); W. Kriven, Department of Material Science and Engineering, University of Illinois at Urbana-Champaign (USA)</i>	257

Thermal Conductivity of Ceramic Coating Materials Determined by a Laser Heat Flux Technique	
<i>D. Zhu, N. Bansal, K. Lee, R. Miller, NASA John H. Glenn Research Center, Cleveland (USA)</i>	262

Oxidation Behaviour of C/SiC Composites with a Si-Zr Coating from Room Temperature to 1500 °C	
<i>L. Cheng, Y. Xu, L. Zhang, R. Gao, State Key Laboratory of Solidification Processing, Northwestern Polytechnical University, Xi'an Shaangxi (VRC)</i>	268

III Processing of Non-Oxide CMCs

Applications of CMCs Made via the Liquid Silicon Infiltration (LSI) Technique	
<i>R. Kochendörfer, N. Lützenburger, DLR (German Aerospace Center), Institute of Structures and Design, Stuttgart (D)</i>	277

Applications of Non-Oxide CMCs	
<i>A. Mühlratzer, M. Leuchs, MAN Technologie AG, Augsburg (D)</i>	288

Failure Behaviour of Three Dimensional Hi-Nicalon/Silicon Carbide Composites Fabricated by Chemical Vapour Infiltration	
<i>Y. Xu, L. Cheng, L. Zhang, H. Yin, State Key Laboratory of Solidification Processing, Northwestern Polytechnical University, Xi'an (VRC)</i>	299

Influence of Hot Pressing on Microstructure and Mechanical Properties of CVI-Infiltrated C/C-Composites	
<i>M. Guellali, R. Oberacker, M. Hoffmann, Universität Karlsruhe (TH) (D)</i>	305

SiC Matrix Composites for High Temperature Applications	
<i>W. Kowbel, C. Bruce, J. Withers, MER Corporation, Tucson (USA)</i>	311

Improving Damage Tolerance of C/SiC	
<i>J. Mentz, M. Müller, H.-P. Buchkremer, D. Stöver, Forschungszentrum Jülich GmbH (D)</i>	317

SiC/SiC Composites by 2-Step Reaction-Bonding Method	
<i>E. Tani, K. Shobu, K. Kishi, E. Maeda, S. Umebayashi, National Institute of Advanced Industrial Science and Technology, Tosu, Saga (J)</i>	324

Influence of Process Parameters on the Thermophysical Properties of C/C-SiC <i>M. Friaß, W. Krenkel, Deutsches Zentrum für Luft- und Raumfahrt e.V. (DLR), Institute of Structures and Design, Stuttgart (D); R. Brandt, G. Neuer, Institut für Kernenergetik und Energiesysteme, Universität Stuttgart (D)</i>	328
Reaction Between Liquid Al (or Si) and Composite C/C Materials <i>A. Favre, T. Birkel, H. Fuzellier, Laboratoire de Chimie Moléculaire et Environnement, Université de Savoie, Le Bourget-du-Lac (F)</i>	334
Properties of Porous Si/SiC-Fiber Composites prepared by Infiltrating Carbon Fiber Composites with Liquid Silicon <i>M. Park, H. Song, B. Lee, J. Hang, J. Lee, Ceramic & Chemical Eng. Div., Myongji University, Kyunggido (ROK); M. Hong, Environmental Eng., Ajou University, Kyunggido (ROK)</i>	341
Nextel 480/Silica Composites by Atmosphere Pressure Chemical Vapor Infiltration <i>Z. Chen, L. Zhang, L. Cheng, Y. Xu, R. Gao, State Key Laboratory of Solidification Processing, Northwestern Polytechnical University, Xi'an (VRC)</i>	347
Continuous Sintering Furnace for Non-Oxide Ceramic Matrix Composites <i>K. Berroth, R. Wagner, FCT Technologie GmbH, Rauenstein (D); H. Kessel, FCT Systeme der Strukturkeramik GmbH, Rauenstein (D)</i>	353
Development of SiC/SiC Composites from Si-Based Polymer Blend by Radiation Application <i>M. Sugimoto, S. Tanaka, Japan Atomic Energy Research Institute, Takasaki Radiation Chemistry Research Establishment, Takasaki (J); M. Itoh, Chemistry and Biochemistry, Fukushima National College of Technolog (J); K. Okamura, Department of Metallurgy and Materials Science, College of Engineering, Osaka Prefecture University (J)</i>	357
Oxidation Behavior and Mechanical Properties of Carbon Fiber Composites with Methylphenylsiloxane-Based Matrix and Pyrolytic Carbon Coating <i>P. Glogar, M. Cerný, K. Balik, Institute of Rock Structure and Mechanics, Academy of Sciences of the Czech Republic, Prague (CZ); D. Loidl, D. Gitschthaler, H. Peterlik, K. Kromp, Institute of Materials Physics, University of Vienna, Vienna (A)</i>	362
C-Fiber Reinforced Ceramic Matrix Composites by a Combination of CVI, PIP and RB <i>C. Nannetti, A. Borello, de D. Pinto, ENEA Casaccia, Roma (I); D. Carbone, A. Licciulli, PASTIS-CNRS, Brindisi (I); A. Ortona, FN, Bosco Marengo (I)</i>	368
Preparation of AlN Whiskers and Applications to Composite Materials <i>N. Hotta, T. Watanabe, Faculty of Engineering, Niigata University (J); T. Sasamoto, Kanagawa Institute of Technology, Atsugi (J); C. Zhang, T. Megura, K. Komeya, Department of Materials and Chemistry, Yokohama National University, Yokohama (J)</i>	375
Room and High Temperature Mechanical Properties of Hot-Pressed SiC Chopped-Fiber- Reinforced SiC Composite <i>J.-S. Lee, K. Yoshida, M. Imai, T. Yano, Research Laboratory for Nuclear Reactors, Tokyo Institute of Technology (J)</i>	381

Mechanical and Thermal Properties of Hot-Pressed SiC/SiC Composites Using SiC Matrix Containing Coarse SiC Grains <i>K Yoshida, Faculty of Engineering, Chiba Institute of Technology (J); M. Imai, T. Yano, Research Laboratory for Nuclear Reactors, Tokyo Institute of Technology (J)</i>	388
Reaction Bonded Silicon Nitride (RBSN) Reinforced by Short SiC Fibres <i>A. Herzog, U. Vogt, Department of High Performance Ceramics, Swiss Federal Laboratories for Materials Testing and Research (EMPA), Duebendorf (CH)</i>	394
Preparation of Liquid-Phase Sintered Multilayer Composites of SiC and AlN <i>S. Wildhack, G. Rixecker, F. Aldinger, Max-Planck-Institut für Metallforschung and Institut für Nichtmetallische Anorganische Materialien der Universität Stuttgart (D)</i>	401
Biomorphic SiSiC Ceramic Composites from Preprocessed Biological Fibers <i>C. Hoffmann, H. Sieber, P. Greil, University of Erlangen-Nürnberg, Department of Materials Science (III), Erlangen (D)</i>	407
Microstructure and Properties of Biomorphic SiSiC Ceramics Derived from Pyrolysed Wooden Templates <i>J. Schmidt, S. Seiz, W. Krenkel, Deutsches Zentrum für Luft- und Raumfahrt e.V. (DLR), Institute of Structures and Design, Stuttgart (D)</i>	414
Wood Derived SiC Ceramics with Oriented Porous Structures via Carbothermal Reduction <i>U. Vogt, A. Herzog, T. Graule, R. Klinger, Department of High Performance Ceramics, Swiss Federal Laboratories for Materials Testing and Research (EMPA), Duebendorf Switzerland, Metal Physic Institute University (CH); T. Zimmermann, Department of Wood, Swiss Federal Laboratories for Materials Testing and Research (EMPA), Duebendorf Switzerland, Metal Physic Institute University (CH); O. Paris, E. Schmid Institute of Material Science of Austrian Academy of Science, Leoben (A)</i>	420

IV Characterization and Simulation of Non-Oxide CMCs

Anelastic Behaviour of Ceramic Matrix Composites During Cyclic Fatigue <i>D. Rouby, O. Penas, P. Reynaud, Groupe d'Études de Métallurgie Physique et de Physique des Matériaux UMR CNRS 5510, INSA de Lyon, Villeurbanne (F)</i>	429
Carbon Fibre Reinforced CMCs: Manufacture, Properties, Oxidation Protection <i>R. Weiss, Schunk Kohlenstofftechnik GmbH, Heuchelheim (D)</i>	440
Ultrasounds: an Essential Tool for Studying the Mechanical Behavior of CMCs <i>J.-M. Morvan, S. Baste, Laboratoire de Mécanique Physique, CNRS UMR 5469, École MATMECA, Université Bordeaux 1, TALENCE (F)</i>	457
Fracture Toughness of Thermally Shocked SiC-Fibre Reinforced Glass Matrix Composites <i>Z. Chlup, I. Dlouhý, Institute of Physics of Materials ASCR, Brno (CZ); A. Boccaccini, Department of Materials, Imperial College, London (GB)</i>	463

High-Temperature Fracture Toughness of a C/SiC (CVI) Composite as Used for Screw Joints in Re-Entry Vehicles <i>M. Kuntz, J. Horvath, G. Grathwohl, University of Bremen (D)</i>	469
Notch Sensitivity of Woven Ceramic Matrix Composites under Tensile Loading – An Experimental, Analytical and Finite Element Study <i>A. Haque, L. Ahmed, Tuskegee University Center for Advanced Materials, Tuskegee (USA)</i>	474
Self-Healing SiC_f/SiC Composite Behaviour under High-Temperature Cyclic Fatigue in Air <i>O. Penas, P. Reynaud, D. Rouby, G. Fantozzi, Groupe d'Etudes de Métallurgie Physique et de Physique des Matériaux, GEMPPM UMR CNRS 5510, INSA de Lyon (F)</i>	480
Behavior of a 2.5D Woven Composite Material SiC/SiC <i>L. Casás, M. Elizalde, J. Martínez-Esnaola, A. Martín-Meizoso, G. Sevillano, CEIT (Centro de Estudios e Investigaciones Técnicas de Gipuzkoa) and Escuela Superior de Ingenieros, TECNUN, University of Navarra, San Sebastián (E); E. Claxton, P. Doleman, Rolls-Royce plc, Derby (GB)</i>	486
CMC Creep Mechanism under Argon <i>G. Boitier, J. Chermant, H. Cubero, S. Darzens, G. Farizy, J. Vicens, LERMAT, URA CNRS 1317, ISMRA, Caen (F); J. Sangleboeuf, LARMOR, Bât 10B, Université de Rennes 1 (F)</i>	492
Transient Creep Behavior in Enhanced SiC/SiC Composites <i>S. Zhu, Y. Kagawa, The University of Tokyo, Tokyo (J); J. Cao, M. Mizuno, Japan Fine Ceramics Center, Nagoya (J)</i>	498
Microstructural Investigations of Ceramic Matrix Composites by Raman Microspectroscopy <i>G. Chollon, S. Le Gallet, P. Forio, F. Rebillat, A. Guette, R. Naslain, Laboratoire des Composites Thermostructuraux, Pessac (F); J. Bruneel, M. Couzi, Laboratoire de Physico-Chimie Moléculaire, Talence (F)</i>	504
Damage Characterization of C/C-SiC-Ceramics <i>B. Rehmer, J. Beckmann, M. Finn, S. Glaubitz, U. Mücke, G. Weidemann, Federal Institute for Materials Research and Testing, Berlin (D)</i>	511
Phenomenological Investigations on C/C-SiC Specimens with NDT Methods <i>R. Aoki, DLR (German Aerospace Center), Institute of Structures and Design, Stuttgart (D)</i>	517
Thermal Response and Oxidation Behavior of Si-Ti-C-O Fiber (Tyranno™ Lox-M)/Si-Ti-C-O Matrix Composites under High Enthalpy Convective Environment <i>T. Ogasawara, T. Ishikawa, Advanced Composite Evaluation Technology Center (ACE-TeC), National Aerospace Laboratory of Japan (NAL), Tokyo (J)</i>	524

The Role of Oxygen in Subcritical Crack Growth in $\text{SiC}_f/\text{SiC}_m$ Composites with Boron-Enhanced Matrices <i>C. Lewinsohn, C. Henager Jr., R. Jones, Pacific Northwest National Laboratory, Richland (USA); L. Giannuzzi, University of Central Florida, Orlando (USA)</i>	531
Corrosive Behaviour of Fibrous Hot Gas Filter in a Model Atmosphere and Dust for Refuse Incineration <i>K. Suzuki, Nat. Ind. Res. Inst. Nagoya (J); K. Nakano, F. Takeda, Japan Ultra-high Temp. Mater. Res. Inst. (J); Y. Kanno, Yamanashi University (J)</i>	538
A Constitutive Model for the Design of Fibrous Ceramic Matrix Composite Structures <i>G. Camus, J. Pallhès, J. Lamon, Laboratoire des Composites Structureaux, Pessac (F)</i>	545
Probabilistic-Statistical Approach to the Ultimate Failure of Ceramic Matrix Composites <i>V. Calard, J. Lamon, Laboratoire des Composites Thermostructuraux, UMR 5801 (CNRS-SNECMA-CEA-UB1), Pessac (F)</i>	551
Damage Quantification of CMCs by Image Analysis <i>G. Boitier, S. Darzens, L. Chermant, M. Coster, J-L. Chermant, LERMAT, URA CNRS 1317, ISMRA, Caen (F)</i>	557
Physically Based Failure Criteria for Long-Fibre Reinforced Ceramics <i>W. Hufenbach, L. Kroll, A. Langkamp, J. Höpken, Institut für Leichtbau und Kunststofftechnik, Technische Universität Dresden, Dresden (D)</i>	564
Predicting Failure Mechanism of SiC/SiC Composites as a Function of Temperature and Oxygen Concentration <i>R. Jones, C. Henager, E. Simonen, C. Lewinsohn, Pacific Northwest National Laboratory, Richland (USA)</i>	570
A CMC Damage Model Based on Micro- and Macromechanics for High-Temperature and Complex Loading <i>P. Ladevèze, S. Letombe, C. Cluzel, LMT Cachan, ENS Cachan/CNRS/Univ Paris 6, Cachan (F)</i>	578

V Oxide/Oxide CMCs

Oxide/Oxide Composites: Control of Microstructure and Properties <i>F. Lange, University of California, Santa Barbara (USA); T. Radsick, USAFA/DFEM, US Air Force Academy, Colorado Spring (USA); M. Holmquist, SAAB, Trollhättan (S)</i>	587
Processing and Properties of Oxide/Oxide Composites for Industrial Applications <i>B. Newman, W. Schäfer, DaimlerChrysler Research and Technology -- c/o. Dornier GmbH – Friedrichshafen (D)</i>	600

Processing and Microstructure of WHIPOX™

B. Kanka, M. Schmücker, W. Luxem, H. Schneider, Institute for Materials Research, German Aerospace Center (DLR), Cologne (D)..... 610

Long Fiber Reinforced Damage-Tolerant Oxide/Oxide CMCs with Polysiloxanes

M. Frieß, W. Krenkel, Deutsches Zentrum für Luft- und Raumfahrt e.V. (DLR), Institute of Structures and Design, Stuttgart (D) 616

A Low Cost Fabrication Route of All Oxide Composites: Fabrication and Mechanical Properties

S. Zhu, H. Kakisawa, T. Mamiya, Y. Kagawa, S. Guo, The University of Tokyo (J) 622

Aluminium Phosphate Bonded Oxide Fibre Reinforced Porous Mullite-Based Matrix Composites

M. Holmquist, R. Lundberg, Volvo Aero Corporation, Trollhättan (S); L. Hoffer, A. Kristoffersson, Swedish Ceramic Institute, Göteborg (S)..... 627

Oxide Fibers Produced by Internal Crystallization Method and their Usage in Oxide-Matrix Composites

S. Mileiko, V. Kiiko, A. Kolchin, V. Kurlov, Solid State Physics Institute of the Russian Academy of Sciences, Chernogolovka Moscow district (RUS) 633

Processing and Characterisation of Mullite (Nextel™ 720) Fibre-Reinforced Mullite Matrix Composites from Hydrothermally Processed Mullite Precursors

C. Kaya, E. Butler, Interdisciplinary Research Centre (IRC) in Materials Processing, The University of Birmingham (GB); A. Boccaccini, Department of Materials, Imperial College of Science, Technology and Medicine, London (GB); M. Lewis, Department of Physics, Centre for Advanced Materials, The University of Warwick, Coventry (GB) 639

Microfabrication of Damage-Tolerant Al₂O₃/ZrO₂ Fibril Composites via Aligned Bi-Phase Microlaminae Using Co-Extrusion

C. Kaya, E. Butler, Interdisciplinary Research Centre (IRC) in Materials Processing, The University of Birmingham (GB); M. Lewis, Department of Physics, Centre for Advanced Materials, The University of Warwick, Coventry (GB) 645

Modeling the Co-Extrusion of Ceramic Pastes for Fabrication of Fibrous Monolithic Composites

I. Aldazabal, J. Flaquer, J. Martinez-Esnaola, G. Sevillano, CEIT (Centro de Estudios e Investigaciones Técnicas de Gipuzkoa) and Escuela Superior de Ingenieros, TECNUN, University of Navarra, San Sebastián (E) 651

Dispersion and Rheological Characterization of SiC Whisker in Mullite Slurries

D. Jiang, L. Ling, Z. Huang, J. Zhang, The state Key Lab of High Performance Ceramics and Superfine Structure, Shanghai Institute of Ceramics (VRC); Z. Shen, M. Nygren, Dept. of Chemical, University of Stockholm, (S) 658

Optical and Mechanical Behavior of Woven Fabric Al_2O_3 Fiber-Reinforced MgAl_2O_4 Matrix All-Oxide Optomechanical Composites <i>A. Dericioglu, S. Zhu, Y. Kagawa, Institute of Industrial Science, The University of Tokyo (J)</i>	664
Mesostructure of WHIPOXTM all Oxide Ceramics <i>M. Schmücker, B. Kanka, H. Schneider, German Aerospace Center (DLR), Institute of Materials Research, Köln (D)</i>	670
Mechanical Behavior of WHIPOXTM Ceramic Matrix Composites <i>J. Göring, F. Flucht, H. Schneider, German Aerospace Center, Institute of Materials Research, Köln (D)</i>	675
“Keramikblech” Properties and Applications <i>W. Pritzkow, Walter E.C. Pritzkow Spezialkeramik, Stuttgart (D)</i>	681
Long Term Properties of Ceramic Matrix Composites under High Temperature Mechanical Loading <i>D. Koch, G. Grathwohl, Keramische Werkstoffe und Bauteile, Universität Bremen (D)</i>	686
Oxidation Behaviour of a Fibre Reinforced $\text{SiC}_{10}/\text{Al}_2\text{O}_3$-Composite <i>F. Porz, K. Sindermann, M. Hoffmann, Institut für Keramik im Maschinenbau, Universität Karlsruhe (D)</i>	692
High Temperature Strength of Directionally-Solidified Al_2O_3-$\text{ZrO}_2(\text{Y}_2\text{O}_3)$ Eutectics <i>J. Pastor, P. Poza, J. Llorca, Department of Materials Science, Polytechnic University of Madrid. E. T. S. de Ingenieros de Caminos, Madrid (E)</i>	698
Ceramic Composites Al_2O_3-ZrO_2-MgO <i>T. Ulyanova, L. Titova, N. Krut'ko, Institute of General and Inorganic Chemistry of the National Academy of Sciences, Minsk (BY)</i>	704
Tensile Creep Behavior of In-Situ Single Crystal Oxide Ceramics Eutectic Composites in Ultra-High Temperature, High Pressure and Moisture Rich Environments <i>K. Hirano, Y. Harada, T. Suzuki, Advanced Materials & Structural Integrity Research Group, National Institute of Advanced Industrial Science and Technology (AIST), Namiki 1-2, Tsukuba-shi, Ibaraki-ken (J)</i>	709
Microstructure Design Concepts for Damage Tolerance Behavior in Alumina Laminate Composites <i>S.-Y. Park, Department of Ceramics Engineering, Kangnung National University, Kangnung Kangwondo (ROK)</i>	716
Mechanical Properties of Si-Ti-C-O Fabric/Polytitanocarboasilane/Mullite Laminate Composites <i>Y. Nakamura, S. Kasuga, Y. Hirata, Department of Mechanical Engineering, Kagoshima University (J); J. Nakamura, Department of Applied Chemistry and Chemical Engineering, Kagoshima University (J), now at Kyocera, Co., Kagoshima (J)</i>	721

VI Applications

Design Fabrication and Applications of C/C, C/SiC and SiC/SiC Composites <i>F. Christin, Snecma Moteurs, Site de Bordeaux, Le Haillan (F)</i>	731
Melt Infiltrated (MI) SiC/SiC Composites for Gas Turbine Applications <i>K. Luthra, G. Corman, General Electric Corporate Research & Development, Schenectady (USA)</i>	744
Development of a 3D-SiC/SiC Component Model for HOPE-X (H-2 Orbiting Plane Experimental) <i>K. Nishi, J. Gotoh, S. Aratama, Kawasaki Heavy Industries, Ltd., Kakamigahara (J)</i>	754
Dynamic Qualification of a New CMC Fastener <i>M. Ortelt, F. Ruehle, H. Hald, H. Weihs, DLR (German Aerospace Center), Institute of Structures and Design, Stuttgart (D)</i>	760
Brazing of C/SiC Composites with the BraSiC [®] Process for High Temperature Applications <i>V. Chaumat, A. Gasse, P. Sire, CEA / CEREM-DTEN / Service of Materials and Proceedings, Grenoble (F); J. Bouchaud, Wicht Technologie Consulting, München (D)</i>	767
Environmental Properties and Applications of 3D C/SiC and SiC/SiC Composites by Chemical Vapor Infiltration <i>Y. Xu, L. Cheng, L. Zhang, H. Yin, State Key Laboratory of Solidification Processing, Northwestern Polytechnical University, Xi'an (VRC)</i>	772
Progress in SiC/SiC Composites for Engine Applications <i>J. DiCarlo, H. Yun, G. Morscher, L. Thomas-Ogbuji, NASA Glenn Research Center, Cleveland (USA)</i>	777
An Improved Long Life Duration CMC for Jet Aircraft Engine Applications <i>F. Lamouroux, E. Bouillon, J. Cavalier, P. Spriet, G. Habarou, SNECMA-Moteurs, Rocket Engine Division, Solid Propulsion and Composites Direction, Le Haillan (F)</i>	783
Development of the Advanced Combustor Liner Composed of CMC/GMC Hybrid Composite Material <i>K. Igashira, Y. Matsuda, G. Matsubara, A. Imamura, Research Institute of Advanced Material Gas-Generator, Tokyo (J)</i>	789
Heat Exchangers for an Air-Turbo-Ram-Jet Engine <i>H. Hatta, K. Goto, Institute of Space and Astronautical Science, Sagami-hara, Japan; Y. Kogo, Science University of Tokyo, Noda (J); M. Ichikawa, IHI, Tokyo (J)</i>	797
C/SiC Material Evaluation for Aircraft Brake Applications <i>S. Vaidyaraman, Aircraft Braking Systems Corporation, Akron, Ohio (USA); M. Purdy, Goodrich Corporation, Brecksville (USA); T. Walker, Honeywell Aircraft Landing Systems, South Bend (USA); S. Horst, OAI, Cleveland (USA)</i>	802

Short Fibre Reinforced CMC Materials for High Performance Brakes <i>B. Heidenreich, R. Renz, W. Krenkel, German Aerospace Center (DLR), Stuttgart (D)</i>	809
Ceramic Foams and Their Applications <i>J. Withers, W. Kowbel, R. Loutfy, MER Corporation, Tucson (USA)</i>	816
C/SiC/C Composites for Tribological Application <i>Z. Rak, Energy Research Centre of the Netherlands, Petten (NL)</i>	820
Engineering of CMC Tubular Components <i>J. Schmidt, M. Scheiffele, W. Krenkel, Deutsches Zentrum für Luft- und Raumfahrt e.V. (DLR), Institute of Structures and Design, Stuttgart (D)</i>	826
Applications of CMC-Racks for High Temperature Processes <i>J. Demmel, H. Lallinger, G. Kopp, Fraunhofer Technologie-Entwicklungsgruppe TEG, Stuttgart (D)</i>	832
CMC Materials for Lightweight and Low CTE Applications <i>R. Renz, B. Heidenreich, W. Krenkel, German Aerospace Center (DLR), Stuttgart (D); A. Schöppach, Zeiss Optronik GmbH, Oberkochen (D); F. Richter, Carl Zeiss 3D Automation GmbH, Essingen/Aalen (D)</i>	839
Cost Analysis for the Manufacture of C/C-SiC Structural Parts <i>H. Abu El-Hija, W. Krenkel, German Aerospace Center (DLR), Stuttgart (D)</i>	846
A New Data Management System for Ceramic Matrix Composites <i>T. Austin, M. Steen, H. Over, European Commission – Joint Research Centre, Institute for Advanced Materials, Petten (NL); P. Bonnel, Environment Institute, Ispra (I)</i>	852
A Multiscale New Chart Method for Properly Assessing the Performance of Ceramic Matrix Composites and Aiding Numerical Modeling <i>M. Drissi-Habti, The University of Tokyo (J)</i>	859
Tyrannohex Composites: High Potential Materials for Structural Applications <i>M. Drissi-Habti, The University of Tokyo (J); T. Ishikawa, UBE Industries Ltd (J); L. Zawada, Wright Patterson AFB (USA)</i>	866
Author Index	873
Subject Index	878