

OPTIMAL INVENTORY MODELING OF SYSTEMS

Multi-Echelon Techniques
Second Edition

Craig C. Sherbrooke



Kluwer's INTERNATIONAL SERIES

Contents

Dedication	v
List of Figures	xv
List of Tables	xvii
List of Variables	xix
Preface	xxiii
Acknowledgements	xxix
1 INTRODUCTION	1
1.1 CHAPTER OVERVIEW	1
1.2 THE SYSTEM APPROACH	2
1.3 THE ITEM APPROACH	3
1.4 REPAIRABLE VS. CONSUMABLE ITEMS	4
1.5 "PHYSICS" OF THE PROBLEM	6
1.6 MULTI-ITEM OPTIMIZATION	7
1.7 MULTI-ECHELON OPTIMIZATION	8
1.8 MULTI-INDENTURE OPTIMIZATION	9
1.9 FIELD TEST EXPERIENCE	10
1.10 THE ITEM APPROACH REVISITED	13
1.11 THE SYSTEM APPROACH REVISITED	14
1.12 SUMMARY	17
1.13 PROBLEMS	18

2 SINGLE-SITE INVENTORY MODEL FOR REPAIRABLE ITEMS	19
2.1 CHAPTER OVERVIEW	19
2.2 MEAN AND VARIANCE	20
2.3 POISSON DISTRIBUTION AND NOTATION	21
2.4 PALM'S THEOREM	22
2.5 JUSTIFICATION OF INDEPENDENT REPAIR TIMES AND CONSTANT DEMAND	22
2.6 STOCK LEVEL	24
2.7 ITEM PERFORMANCE MEASURES	25
2.8 SYSTEM PERFORMANCE MEASURES	29
2.9 SINGLE-SITE MODEL	29
2.10 MARGINAL ANALYSIS	30
2.11 CONVEXITY	33
2.12 MATHEMATICAL SOLUTION OF MARGINAL ANALYSIS	34
2.13 SEPARABILITY	37
2.14 AVAILABILITY	37
2.15 SUMMARY	41
2.16 PROBLEMS	42
3 METRIC: A MULTI-ECHELON MODEL	45
3.1 CHAPTER OVERVIEW	45
3.2 METRIC MODEL ASSUMPTIONS	46
3.3 METRIC THEORY	48
3.4 NUMERICAL EXAMPLE	49
3.5 CONVEXIFICATION	52
3.6 SUMMARY OF THE METRIC OPTIMIZATION PROCEDURE	54
3.7 AVAILABILITY	55
3.8 SUMMARY	56
3.9 PROBLEMS	56
4 DEMAND PROCESSES AND DEMAND PREDICTION	59
4.1 CHAPTER OVERVIEW	59
4.2 POISSON PROCESS	61
4.3 NEGATIVE BINOMIAL DISTRIBUTION	62
4.4 MULTI-INDENTURE PROBLEM	65
4.5 MULTI-INDENTURE EXAMPLE	67
4.6 VARIANCE OF THE NUMBER OF UNITS IN THE PIPELINE	67
4.7 MULTI-INDENTURE EXAMPLE REVISITED	71
4.8 DEMAND RATES THAT VARY WITH TIME	72
4.9 BAYESIAN ANALYSIS	73
4.10 OBJECTIVE BAYES	75

4.11	BAYESIAN ANALYSIS IN THE CASE OF INITIAL ESTIMATE DATA	80
4.12	JAMES-STEIN ESTIMATION	81
4.13	JAMES-STEIN ESTIMATION EXPERIMENT	83
4.14	COMPARISON OF BAYES AND JAMES-STEIN	85
4.15	DEMAND PREDICTION EXPERIMENT DESIGN	85
4.16	DEMAND PREDICTION EXPERIMENT RESULTS	87
4.17	RANDOM FAILURE VERSUS WEAR-OUT PROCESSES	89
4.18	GOODNESS-OF-FIT TESTS	92
4.19	SUMMARY	95
4.20	PROBLEMS	96
5 VARI-METRIC: A MULTI-ECHELON, MULTI-INDENTURE MODEL		101
5.1	CHAPTER OVERVIEW	101
5.2	MATHEMATICAL PRELIMINARY: MULTI-ECHELON THEORY	103
5.3	DEFINITIONS	106
5.4	DEMAND RATES	107
5.5	MEAN AND VARIANCE FOR THE NUMBER OF LRUS IN DEPOT REPAIR	108
5.6	MEAN AND VARIANCE FOR THE NUMBER OF SRUS IN BASE REPAIR OR RESUPPLY	109
5.7	MEAN AND VARIANCE FOR THE NUMBER OF LRUS IN BASE REPAIR OR RESUPPLY	110
5.8	AVAILABILITY	111
5.9	OPTIMIZATION	112
5.10	GENERALIZATION OF THE RESUPPLY TIME ASSUMPTIONS	112
5.11	GENERALIZATION OF THE POISSON DEMAND ASSUMPTION	113
5.12	COMMON ITEMS	114
5.13	CONSUMABLE AND PARTIALLY REPAIRABLE ITEMS	114
5.14	NUMERICAL EXAMPLE	120
5.15	ITEM CRITICALITY DIFFERENCES	122
5.16	AVAILABILITY DEGRADATION DUE TO MAINTENANCE	123
5.17	AVAILABILITY FORMULA UNDERESTIMATES FOR AIRCRAFT	124
5.18	SUMMARY	125
5.19	PROBLEMS	125
6 MULTI-ECHELON, MULTI-INDENTURE MODELS WITH PERIODIC SUPPLY AND REDUNDANCY		129
6.1	SPACE STATION DESCRIPTION	129
6.2	CHAPTER OVERVIEW	130
6.3	MAINTENANCE CONCEPT	131
6.4	AVAILABILITY AS A FUNCTION OF TIME DURING THE CYCLE	132

6.5	PROBABILITY DISTRIBUTION OF BACKORDERS FOR AN ORU	133
6.6	PROBABILITY DISTRIBUTION FOR NUMBER OF SYSTEMS DOWN FOR AN ORU	136
6.7	PROBABILITY DISTRIBUTION FOR NUMBER OF SYSTEMS DOWN	139
6.8	AVAILABILITY	140
6.9	NUMERICAL EXAMPLE FOR ONE ORU	141
6.10	OPTIMIZATION	142
6.11	MULTIPLE RESOURCE CONSTRAINTS	143
6.12	REDUNDANCY BLOCK DIAGRAMS	145
6.13	NUMERICAL EXAMPLES	147
6.14	OTHER REDUNDANCY CONFIGURATIONS WITH 50% ORUS OPERATING	153
6.15	SUMMARY OF THE THEORY	156
6.16	APPLICATION OF THE THEORY	158
6.17	PROBLEMS	159
7	SPECIAL TOPICS IN PERIODIC SUPPLY	163
7.1	CHAPTER OVERVIEW	163
7.2	AVAILABILITY OVER DIFFERENT CYCLE LENGTHS	164
7.3	AVAILABILITY DEGRADATION DUE TO REMOVE/REPLACE IN ORBIT	165
7.4	FAILURES DUE TO WEAR OUT	167
7.5	NUMERICAL EXAMPLE	170
7.6	MULTIPLE WEAR OUT FAILURES AT ONE LOCATION DURING A CYCLE	172
7.7	COMMON ITEMS	177
7.8	CONDEMNATIONS	178
7.9	DYNAMIC CALCULATIONS	179
7.10	SUMMARY	179
7.11	PROBLEMS	180
8	MODELING OF CANNIBALIZATION	181
8.1	CHAPTER OVERVIEW	181
8.2	SINGLE SITE MODEL	183
8.3	MULTI-INDENTURE MODEL	186
8.4	OPTIMIZATION OF AVAILABILITY	188
8.5	COMPARISON OF OBJECTIVE FUNCTIONS FOR CANNIBALIZATION	190
8.6	GENERALIZATIONS	192
8.7	DYNA-METRIC AND THE AIRCRAFT SUSTAINABILITY MODEL	194

8.8	DRIVE - DISTRIBUTION AND REPAIR IN VARIABLE ENVIRONMENTS	195
8.9	PURPOSE OF DRIVE	195
8.10	MODEL ASSUMPTIONS WITH DRIVE	197
8.11	IMPLEMENTATION PROBLEMS WITH DRIVE	198
8.12	DISTRIBUTION ALGORITHM FOR DRIVE	200
8.13	FIELD TEST RESULTS FOR DRIVE	201
8.14	OVERDRIVE - SEPARATE DISTRIBUTION & REPAIR MODELS	202
8.15	CURRENT STATUS OF DRIVE	206
8.16	SUMMARY	207
8.17	PROBLEMS	208
9	APPLICATIONS	211
9.1	CHAPTER OVERVIEW	211
9.2	AIRLINE APPLICATIONS	212
9.3	REDISTRIBUTION AND SALE OF ASSETS	213
9.4	PERIODIC RESUPPLY	213
9.5	NO RESUPPLY: FLYAWAY KITS	214
9.6	ITEMS THAT ARE SOMETIMES REPAIRED-IN-PLACE	215
9.7	CONTRACTOR REPAIR	216
9.8	PROBABILITY DISTRIBUTION OF DELAY TIME	216
9.9	SITES THAT ARE BOTH OPERATING AND SUPPORT	218
9.10	LARGE SYSTEMS WHERE INDENTURE INFORMATION MAY BE LACKING	218
9.11	SYSTEMS COMPOSED OF MULTIPLE SUB-SYSTEMS	219
9.12	ITEMS WITH LIMITED INTERCHANGEABILITY AND SUBSTITUTABILITY	220
9.13	REDUNDANCY	220
9.14	UNFILLED DEMAND MAY NOT BE A BACKORDER	221
9.15	SUMMARY	221
10	IMPLEMENTATION ISSUES	223
10.1	CHAPTER OVERVIEW	223
10.2	COMPARISON OF VARI-METRIC WITH OTHER STOCKAGE POLICIES	225
10.3	USE OF STANDARDS VERSUS MEASURED QUANTITIES	225
10.4	ROBUST ESTIMATION	226
10.5	ASSESSMENT OF ALTERNATIVE SUPPORT POLICIES	227
10.6	MODEL IMPLEMENTATION - AIR FORCE	229
10.7	MODEL IMPLEMENTATION - ARMY	230
10.8	MODEL IMPLEMENTATION - NAVY	231
10.9	MODEL IMPLEMENTATION - COAST GUARD	231

10.10	MODEL IMPLEMENTATION - WORLDWIDE	232
10.11	MODEL HIERARCHIES	232
10.12	SYSTEM APPROACH REVISITED ONE MORE TIME	234
10.13	PROBLEMS	235
Appendix A PALM'S THEOREM		237
A.1	APPENDIX OVERVIEW	237
A.2	PRELIMINARY MATHEMATICS	238
A.3	PROOF OF PALM'S THEOREM	239
A.4	EXTENSION OF PALM'S THEOREM TO FINITE POPULATIONS	241
A.5	DYNAMIC FORM OF PALM'S THEOREM	241
A.6	PROBLEMS	242
Appendix B MULTI-ECHELON SYSTEMS WITH LATERAL SUPPLY		245
B.1	APPENDIX OVERVIEW	245
B.2	BACKGROUND	246
B.3	SIMULATION DESCRIPTION	247
B.4	PARAMETER VALUES	249
B.5	DEPOT-REPAIRABLE-ONLY ITEMS	250
B.6	BASE-REPAIRABLE ITEMS	257
B.7	NUMBER OF LATERAL SHIPMENTS	258
B.8	SUMMARY	258
Appendix C DEMAND PREDICTION STUDIES		261
C.1	BACKGROUND	261
C.2	APPENDIX OVERVIEW	263
C.3	DESCRIPTION OF THE DEMAND PREDICTION EXPERIMENT	264
C.4	RESULTS OF THE DEMAND PREDICTION EXPERIMENT FOR C-5 AIRFRAME	269
C.5	RESULTS OF THE DEMAND PREDICTION EXPERIMENT FOR A-10 AIRFRAME	274
C.6	RESULTS OF THE F-16 DEMAND PREDICTION EXPERIMENT	275
C.7	DEMAND PREDICTION FOR F-16 USING FLYING HOUR DATA	276
C.8	CORRELATIONS	281
C.9	SMALLER SMOOTHING CONSTANT FOR LOW-DEMAND ITEMS	285
C.10	SUMMARY	286
Appendix D PREDICTING WARTIME DEMAND FOR AIRCRAFT SPARES		291
D.1	APPENDIX OVERVIEW	291
D.2	DESERT STORM EXPERIENCE	292

D.3	LITERATURE REVIEW	292
D.4	PROPOSAL FOR A CONTROLLED EXPERIMENT	293
D.5	DATA ANALYSIS – F-15 C/D AIRCRAFT	294
D.6	ANALYSIS OF OTHER DATA SETS	296
D.7	SUMMARY	298
Appendix E VMETRIC MODEL IMPLEMENTATION		301
E.1	CHAPTER OVERVIEW	301
E.2	VMETRIC SCREENS	302
Appendix F DEMAND ANALYSIS SYSTEM		315
References		321
Index		327