



IMAGE PROCESSING

Dealing with
Texture

Maria Petrou | Pedro García Sevilla

 **WILEY**

Contents

Preface	ix
1 Introduction	1
What is texture?	1
Why are we interested in texture?	1
How do we cope with texture when texture is a nuisance?	3
How does texture give us information about the material of the imaged object? . .	3
Are there non-optical images?	4
What is the meaning of texture in non-optical images?	4
What is the albedo of a surface?	4
Can a surface with variable albedo appear non-textured?	4
Can a rough surface of uniform albedo appear non-textured?	4
What are the problems of texture which image processing is trying to solve?	4
What are the limitations of image processing in trying to solve the above problems?	5
How may the limitations of image processing be overcome for recognising textures?	6
What is this book about?	6
Box 1.1. An algorithm for the isolation of textured regions	6
2 Binary textures	11
Why are we interested in binary textures?	11
What is this chapter about?	11
Are there any generic tools appropriate for all types of texture?	12
Can we at least distinguish classes of texture?	12
Which are the texture classes?	12
Which tools are appropriate for each type of texture?	12
2.1 Shape grammars	13
What is a shape grammar?	13
Box 2.1. Shape grammars	13
What happens if the placement of the primitive pattern is not regular?	21
What happens if the primitive pattern itself is not always the same?	22
What happens if the primitive patterns vary in a continuous way?	22
2.2 Boolean models	23
What is a 2D Boolean model?	23
Box 2.2. How can we draw random numbers according to a given probability density function?	23

Box 2.3. What is a Poisson process?	28
How can we use the 2D Boolean model to describe a binary texture?	31
How can we estimate some aggregate parameters of the 2D Boolean model?	31
How can we estimate some individual parameters of the 2D Boolean model?	37
Box 2.4. How can we relate the individual parameters to the aggregate parameters of the 2D Boolean model?	38
What is the simplest possible primitive pattern we may have in a Boolean model?	44
What is a 1D Boolean model?	44
How may the 1D Boolean model be used to describe textures?	45
How can we create 1D strings from a 2D image?	45
Box 2.5. Hilbert curves	46
How can we estimate the parameters of the 1D Boolean model?	49
Box 2.6. Parameter estimation for the discrete 1D Boolean model	52
What happens if the primitive patterns are very irregular?	53
2.3 Mathematical morphology	54
What is mathematical morphology?	54
What is dilation?	54
What is erosion?	56
Is there any way to lose details smaller than a certain size but leave the size of larger details unaffected?	56
What is opening?	56
What is closing?	57
How do we do morphological operations if the structuring element is not symmetric about its centre?	57
Since the structuring element looks like a small image, can we exchange the roles of object and structuring element?	60
Is closing a commutative operation?	60
Can we use different structuring elements for the erosion and the dilation parts of the opening and closing operators?	61
Can we apply morphological operators to the white pixels of an image instead of applying them to the black pixels?	63
Can we apply more than one morphological operator to the same image?	63
Is erosion an associative operation as well?	64
How can we use morphological operations to characterise a texture?	66
Box 2.7. Formal definitions in mathematical morphology	68
What is the “take home” message of this chapter?	79
3 Stationary grey texture images	81
What is a stationary texture image?	81
What is this chapter about?	81
Are any of the methods appropriate for classifying binary textures useful for the analysis of grey textures?	81
3.1 Image binarisation	83
How may a grey image be analysed into a set of binary images by thresholding? . .	83
How may a grey image be analysed into a set of binary images by bit-slicing? . . .	83
Is there any relationship between the binary planes produced by thresholding and the bit planes?	87

3.2 Grey scale mathematical morphology	90
How does mathematical morphology generalise for grey images?	90
How is the complement of an image defined for grey images?	92
What is a non-flat structuring element?	92
What is the relationship between the morphological operations applied to an image and those applied to its complement?	96
What is the purpose of using a non-flat structuring element?	98
How can we perform granulometry with a grey image?	99
Can we extract in one go the details of a signal, peaks or valleys, smaller than a certain size?	100
How can we use the pattern spectrum to classify textures?	104
3.3 Fractals	105
What is a fractal?	105
What is the fractal dimension?	105
Which statistical properties remain the same at all scales in non-deterministic fractals?	117
Box 3.1. What is self-affine scaling?	117
Box 3.2. What is the relationship between the fractal dimension and exponent H ?	118
Box 3.3. What is the range of values of H ?	119
What is a fractional Brownian motion?	121
Box 3.4. Prove that the range of values of H for a fractional Brownian motion is $(0, 1)$.	125
Box 3.5. What is the correlation between two increments of a fractional Brownian motion?	126
Box 3.6. What is the power spectrum of a fractal?	127
Box 3.7. Robust line fitting using the Ransac method	152
Box 3.8. What is the autocorrelation function of a fractal?	152
Is fractal dimension a good texture descriptor?	164
Is there a way to enrich the description of textures offered by fractal models?	164
What is lacunarity?	165
3.4 Markov random fields	168
What is a Markov random field?	168
Which are the neighbouring pixels of a pixel?	169
How can we use MRFs to characterise textures?	169
What is texture synthesis by analysis?	169
How can we apply the Markov model to create textures?	172
Can we apply the method discussed in the previous section to create images with 256 grey levels?	174
What is the auto-normal Markov random field model?	180
How can we estimate the Markov parameters of a texture?	182
What is maximum likelihood estimation?	182
What is the log-likelihood?	184
Box 3.9. What is the relationship between maximum likelihood estimation and Bayesian estimation?	185
How can we apply maximum likelihood estimation to estimate the parameters of a Markov random field?	185
How do we know which parameter values to try when we apply MLE to estimate the Markov parameters?	186

How can we estimate the Markov parameters with the least square error estimation method?	189
Box 3.10. Least square parameter estimation for the MRF parameters	190
Is a Markov random field always realisable given that we define it arbitrarily? . . .	196
What conditions make an MRF self-consistent?	196
What is a clique in a neighbourhood structure?	196
3.5 Gibbs distributions	198
What is a Gibbs distribution?	198
What is a clique potential?	198
Can we have a Markov random field with only singleton cliques?	201
What is the relationship between the clique potentials and the Markov parameters? .	211
Box 3.11. Prove the equivalence of Markov random fields and Gibbs distributions (Hammersley–Clifford theorem).	215
How can we use the Gibbs distribution to create textures?	220
How can we create an image compatible with a Gibbs model if we are not interested in fixing the histogram of the image?	226
What is the temperature of a Gibbs distribution?	230
How does the temperature parameter of the Gibbs distribution determine how distinguishable one configuration is from another?	230
What is the critical temperature of a Markov random field?	238
3.6 The autocorrelation function as a texture descriptor	246
How can we compute the autocorrelation function of an MRF?	246
Can we use the autocorrelation function itself to characterise a texture?	246
How can we use the autocorrelation function directly for texture characterisation? .	250
How can we infer the periodicity of a texture from the autocorrelation function? .	252
How can we extract parametric features from the autocorrelation function?	253
Box 3.12. Least square fitting in 2D and 1D	257
3.7 Texture features from the Fourier transform	260
Can we infer the periodicity of a texture directly from its power spectrum?	260
Does the phase of the Fourier transform convey any useful information?	265
Since the phase conveys more information for a pattern than its power spectrum, why don't we use the phase to describe textures?	270
Is it possible to compute from the image phase a function the value of which changes only due to genuine image changes?	270
How do we perform phase unwrapping?	271
What are the drawbacks of the simple phase unwrapping algorithm?	273
3.8 Co-occurrence matrices	275
Can we use non-parametric descriptions of texture?	275
How is a co-occurrence matrix defined?	277
How do we compute the co-occurrence matrix in practice?	281
How can we recognise textures with the help of the co-occurrence matrix?	281
How can we choose the parameters of the co-occurrence matrix?	283
What are the higher-order co-occurrence matrices?	294
What is the “take home” message of this chapter?	294

4 Non-stationary grey texture images	297
What is a non-stationary texture image?	297
What is this chapter about?	297
Why can't we use the methods developed in the previous chapter here?	297
How can we be sure that the texture inside an image window is stationary?	297
4.1 The uncertainty principle and its implications in signal and image processing	298
What is the uncertainty principle in signal processing?	298
Box 4.1. Prove the uncertainty principle in signal processing	302
Does the window we choose in order to extract local information influence the result?	305
How can we estimate "what is happening where" in a digital signal?	315
How can we deal with the variability of the values of a feature?	318
How do we know which size window we should use?	323
How is the uncertainty principle generalised to 2D?	326
4.2 Gabor functions	329
What is a Gabor function?	329
Why are Gabor functions useful in analysing a signal?	330
How can we use the Gabor functions in practice?	336
How is a Gabor function generalised in 2D?	341
How may we use the 2D Gabor functions to analyse an image?	345
Can we have alternative tessellations of the frequency domain?	353
How can we define a Gaussian window in polar coordinates in the frequency domain?	354
What is an octave?	356
How do we express a frequency in octaves?	356
How may we choose the parameters of the Gaussian window in the frequency space?	357
4.3 Prolate spheroidal sequence functions	380
Is it possible to have a window with sharp edges in one domain which has minimal side ripples in the other domain?	380
Box 4.2. Of all the band-limited sequences one can define, which sequence has the maximum energy concentration between a given set of indices?	381
Box 4.3. Do prolate spheroidal wave functions exist in the digital domain?	384
What is the relationship of two band-limited functions, the Fourier transforms of which are given by the real functions $F(\omega_x, \omega_y)$, and $F(-\omega_x, -\omega_y)$, respectively?	393
How can we construct a filter which is band-limited in two bands which are symmetrically placed about the origin of the axes in the frequency domain?	394
Box 4.4. How may we generalise the prolate spheroidal sequence functions to 2D?	403
Could we construct the 2D prolate spheroidal sequence filters as separable filters?	425
What is the advantage of using separable filters?	428
4.4 Wavelets	436
Is there a way other than using Gabor functions to span the whole spatio-frequency space?	436
What is a wavelet?	439
How can we use wavelets to analyse a signal?	440
Box 4.5. How should we choose the mother wavelet?	442
Box 4.6. Does the wavelet function minimise the uncertainty inequality?	448
How is the wavelet transform adapted for digital signals?	460
How do we compute the wavelet coefficients in practice?	463

Why is the continuous wavelet transform invertible and the discrete wavelet transform non-invertible? 474

How can we span the part of the “what happens when” space which contains the direct component of the signal? 475

Can we span the whole “what is where” space by using only the scaling function? . 477

What is a Laplacian pyramid? 477

Why is the creation of a Laplacian pyramid associated with the application of a Gaussian function at different scales, and the subtraction of the results? . . . 477

Why may the second derivative of a Gaussian function be used as a filter to estimate the second derivative of a signal? 477

How can we extract the coarse resolution content of a signal from its content at a finer resolution? 477

How can we choose the scaling function? 481

How do we perform the multiresolution analysis of a signal in practice? 485

Why in tree wavelet analysis do we always analyse the part of the signal which contains the low frequencies only? 486

Box 4.7. How do we recover the original signal from its wavelet coefficients in practice? 494

How many different wavelet filters exist? 500

How may we use wavelets to process images? 500

How may we use wavelets to construct texture features? 507

What is the maximum overlap algorithm? 507

What is the relationship between Gabor functions and wavelets? 518

4.5 Where Image Processing and Pattern Recognition meet 521

Why in wavelet analysis do we always split the band with the maximum energy? . 521

What is feature selection? 521

How can we visualise the histogram of more than one feature in order to decide whether they constitute a good feature set? 523

What is the feature space? 523

What is the histogram of distances in a feature space? 523

Is it possible that the histogram of distances does not pick up the presence of clusters, even though clusters are present? 525

How do we segment the image once we have produced a set of features for each pixel? 527

What is the **K**-means algorithm? 527

What is deterministic annealing? 528

Box 4.8. Maximum entropy clustering 529

How may we assess the quality of a segmentation? 535

How is the Bhattacharyya distance defined? 535

How can we compute the Bhattacharyya distance in practice? 535

How may we assess the quality of a segmentation using a manual segmentation as reference? 536

What is a confusion matrix? 537

What are the over- and under-detection errors? 538

4.6 Laws’ masks and the “what looks like where” space 539

Is it possible to extract image features without referring to the frequency domain? 539

How are Laws’ masks defined? 539

Is there a systematic way to construct features that span the “what looks like where” space completely? 548

How can we expand a local image neighbourhood in terms of the Walsh elementary images?	556
Can we use convolution to compute the coefficients of the expansion of a sub-image in terms of a set of elementary images?	562
Is there any other way to express the local structure of the image?	573
4.7 Local binary patterns	574
What is the local binary pattern approach to texture representation?	574
How can we make this representation rotationally invariant?	574
How can we make this representation appropriate for macro-textures?	575
How can we use the local binary patterns to characterise textures?	576
What is a metric?	576
What is a pseudo-metric?	576
Why should one wish to use a pseudo-metric and not a metric?	577
How can we measure the difference between two histograms?	577
How can we use the local binary patterns to segment textures?	579
How can we overcome the shortcomings of the LBP segmentation?	580
4.8 The Wigner distribution	583
What is the Wigner distribution?	583
How is the Wigner distribution used for the analysis of digital signals?	591
What is the pseudo-Wigner distribution?	591
What is the Kaiser window?	592
What is the Nyquist frequency?	594
Why does the use of the pseudo-Wigner distribution require signals which have been sampled at twice their Nyquist frequency?	595
Should we worry about aliasing when we use the pseudo-Wigner distribution for texture analysis?	595
How is the pseudo-Wigner distribution defined for the analysis of images?	597
How can the pseudo-Wigner distribution be used for texture segmentation?	597
What is the “take-home” message of this chapter?	605
Bibliographical notes	607
References	609
Index	613