


Understanding NMR Spectroscopy

JAMES KEELER

 WILEY



Contents

1	What this book is about and who should read it	1
1.1	How this book is organized	2
1.2	Scope and limitations	3
1.3	Context and further reading	3
1.4	On-line resources	4
1.5	Abbreviations	4
2	Setting the scene	5
2.1	NMR frequencies and chemical shifts	5
2.1.1	Chemical shift scales	6
2.1.2	Conversion from shifts to frequencies	7
2.1.3	The receiver reference frequency and the offset frequency	8
2.2	Linewidths, lineshapes and integrals	9
2.3	Scalar coupling	10
2.3.1	Tree diagrams	10
2.4	Weak and strong coupling	12
2.5	The basic NMR experiment	14
2.5.1	Heteronuclear NMR and broadband decoupling	15
2.6	Frequency, oscillations and rotations	17
2.6.1	Motion in a circle	17
2.6.2	Frequency	17
2.6.3	Angular frequency	18
2.6.4	Phase	19
2.6.5	Representation using complex numbers	21
2.7	Photons	21
2.8	Moving on	22
2.9	Further reading	22
2.10	Exercises	23
3	Energy levels and NMR spectra	25
3.1	The problem with the energy level approach	26
3.1.1	Wavefunctions and mixed states	26
3.1.2	Energy levels in NMR	27
3.2	Introducing quantum mechanics	28
3.2.1	Wavefunctions	28

3.2.2	Operators	29
3.2.3	Eigenfunctions and eigenvalues of operators	30
3.2.4	Measurement	30
3.2.5	Hamiltonians and angular momentum	31
3.2.6	Eigenfunctions and eigenvalues of $\hat{I}_z$	31
3.2.7	Eigenvalues for the one-spin Hamiltonian	32
3.2.8	Summary	33
3.3	The spectrum from one spin	33
3.3.1	Energy levels	33
3.3.2	The Larmor frequency	34
3.3.3	Writing the energies in frequency units	35
3.4	Writing the Hamiltonian in frequency units	36
3.5	The energy levels for two coupled spins	37
3.5.1	Introducing scalar coupling	39
3.6	The spectrum from two coupled spins	40
3.6.1	Multiple-quantum transitions	42
3.7	Three spins	43
3.7.1	The Hamiltonian and energy levels	43
3.7.2	Single quantum spectrum	44
3.7.3	Multiple quantum transitions	44
3.7.4	Combination lines	46
3.8	Summary	46
3.9	Further reading	47
3.10	Exercises	48
4	The vector model	51
4.1	The bulk magnetization	51
4.1.1	Axis systems	53
4.1.2	The equilibrium magnetization	53
4.2	Larmor precession	54
4.3	Detection	55
4.4	Pulses	56
4.4.1	Rotating frame	57
4.4.2	Larmor precession in the rotating frame	59
4.4.3	The effective field	59
4.4.4	The effective field in frequency units	60
4.4.5	Summary	61
4.5	On-resonance pulses	62
4.5.1	Hard pulses	63
4.6	Detection in the rotating frame	64
4.7	The basic pulse-acquire experiment	64
4.7.1	Spectrum with several lines	65
4.8	Pulse calibration	66
4.9	The spin echo	67
4.9.1	180° pulses as refocusing pulses	68
4.9.2	How the spin echo works	68
4.10	Pulses of different phases	70
4.11	Off-resonance effects and soft pulses	71

4.11.1	Excitation of a range of shifts	73
4.11.2	Selective excitation	73
4.11.3	Selective inversion	75
4.12	Moving on	75
4.13	Further reading	76
4.14	Exercises	77
5	Fourier transformation and data processing	81
5.1	How the Fourier transform works	82
5.1.1	Mathematical formulation of the Fourier transform	85
5.2	Representing the FID	86
5.3	Lineshapes and phase	87
5.3.1	Absorption and dispersion lineshapes	88
5.3.2	Phase	90
5.3.3	Phase correction	92
5.3.4	Frequency dependent phase errors	92
5.4	Manipulating the FID and the spectrum	94
5.4.1	Noise	94
5.4.2	Sensitivity enhancement	96
5.4.3	The matched filter	98
5.4.4	Resolution enhancement	98
5.4.5	Defining the parameters for sensitivity and resolution enhancement functions	100
5.4.6	'Lorentz-to-Gauss' transformation	102
5.4.7	Other weighting functions	102
5.5	Zero filling	103
5.6	Truncation	104
5.7	Further reading	105
5.8	Exercises	106
6	The quantum mechanics of one spin	109
6.1	Introduction	109
6.2	Superposition states	110
6.3	Some quantum mechanical tools	111
6.3.1	Dirac notation	111
6.3.2	Normalization and orthogonality	112
6.3.3	Expectation values	113
6.3.4	The x- and y-components of angular momentum	115
6.3.5	Matrix representations	115
6.4	Computing the bulk magnetization	116
6.4.1	The ensemble average	117
6.4.2	Populations	119
6.4.3	Transverse magnetization	120
6.5	Summary	121
6.6	Time evolution	123
6.6.1	Free evolution	123
6.6.2	Effect of free evolution	126
6.7	RF pulses	127

6.7.1	Effect on the components of angular momentum	128
6.7.2	Effect on the components of the bulk magnetization	129
6.8	Making faster progress: the density operator	130
6.8.1	Introducing the density operator	131
6.8.2	Calculating the components of the bulk magnetization	132
6.8.3	Equilibrium density operator	132
6.8.4	Time evolution of the density operator	133
6.8.5	Representing the density operator using a basis of operators	133
6.8.6	The equilibrium density operator – again	135
6.8.7	Summary	137
6.9	Coherence	138
6.10	Further reading	139
6.11	Exercises	140
7	Product operators	143
7.1	Operators for one spin	143
7.1.1	Hamiltonians for free precession and pulses	144
7.1.2	Rotations	145
7.2	Analysis of pulse sequences for a one-spin system	147
7.2.1	Pulse-acquire	147
7.2.2	The spin echo	149
7.3	Speeding things up	150
7.3.1	90° and 180° pulses	150
7.3.2	Diagrammatic representation	151
7.3.3	The $I - \bar{I}$ sequence	152
7.4	Operators for two spins	153
7.4.1	Effect of coupling	154
7.5	In-phase and anti-phase terms	156
7.5.1	In-phase terms	157
7.5.2	Anti-phase terms	158
7.5.3	Observable terms	160
7.6	Hamiltonians for two spins	161
7.7	Notation for heteronuclear spin systems	161
7.8	Spin echoes and J -modulation	162
7.8.1	Spin echo in a homonuclear spin system	163
7.8.2	Spectra from a J -modulated spin echo	166
7.8.3	Spin echoes in heteronuclear spin systems	168
7.9	Coherence transfer	170
7.10	The INEPT experiment	171
7.10.1	Why the experiment was developed	171
7.10.2	Analysis of the INEPT experiment	172
7.10.3	Decoupling in the INEPT experiment	174
7.10.4	Suppressing the signal from the equilibrium magnetization on the S spin	174
7.11	Selective COSY	176
7.12	Coherence order and multiple-quantum coherences	178

7.12.1	Raising and lowering operators: the classification of coherence order	178
7.12.2	Generation of multiple-quantum coherence	180
7.12.3	Evolution of multiple-quantum coherence	180
7.13	Summary	182
7.14	Further reading	183
7.15	Exercises	184
8	Two-dimensional NMR	187
8.1	The general scheme for two-dimensional NMR	188
8.1.1	How two-dimensional spectra are recorded	189
8.1.2	How the data are processed	189
8.2	Modulation and lineshapes	190
8.2.1	Cosine amplitude modulated data	191
8.2.2	Sine amplitude modulated data	192
8.2.3	Mixed cosine and sine modulation	193
8.3	Axes and frequency scales in two-dimensional spectra	194
8.4	COSY	194
8.4.1	Overall form of the COSY spectrum	195
8.4.2	Detailed form of the two-dimensional multiplets	196
8.4.3	Phase properties of the COSY spectrum	201
8.4.4	How small a coupling can we detect with COSY?	202
8.4.5	The problem with COSY	203
8.5	Double-quantum filtered COSY (DQF COSY)	204
8.6	Double-quantum spectroscopy	208
8.6.1	Detailed analysis of the pulse sequence	209
8.6.2	Interpretation and application of double-quantum spectra	210
8.6.3	INADEQUATE	211
8.7	Heteronuclear correlation spectra	213
8.7.1	Normal or inverse correlation	213
8.8	HSQC	214
8.8.1	Coupled or decoupled acquisition	216
8.8.2	Suppressing unwanted signals in HSQC	216
8.8.3	Sensitivity	217
8.9	HMQC	217
8.10	Long-range correlation: HMBC	220
8.10.1	Suppressing one-bond peaks in HMBC spectra	222
8.11	HETCOR	225
8.12	TOCSY	226
8.12.1	TOCSY for two spins	227
8.12.2	TOCSY for more extended spin systems	230
8.13	Frequency discrimination and lineshapes	231
8.13.1	Obtaining cosine and sine modulated data	232
8.13.2	P- and N-type selection: phase-twist lineshapes	233
8.13.3	The States–HaberKorn–Ruben method	235
8.13.4	The TPPI or Redfield method	236
8.13.5	The States–TPPI method	239

8.13.6	Phase in two-dimensional spectra	240
8.14	Further reading	242
8.15	Exercises	243
9	Relaxation and the NOE	245
9.1	What is relaxation?	246
9.1.1	Behaviour of individual magnetic moments	247
9.1.2	Local fields	248
9.1.3	Coming to equilibrium with the lattice	250
9.1.4	Transverse relaxation	251
9.1.5	Summary	252
9.2	Relaxation mechanisms	253
9.2.1	The dipolar mechanism	254
9.2.2	Chemical shift anisotropy	254
9.2.3	Relaxation by paramagnetic species	255
9.3	Describing random motion – the correlation time	255
9.3.1	The correlation function	257
9.3.2	The spectral density	260
9.3.3	Motional regimes	262
9.3.4	Transverse relaxation and the spectral density at zero frequency	263
9.3.5	Summary	263
9.4	Populations	264
9.4.1	The z-magnetization in terms of populations	264
9.4.2	Relaxation in terms of populations	266
9.5	Longitudinal relaxation behaviour of isolated spins	268
9.5.1	Estimating the rate constant for longitudinal relaxation	270
9.5.2	Making a quick estimate of the relaxation rate constant	271
9.5.3	How long do I have to leave between experiments?	271
9.6	Longitudinal dipolar relaxation of two spins	273
9.6.1	Energy levels and transition rates	273
9.6.2	Rate equations for the populations and z-magnetizations	274
9.6.3	Relaxation rate constants	277
9.6.4	Cross relaxation in the two motional regimes	278
9.7	The NOE	279
9.7.1	The transient NOE experiment	280
9.7.2	The steady-state NOE experiment	284
9.7.3	Heteronuclear steady-state NOE	285
9.7.4	Two-dimensional NOESY	286
9.7.5	The NOE in more extended spin systems	290
9.8	Transverse relaxation	291
9.8.1	Different contributions to transverse relaxation	293
9.8.2	Relaxation by random fields	293
9.8.3	Transverse dipolar relaxation of two spins	295
9.8.4	Transverse cross relaxation: ROESY	296

9.9	Homogeneous and inhomogeneous broadening	299
9.9.1	Describing inhomogeneous broadening: T_2^*	302
9.9.2	Measuring the transverse relaxation rate constant	303
9.10	Relaxation due to chemical shift anisotropy	303
9.10.1	Specifying the CSA	303
9.10.2	Relaxation rate constants due to CSA	304
9.11	Cross correlation	305
9.11.1	Cross correlation in longitudinal relaxation	305
9.11.2	Cross correlation in transverse relaxation	308
9.12	Summary	310
9.13	Further reading	310
9.14	Exercises	312
10	Advanced topics in two-dimensional NMR	317
10.1	Product operators for three spins	318
10.1.1	Interpretation of the product operators for three spins	319
10.1.2	Evolution due to offsets and pulses	321
10.1.3	Evolution of couplings	321
10.2	COSY for three spins	323
10.2.1	Structure of the cross-peak multiplets	324
10.3	Reduced multiplets in COSY spectra	328
10.3.1	COSY for a three-spin system containing one heteronucleus	328
10.3.2	Determining the relative signs of the passive coupling constants	331
10.3.3	Measuring the size of the passive coupling constants	332
10.3.4	Reduced multiplets in homonuclear spin systems	334
10.4	Polarization operators	335
10.4.1	Construction and interpretation of polarization operators	335
10.4.2	Free evolution	336
10.4.3	Pulses	337
10.4.4	Small flip angle COSY	338
10.5	ZCOSY	343
10.6	HMBC	345
10.7	Sensitivity-enhanced experiments	347
10.7.1	Sensitivity-enhanced HSQC	348
10.8	Constant time experiments	352
10.8.1	Constant time COSY	352
10.8.2	Constant time HSQC	355
10.9	TROSY	357
10.9.1	Line-selective transfer	358
10.9.2	Implementation of line-selective 180° pulses	360
10.9.3	A TROSY HSQC sequence	361
10.9.4	Processing the TROSY HSQC spectrum	362
10.10	Further reading	365

10.11 Exercises	366
11 Coherence selection: phase cycling and field gradient pulses	369
11.1 Coherence order	370
11.1.1 Possible values of the overall coherence order	371
11.1.2 Evolution of operators of particular coherence orders	372
11.1.3 The effect of pulses	373
11.1.4 Observables	374
11.2 Coherence transfer pathways	375
11.2.1 Coherence transfer pathways in heteronuclear experiments	376
11.3 Frequency discrimination and lineshapes in two-dimensional spectra	377
11.4 The receiver phase	379
11.5 Introducing phase cycling	383
11.5.1 Selection of a single pathway	384
11.5.2 Combining phase cycles	387
11.6 Some phase cycling 'tricks'	388
11.6.1 The first pulse	389
11.6.2 Grouping pulses together	389
11.6.3 The final pulse	390
11.6.4 High-order multiple-quantum terms	390
11.6.5 Refocusing pulses	390
11.7 Axial peak suppression	391
11.8 CYCLOPS	392
11.9 Examples of practical phase cycles	393
11.9.1 COSY	393
11.9.2 DQF COSY	394
11.9.3 Double-quantum spectroscopy	395
11.9.4 NOESY	395
11.9.5 HMQC	395
11.10 Concluding remarks concerning phase cycling	396
11.10.1 Summary	396
11.10.2 Deficiencies of phase cycling	396
11.11 Introducing field gradient pulses	397
11.11.1 The spatially dependent phase	399
11.11.2 Selection of a single pathway using two gradients	401
11.11.3 The spatially dependent phase in heteronuclear systems	402
11.11.4 Shaped gradient pulses	403
11.11.5 Dephasing in a field gradient	403
11.12 Features of selection using gradients	405
11.12.1 Selection of multiple pathways	405
11.12.2 Obtaining absorption mode lineshapes when gradients are used in t_1	405
11.12.3 Refocusing pulses	406
11.12.4 180° pulses in heteronuclear experiments	407

11.12.5 Phase errors due to gradient pulses	407
11.12.6 Selection of z-magnetization	408
11.13 Examples of using gradient pulses for coherence pathway selection	409
11.13.1 DQF COSY	409
11.13.2 HMQC	410
11.13.3 HSQC	413
11.14 Advantages and disadvantages of coherence selection with gradients	414
11.15 Suppression of zero-quantum coherence	415
11.15.1 The z-filter	416
11.15.2 Implementation of z-filters in two-dimensional experiments	418
11.15.3 Zero-quantum dephasing	418
11.16 Selective excitation with the aid of gradients	420
11.16.1 The double pulsed field gradient spin echo	421
11.16.2 The DPGSE NOE experiment	421
11.17 Further reading	423
11.18 Exercises	425
12 How the spectrometer works	429
12.1 The magnet	429
12.1.1 Shims	430
12.1.2 The lock	431
12.2 The probe	432
12.3 The transmitter	432
12.3.1 Power levels and 'dB'	433
12.4 The receiver	434
12.5 Digitizing the signal	435
12.5.1 The analogue to digital converter	435
12.5.2 Sampling rates	436
12.5.3 Mixing down to a lower frequency	437
12.6 Quadrature detection	437
12.7 The pulse programmer	438
12.8 Further reading	439
12.9 Exercises	440
A Some mathematical topics	441
A.1 The exponential function and logarithms	441
A.2 Complex numbers	443
A.2.1 The complex exponential	444
A.3 Trigonometric identities	445
A.4 Further reading	446
Index	447