



**ROCK QUALITY,
SEISMIC VELOCITY,
ATTENUATION AND
ANISOTROPY**

NICK BARTON

Table of contents

Preface	XIII
Introduction	XIX
<i>The multi-disciplinary scope of seismic and rock quality</i>	XIX
<i>Revealing hidden rock conditions</i>	XX
<i>Some basic principles of P, S and Q</i>	XX
<i>Q and Q</i>	XXI
<i>Limitations of refraction seismic bring tomographic solutions</i>	XXII
Nomenclature	XXIII
PART I	
1 Shallow seismic refraction, some basic theory, and the importance of rock type	3
1.1 The challenge of the near-surface in civil engineering	3
1.2 Some basic aspects concerning elastic body waves	4
1.2.1 Some sources of reduced elastic moduli	5
1.3 Relationships between V_p and V_s and their meaning in field work	6
1.4 Some advantages of shear waves	7
1.5 Basic estimation of rock-type and rock mass condition, from shallow seismic P-wave velocity	9
1.6 Some preliminary conversions from velocity to rock quality	12
1.7 Some limitations of the refraction seismic velocity interpretations	13
1.8 Assumed limitations may hide the strengths of the method	16
1.9 Seismic quality Q and apparent similarities to Q-rock	17
2 Environmental effects on velocity	19
2.1 Density and V_p	19
2.2 Porosity and V_p	24
2.3 Uniaxial compressive strength and V_p	25
2.4 Weathering and moisture content	27
2.5 Combined effects of moisture and pressure	30
2.6 Combined effects of moisture and low temperature	32
3 Effects of anisotropy on V_p	35
3.1 An introduction to velocity anisotropy caused by micro-cracks and jointing	35
3.2 Velocity anisotropy caused by fabric	38
3.3 Velocity anisotropy caused by rock joints	40
3.4 Velocity anisotropy caused by interbedding	45
3.5 Velocity anisotropy caused by faults	47
4 Cross-hole velocity and cross-hole velocity tomography	49
4.1 Cross-hole seismic for extrapolation of properties	49
4.2 Cross-hole seismic tomography in tunnelling	52
4.3 Cross-hole tomography in mining	58
4.4 Using tomography to monitor blasting effects	61
4.5 Alternative tomograms	64
4.6 Cross-hole or cross-well reflection measurement and time-lapse tomography	66

5 Relationships between rock quality, depth and seismic velocity	69
5.1 Some preliminary relationships between RQD, F_j and V_p	69
5.2 Relationship between rock quality Q and V_p for hard jointed, near-surface rock masses	74
5.3 Effects of depth or stress on acoustic joint closure, velocities and amplitudes	77
5.3.1 Compression wave amplitude sensitivities to jointing	83
5.3.2 Stress and velocity coupling at the Gjøvik cavern site	88
5.4 Observations of effective stress effects on velocities	88
5.5 Integration of velocity, rock mass quality, porosity, stress, strength, deformability	92
6 Deformation moduli and seismic velocities	97
6.1 Correlating V_p with the 'static' moduli from deformation tests	97
6.2 Dynamic moduli and their relationship to static moduli	104
6.3 Some examples of the three dynamic moduli	109
6.4 Use of shear wave amplitude, frequency and petite-sismique	110
6.5 Correlation of deformation moduli with RMR and Q	111
7 Excavation disturbed zones and their seismic properties	117
7.1 Some effects of the free-surface on velocities and attenuation	117
7.2 EDZ phenomena around tunnels based on seismic monitoring	119
7.3 EDZ investigations in selected nuclear waste isolation studies	124
7.3.1 BWIP – EDZ studies	124
7.3.2 URL – EDZ studies	127
7.3.3 Äspö – EDZ studies	131
7.3.4 Stripa – effects of heating in the EDZ of a rock mass	133
7.4 Acoustic detection of stress effects around boreholes	136
8 Seismic measurements for tunnelling	139
8.1 Examples of seismic applications in tunnels	139
8.2 Examples of the use of seismic data in TBM excavations	148
8.3 Implications of inverse correlation between TBM advance rate and V_p	149
8.4 Use of probe drilling and seismic or sonic logging ahead of TBM tunnels	151
8.5 In-tunnel seismic measurements for looking ahead of the face	152
8.6 The possible consequences of insufficient seismic investigation due to depth limitations	154
9 Relationships between V_p, Lugeon value, permeability and grouting in jointed rock	159
9.1 Correlation between V_p and Lugeon value	159
9.2 Rock mass deformability and the V_p -L-Q correlation	162
9.3 Velocity and permeability measurements at in situ block tests	165
9.4 Detection of permeable zones using other geophysical methods	169
9.5 Monitoring the effects of grouting with seismic velocity	170
9.6 Interpreting grouting effects in relation to improved rock mass Q-parameters	172
PART II	
10 Seismic quality Q and attenuation at many scales	181
10.1 Some basic aspects concerning attenuation and Q_{seismic}	181
10.1.1 A preliminary discussion of the importance of strain levels	183
10.1.2 A preliminary look at the attenuating effect of cracks of larger scale	184
10.2 Attenuation and seismic Q from laboratory measurement	186
10.2.1 A more detailed discussion of friction as an attenuation mechanism	187

10.2.2	Effects of partial saturation on seismic Q	189
10.3	Effect of confining pressure on seismic Q	190
10.3.1	The four components of elastic attenuation	193
10.3.2	Effect on Q_p and Q_s of loading rock samples towards failure	195
10.4	The effects of single rock joints on seismic Q	197
10.5	Attenuation and seismic Q from near-surface measurements	202
10.5.1	Potential links to rock mass quality parameters in jointed rock	202
10.5.2	Effects of unconsolidated sediments on seismic Q	205
10.5.3	Influence of frequency variations on attenuation in jointed and bedded rock	207
10.6	Attenuation in the crust as interpreted from earthquake coda	209
10.6.1	Coda Q_c from earthquake sources and its relation to rock quality Q_c	209
10.6.2	Frequency dependence of coda Q_c due to depth effects	210
10.6.3	Temporal changes of coda Q_c prior to earthquakes	212
10.6.4	Possible separation of attenuation into scattering and intrinsic mechanisms	213
10.6.5	Changed coda Q during seismic events	214
10.6.6	Attenuation of damage due to acceleration	218
10.6.7	Do microcracks or tectonic structure cause attenuation	219
10.6.8	Down-the-well seismometers to minimise site effects	221
10.6.9	Rock mass quality parallels	224
10.7	Attenuation across continents	226
10.7.1	Plate tectonics, sub-duction zones and seismic Q	226
10.7.2	Young and old oceanic lithosphere	228
10.7.3	Lateral and depth variation of seismic Q and seismic velocity	228
10.7.4	Cross-continent Lg coda Q variations and their explanation	230
10.7.5	Effect of thick sediments on continental Lg coda	231
10.8	Some recent attenuation measurements in petroleum reservoir environments	232
10.8.1	Anomalous values of seismic Q in reservoirs due to major structures	235
10.8.2	Evidence for fracturing effects in reservoirs on seismic Q	236
10.8.3	Different methods of analysis give different seismic Q	238
11	Velocity structure of the earth's crust	241
11.1	An introduction to crustal velocity structures	241
11.2	The continental velocity structures	244
11.3	The continental margin velocity structures	254
11.3.1	Explaining a velocity anomaly	256
11.4	The mid-Atlantic ridge velocity structures	261
11.4.1	A possible effective stress discrepancy in early testing	263
11.4.2	Smoother depth velocity models	265
11.4.3	Recognition of lower effective stress levels beneath the oceans	266
11.4.4	Direct observation of sub-ocean floor velocities	267
11.4.5	Sub-ocean floor attenuation measurements	268
11.4.6	A question of porosities, aspect ratios and sealing	270
11.4.7	A velocity-depth discussion	271
11.4.8	Fracture zones	272
11.5	The East Pacific Rise velocity structures	273
11.5.1	More porosity and fracture aspect ratio theories	276
11.5.2	First sub-Pacific ocean core with sonic logs and permeability tests	277
11.5.3	Attenuation and seismic Q due to fracturing and alteration	279
11.5.4	Seismic attenuation tomography across the East Pacific Rise	281
11.5.5	Continuous sub-ocean floor seismic profiles	283

VIII Table of contents

11.6	Age effects summary for Atlantic Ridge and Pacific Rise	287
11.6.1	Decline of hydrothermal circulation with age and sediment cover	289
11.6.2	The analogy of pre-grouting as a form of mineralization	291
12	Rock stress, pore pressure, borehole stability and sonic logging	295
12.1	Pore pressure, over-pressure, and minimum stress	295
12.1.1	Pore pressure and over-pressure and cross-discipline terms	295
12.1.2	Minimum stress and mud-weight	296
12.2	Stress anisotropy and its intolerance by weak rock	297
12.2.1	Reversal of K_0 trends nearer the surface	299
12.3	Relevance to logging of borehole disturbed zone	301
12.4	Borehole in continuum becomes borehole in local <i>discontinuum</i>	302
12.5	The EDZ caused by joints, fractures and bedding-planes	306
12.6	Loss of porosity due to extreme depth	311
12.7	Dipole shear-wave logging of boreholes	312
12.7.1	Some further development of logging tools	315
12.8	Mud filtrate invasion	316
12.9	Challenges from ultra HPHT	320
13	Rock physics at laboratory scale	323
13.1	Compressional velocity and porosity	323
13.2	Density, V_s and V_p	324
13.3	Velocity, aspect ratio, pressure, brine and gas	326
13.4	Velocity, temperature and influence of fluid	328
13.5	Velocity, clay content and permeability	331
13.6	Stratigraphy based velocity to permeability estimation	332
13.6.1	Correlation to field processes	334
13.7	Velocity with patchy saturation effects in mixed units	335
13.8	Dynamic Poisson's ratio, effective stress and pore fluid	337
13.9	Dynamic moduli for estimating static deformation moduli	339
13.10	Attenuation due to fluid type, frequency, clay, over-pressure, compliant minerals, dual porosity	341
13.10.1	Comparison of velocity and attenuation in the presence of gas or brine	341
13.10.2	Attenuation when dry or gas or brine saturated	341
13.10.3	Effect of frequency on velocity and attenuation, dry or with brine	342
13.10.4	Attenuation for distinguishing gas condensate from oil and water	343
13.10.5	Attenuation in the presence of clay content	345
13.10.6	Attenuation due to compliant minerals and microcracks	346
13.10.7	Attenuation with dual porosity samples of limestones	348
13.10.8	Attenuation in the presence of over-pressure	350
13.11	Attenuation in the presence of anisotropy	351
13.11.1	Attenuation for fluid front monitoring	352
13.12	Anisotropic velocity and attenuation in shales	354
13.12.1	Attenuation anisotropy expressions ϵ , γ and δ	356
13.13	Permeability and velocity anisotropy due to fabric, joints and fractures	357
13.13.1	Seismic monitoring of fracture development and permeability	359
13.14	Rock mass quality, attenuation and modulus	365
14	P-waves for characterising fractured reservoirs	369
14.1	Some classic relationships between age, depth and velocity	369

14.2	Anisotropy and heterogeneity caused by inter-bedded strata and jointing	372
14.2.1	Some basic anisotropy theory	373
14.3	Shallow cross-well seismic tomography	374
14.3.1	Shallow cross-well seismic in fractured rock	377
14.3.2	Cross-well seismic tomography with permeability measurement	377
14.3.3	Cross-well seismic in deeper reservoir characterization	378
14.4	Detecting finely inter-layered sequences	379
14.4.1	Larger scale differentiation of facies	380
14.5	Detecting anisotropy caused by fractures with multi-azimuth VSP	382
14.5.1	Fracture azimuth and stress azimuth from P-wave surveys	382
14.5.2	Sonic log and VSP dispersion effects and erratic seismic Q	386
14.6	Dispersion as an alternative method of characterization	386
14.7	AVO and AVOA using P-waves for fracture detection	388
14.7.1	Model dependence of AVOA fracture orientation	391
14.7.2	Conjugate joint or fracture sets also cause anisotropy	392
14.7.3	V_p anisotropy caused by faulting	394
14.7.4	Poisson's ratio anisotropy caused by fracturing	394
14.8	4C four-component acquisition of seismic including C-waves	394
14.9	4D seismic monitoring of reservoirs	397
14.9.1	Possible limitations of some rock physics data	397
14.9.2	Oil saturation mapping with 4D seismic	397
14.10	4D monitoring of compaction and porosity at Ekofisk	398
14.10.1	Seismic detection of subsidence in the overburden	400
14.10.2	The periodically neglected joint behaviour at Ekofisk	401
14.11	Water flood causes joint opening and potential shearing	402
14.12	Low frequencies for sub-basalt imaging	403
14.13	Recent reservoir anisotropy investigations involving P-waves and attenuation	404
15	Shear wave splitting in fractured reservoirs and resulting from earthquakes	407
15.1	Introduction	407
15.2	Shear wave splitting and its many implications	408
15.2.1	Some sources of shear-wave splitting	410
15.3	Crack density and EDA	411
15.3.1	A discussion of 'criticality' due to microcracks	412
15.3.2	Temporal changes in polarization in Cornwall HDR	413
15.3.3	A critique of Crampin's microcrack model	415
15.3.4	90°-flips in polarization	415
15.4	Theory relating joint compliances with shear wave splitting	416
15.4.1	An unrealistic rock simulant suggests equality between Z_N and Z_T	417
15.4.2	Subsequent inequality of Z_N and Z_T	419
15.4.3	Off-vertical fracture dip or incidence angle, and normal compliance	419
15.4.4	Discussion of scale effects and stiffness	421
15.5	Dynamic and static stiffness tests on joints by Pyrak-Nolte	422
15.5.1	Discussion of stiffness data gaps and discipline bridging needs	424
15.5.2	Fracture stiffness and permeability	425
15.6	Normal and shear compliance theories for resolving fluid type	425
15.6.1	In situ compliances in a fault zone inferred from seismic Q	427
15.7	Shear wave splitting from earthquakes	428
15.7.1	Shear-wave splitting in the New Madrid seismic zone	428
15.7.2	Shear-wave splitting at Parkfield seismic monitoring array	429

X Table of contents

15.7.3	Shear-wave splitting recorded at depth in Cajon Pass borehole	432
15.7.4	Stress-monitoring site (SMS) anomalies from Iceland	432
15.7.5	SW-Iceland, Station BJA shear wave anomalies	433
15.7.6	Effects of shearing on stiffness and shear wave amplitude	435
15.7.7	Shear-wave splitting at a geothermal field	435
15.7.8	Shear wave splitting during after-shocks of the Chi-Chi earthquake in Taiwan	436
15.7.9	Shear-wave splitting under the Mid-Atlantic Ridge	436
15.8	Recent cases of shear wave splitting in petroleum reservoirs	438
15.8.1	Some examples of S-wave and PS-wave acquisition methods	438
15.8.2	Classification of fractured reservoirs	440
15.8.3	Crack density and shearing of conjugate sets at Ekofisk might enhance splitting	442
15.8.4	Links between shear wave anisotropy and permeability	445
15.8.5	Polarization-stress alignment from shallow shear-wave splitting	447
15.8.6	Shear-wave splitting in argillaceous rocks	450
15.8.7	Time-lapse application of shear-wave splitting over reservoirs	451
15.8.8	Temporal shear-wave splitting using AE from the Valhall cap-rock	454
15.8.9	Shear-wave splitting and fluid identification at the Natih field	455
15.9	Dual-porosity poro-elastic modelling of dispersion and fracture size effects	459
15.9.1	A brief survey of rock mechanics pseudo-static models of jointed rock	460
15.9.2	A very brief review of slip-interface, fracture network and poro-elastic crack models	461
15.9.3	Applications of Chapman model to Bluebell Altamont fractured gas reservoir	471
15.9.4	The SeisRox model	475
15.9.5	Numerical modelling of dynamic joint stiffness effects	476
15.9.6	A 'sugar cube' model representation	479
15.10	A porous and fractured physical model as a numerical model validation	480
16	Joint stiffness and compliance and the joint shearing mechanism	483
16.1	Some important non-linear joint and fracture behaviour modes	483
16.2	Aspects of fluid flow in deforming rock joints	486
16.2.1	Coupled stress-flow behaviour under normal closure	487
16.2.2	Coupled stress-flow behaviour under shear deformation	488
16.3	Some important details concerning rock joint stiffnesses K_n and K_s	492
16.3.1	Initial normal stiffness measured at low stress	494
16.3.2	Normal stiffness at elevated normal stress levels	495
16.4	Ratios of K_n over K_s under static and dynamic conditions	497
16.4.1	Frequency dependence of fracture normal stiffness	497
16.4.2	Ratios of static K_n to static K_s for different block sizes	498
16.4.3	Field measurements of compliance Z_N	499
16.4.4	Investigation of normal and shear compliances on artificial surfaces in limestones	501
16.4.5	The Worthington-Lubbe-Hudson range of compliances	503
16.4.6	Pseudo-static stiffness data for clay filled discontinuities and major shear zones	505
16.4.7	Shear stress application may apparently affect compliance	506
16.5	Effect of dry or saturated conditions on shear and normal stiffnesses	507
16.5.1	Joint roughness coefficient (JRC)	508
16.5.2	Joint wall compression strength (JCS)	509
16.5.3	Basic friction angle ϕ_b and residual friction angle ϕ_r	509
16.5.4	Empirical equations for the shear behaviour of rock joints	511
16.6	Mechanical over-closure, thermal-closure, and joint stiffness modification	513
16.6.1	Normal stiffness estimation	515

16.6.2 Thermal over-closure of joints and some implications	515
16.6.3 Mechanical over-closure	517
16.7 Consequences of shear stress on polarization and permeability	517
16.7.1 Stress distribution caused by shearing joints, and possible consequences for shear wave splitting	518
16.7.2 The strength-deformation components of jointed rock masses	520
16.7.3 Permeability linked to joint shearing	523
16.7.4 Reservoir seismic case records with possible shearing	525
16.7.5 The apertures expected of highly stressed 'open' joints	526
16.7.6 Modelling apertures with the BB model	531
16.7.7 Open joints caused by anisotropic stress, low shear strength, dilation	534
16.8 Non-linear shear strength and the critical shearing crust	536
16.8.1 Non-linear strength envelopes and scale effects	536
16.9 Critically stressed open fractures that indicate conductivity	541
16.9.1 The JRC contribution at different scales and deformations	544
16.9.2 Does pre-peak or post-peak strength resist the assumed crustal shear stress?	545
16.10 Rotation of joint attributes and unequal conjugate jointing may explain azimuthal deviation of S-wave polarization	548
16.11 Classic stress transformation equations ignore the non-coaxiality of stress and displacement	552
16.12 Estimating shallow crustal permeability from a modified rock quality Q-water	554
16.12.1 The problem of clay-sealed discontinuities	555
17 Conclusions	559
Appendix A – The Q_{rock} parameter ratings	615
The six parameters defined	615
Combination in pairs	615
Definitions of characterization and classification as used in rock engineering	615
Notes on Q-method of rock mass classification	615
Appendix B – A worked example	625
References	627
Index	655
Colour Plates	721