

The Multibody Systems Approach to Vehicle Dynamics



Mike Blundell and Damian Harty

Contents

Preface			X
Ac	XV		
No	omeno	clature	xvi
1	Introduction		1
_	1.1		
		What is vehicle dynamics?	1 3
	1.3	Why analyse?	10
	1.4	Classical methods	10
	1.5	Analytical process	11
	1.6	Computational methods	14
	1.7	Computer-based tools	14
	1.8	Commercial computer packages	17
	1.9	Benchmarking exercises	21
2	Kin	ematics and dynamics of rigid bodies	23
	2.1	Introduction	23
	2.2	Theory of vectors	23
		2.2.1 Position and relative position vectors	23
		2.2.2 The dot (scalar) product	26
		2.2.3 The cross (vector) product	26
		2.2.4 The scalar triple product	28
		2.2.5 The vector triple product	28
		2.2.6 Rotation of a vector	28
		2.2.7 Vector transformation	31
		2.2.8 Differentiation of a vector	32
		2.2.9 Integration of a vector	34
		2.2.10 Differentiation of the dot product	34
		2.2.11 Differentiation of the cross product	34
		2.2.12 Summary	35
	2.3	Geometry analysis	38
		2.3.1 Three point method	38
	•	2.3.2 Vehicle suspension geometry analysis	41
	2.4	Velocity analysis	43
	2.5	Acceleration analysis	46
	2.6	Static force and moment definition	51
	2.7	Dynamics of a particle	55
	2.8	Linear momentum of a rigid body	56 57
	2.9	8	
		Moments of inertia	59
	2.11	· Parallel axes theorem	63
		Principal axes Equations of motion	65 71
	4.13	Euuagons of monon	71

3		body systems simulatio	n software	75
		Overview		75
	3.2	Modelling features		78
		3.2.1 Planning the mod		78
		3.2.2 Reference frames		79
		3.2.3 Basic model com		85
		3.2.4 Parts and marker		85
		3.2.5 Equations of mot	ion for a part	86
		3.2.6 Basic constraints		90
		3.2.7 Standard joints		95
		3.2.8 Degrees of freedo	om	98
		3.2.9 Force elements		102
	2.2	3.2.10 Summation of for	rces and moments	114
	3.3	Analysis capabilities		115
		3.3.1 Overview	-4.	115
		3.3.2 Solving linear eq	uations	116
		3.3.3 Non-linear equat		119 121
	2.4	3.3.4 Integration metho	oas	121
		Systems of units		120
	3.5	Pre- and post-processing		127
4	Mod	elling and analysis of su		131
	4.1	The need for suspension		132
		4.1.1 Wheel load varia	tion	133
		4.1.2 Body isolation		137
		4.1.3 Handling load co		139
		4.1.4 Compliant wheel	plane control	145
		4.1.5 Kinematic wheel		145
		4.1.6 Component load		147
	4.2	Types of suspension syst		149
	4.3	Quarter vehicle modelling		152
	4.4		sion system characteristics	158
	4.5	Suspension calculations		160
		4.5.1 Measured output		160
		4.5.2 Suspension steer		162
			t, wheel recession and half	1.60
		track change		163
		4.5.4 Camber and stee		163
		4.5.5 Castor angle and		165
		4.5.6 Steering axis inc	lination and ground level offset	165
		4.5.7 Instant centre an		166
		4.5.8 Calculation of w		171
	4.6	The compliance matrix a		172
	4.7	Case study 1 – Suspensi		175
	4.8	Durability studies (comp	onent loading)	180
		4.8.1 Overview	4-4'- 11-1'411	180
			tatic durability loadcase	184
	4.0		ynamic durability loadcase	187
	4.9	Ride studies (body isola		190
	4.10		ynamic ride analysis on vector analysis comparison	191
	7 .10	with MBS	on vector unarysis comparison	202

		Problem definition	202
		Velocity analysis	202
		Acceleration analysis	214
		Static analysis	226
	4.10.5	Dynamic analysis	234
	4.10.6	Geometry analysis	242
5		acteristics and modelling	248
	5.1 Introd		248
		xis systems and geometry	249
	5.2.1	The SAE and ISO tyre axis systems	249
	5.2.2	Definition of tyre radii	249
		Tyre asymmetry	253
		re contact patch	25 ⁴
		Friction	254
	3.3.2 5 1 Tuna f	Pressure distribution in the tyre contact patch	256
		orce and moment characteristics	257
	5.4.1	Components of tyre force and stiffness Normal (vertical) force calculations	257
	5.4.Z	Longitudinal force in a free rolling tyre (rolling	258
	3.4.3	resistance)	260
	511	Braking force	260 264
	5.4.5	Driving force	267
	546	Generation of lateral force and aligning moment	269
	5.4.7	The effect of slip angle	269
	548	The effect of camber angle	203
	5 4 9	Combinations of camber and slip angle	276
		Overturning moment	277
		Combined traction and cornering (comprehensive	27
	2	slip)	278
	5.4.12	Relaxation length	281
		imental testing	284
	5.6 Tyre n		291
		Overview	291
	5.6.2	Calculation of tyre geometry and velocities	295
	5.6.3	Road surface/terrain definition	299
	5.6.4	Interpolation methods	299
	5.6.5	The 'Magic Formula' tyre model	301
	5.6.6	The Fiala tyre model	306
	5.6.7	Tyre models for durability analysis	308
	5.7 Imple	mentation with MBS	314
	5.7.1	Virtual tyre rig model	315
	5.8 Examp	ples of tyre model data	318
	5.9 Case s	study 6 – Comparison of vehicle handling tyre	
	model	S	320
6		and assembly of the full vehicle	320
	6.1 Introd		326
		ehicle body	327
		ared outputs	330
		nsion system representation	331
	6/11	Oxerview	22

		6.4.2 Lumped mass model	332
		6.4.3 Equivalent roll stiffness model	333
		6.4.4 Swing arm model	335
		6.4.5 Linkage model	335
	~ ~	6.4.6 The concept suspension approach	336
	6.5	Modelling of springs and dampers	339
		6.5.1 Treatment in simple models	339
	, ,	6.5.2 Modelling leaf springs	340
	6.6	Anti-roll bars	342
	6.7	Determination of roll stiffness for the equivalent roll stiffness model	345
	6.8	Aerodynamic effects	349
		Modelling of vehicle braking	351
	6.10	Modelling traction	356
	6.11	Other driveline components	358
	6.12	The steering system	361
	0.12	6.12.1 Modelling the steering mechanism	361
		6.12.2 Steering ratio	363
		6.12.3 Steering inputs for vehicle handling manoeuvres	366
	6.13	Driver behaviour	368
	0.15	6.13.1 Steering controllers	369
		6.13.2 A path following controller model	373
		6.13.3 Body slip angle control	377
		6.13.4 Two-loop driver model	379
	6.14	Case study 7 – Comparison of full vehicle handling models	380
		Summary	393
7	Simu	llation output and interpretation	395
7	7.1	Introduction	395 395
7	7.1		
7	7.1	Introduction	395
7	7.1 7.2	Introduction Case study 8 – Variation in measured data A vehicle dynamics overview 7.3.1 Travel on a curved path	395 397
7	7.1 7.2	Introduction Case study 8 – Variation in measured data A vehicle dynamics overview 7.3.1 Travel on a curved path 7.3.2 The classical treatment based on steady state	395 397 399 399
7	7.1 7.2	Introduction Case study 8 – Variation in measured data A vehicle dynamics overview 7.3.1 Travel on a curved path 7.3.2 The classical treatment based on steady state cornering	395 397 399 399
7	7.1 7.2	Introduction Case study 8 – Variation in measured data A vehicle dynamics overview 7.3.1 Travel on a curved path 7.3.2 The classical treatment based on steady state cornering 7.3.3 Some further discussion of vehicles in curved path	395 397 399 399 401 408
7	7.1 7.2	Introduction Case study 8 – Variation in measured data A vehicle dynamics overview 7.3.1 Travel on a curved path 7.3.2 The classical treatment based on steady state cornering 7.3.3 Some further discussion of vehicles in curved path 7.3.4 The subjective/objective problem	395 397 399 399 401 408 411
7	7.1 7.2 7.3	Introduction Case study 8 – Variation in measured data A vehicle dynamics overview 7.3.1 Travel on a curved path 7.3.2 The classical treatment based on steady state cornering 7.3.3 Some further discussion of vehicles in curved path 7.3.4 The subjective/objective problem 7.3.5 Mechanisms for generating under- and oversteer	395 397 399 399 401 408 411 414
7	7.1 7.2 7.3 7.4	Introduction Case study 8 – Variation in measured data A vehicle dynamics overview 7.3.1 Travel on a curved path 7.3.2 The classical treatment based on steady state cornering 7.3.3 Some further discussion of vehicles in curved path 7.3.4 The subjective/objective problem 7.3.5 Mechanisms for generating under- and oversteer Transient effects	395 397 399 399 401 408 411 414 420
7	7.1 7.2 7.3 7.4 7.5	Introduction Case study 8 – Variation in measured data A vehicle dynamics overview 7.3.1 Travel on a curved path 7.3.2 The classical treatment based on steady state cornering 7.3.3 Some further discussion of vehicles in curved path 7.3.4 The subjective/objective problem 7.3.5 Mechanisms for generating under- and oversteer Transient effects Steering feel as a subjective modifier	395 397 399 399 401 408 411 414 420 424
7	7.1 7.2 7.3 7.4 7.5 7.6	Introduction Case study 8 – Variation in measured data A vehicle dynamics overview 7.3.1 Travel on a curved path 7.3.2 The classical treatment based on steady state cornering 7.3.3 Some further discussion of vehicles in curved path 7.3.4 The subjective/objective problem 7.3.5 Mechanisms for generating under- and oversteer Transient effects Steering feel as a subjective modifier Roll as an objective and subjective modifier	395 397 399 399 401 408 411 414 420 424
7	7.1 7.2 7.3 7.4 7.5 7.6 7.7	Introduction Case study 8 – Variation in measured data A vehicle dynamics overview 7.3.1 Travel on a curved path 7.3.2 The classical treatment based on steady state cornering 7.3.3 Some further discussion of vehicles in curved path 7.3.4 The subjective/objective problem 7.3.5 Mechanisms for generating under- and oversteer Transient effects Steering feel as a subjective modifier Roll as an objective and subjective modifier Frequency response	395 397 399 399 401 408 411 414 420 424 424
7	7.1 7.2 7.3 7.4 7.5 7.6	Introduction Case study 8 – Variation in measured data A vehicle dynamics overview 7.3.1 Travel on a curved path 7.3.2 The classical treatment based on steady state cornering 7.3.3 Some further discussion of vehicles in curved path 7.3.4 The subjective/objective problem 7.3.5 Mechanisms for generating under- and oversteer Transient effects Steering feel as a subjective modifier Roll as an objective and subjective modifier Frequency response The problems imposed by	395 397 399 399 401 408 411 414 420 424 424 426 428
7	7.1 7.2 7.3 7.4 7.5 7.6 7.7	Introduction Case study 8 – Variation in measured data A vehicle dynamics overview 7.3.1 Travel on a curved path 7.3.2 The classical treatment based on steady state cornering 7.3.3 Some further discussion of vehicles in curved path 7.3.4 The subjective/objective problem 7.3.5 Mechanisms for generating under- and oversteer Transient effects Steering feel as a subjective modifier Roll as an objective and subjective modifier Frequency response The problems imposed by 7.8.1 Circuit racing	395 397 399 399 401 408 411 414 420 424 424 426 428 428
7	7.1 7.2 7.3 7.4 7.5 7.6 7.7	Introduction Case study 8 – Variation in measured data A vehicle dynamics overview 7.3.1 Travel on a curved path 7.3.2 The classical treatment based on steady state cornering 7.3.3 Some further discussion of vehicles in curved path 7.3.4 The subjective/objective problem 7.3.5 Mechanisms for generating under- and oversteer Transient effects Steering feel as a subjective modifier Roll as an objective and subjective modifier Frequency response The problems imposed by 7.8.1 Circuit racing 7.8.2 Rallying	395 397 399 399 401 408 411 414 420 424 424 426 428 428
7	7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8	Introduction Case study 8 – Variation in measured data A vehicle dynamics overview 7.3.1 Travel on a curved path 7.3.2 The classical treatment based on steady state cornering 7.3.3 Some further discussion of vehicles in curved path 7.3.4 The subjective/objective problem 7.3.5 Mechanisms for generating under- and oversteer Transient effects Steering feel as a subjective modifier Roll as an objective and subjective modifier Frequency response The problems imposed by 7.8.1 Circuit racing 7.8.2 Rallying 7.8.3 Accident avoidance	395 397 399 399 401 408 411 414 420 424 424 426 428 428
7	7.1 7.2 7.3 7.4 7.5 7.6 7.7	Introduction Case study 8 – Variation in measured data A vehicle dynamics overview 7.3.1 Travel on a curved path 7.3.2 The classical treatment based on steady state cornering 7.3.3 Some further discussion of vehicles in curved path 7.3.4 The subjective/objective problem 7.3.5 Mechanisms for generating under- and oversteer Transient effects Steering feel as a subjective modifier Roll as an objective and subjective modifier Frequency response The problems imposed by 7.8.1 Circuit racing 7.8.2 Rallying 7.8.3 Accident avoidance The use of analytical models with a signal-to-noise	395 397 399 399 401 408 411 414 420 424 426 428 428 428 429
7	7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8	Introduction Case study 8 – Variation in measured data A vehicle dynamics overview 7.3.1 Travel on a curved path 7.3.2 The classical treatment based on steady state cornering 7.3.3 Some further discussion of vehicles in curved path 7.3.4 The subjective/objective problem 7.3.5 Mechanisms for generating under- and oversteer Transient effects Steering feel as a subjective modifier Roll as an objective and subjective modifier Frequency response The problems imposed by 7.8.1 Circuit racing 7.8.2 Rallying 7.8.3 Accident avoidance The use of analytical models with a signal-to-noise ratio approach	395 397 399 399 401 408 411 414 420 424 424 426 428 428 428 429
7	7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8	Introduction Case study 8 – Variation in measured data A vehicle dynamics overview 7.3.1 Travel on a curved path 7.3.2 The classical treatment based on steady state cornering 7.3.3 Some further discussion of vehicles in curved path 7.3.4 The subjective/objective problem 7.3.5 Mechanisms for generating under- and oversteer Transient effects Steering feel as a subjective modifier Roll as an objective and subjective modifier Frequency response The problems imposed by 7.8.1 Circuit racing 7.8.2 Rallying 7.8.3 Accident avoidance The use of analytical models with a signal-to-noise	395 397 399 399 401 408 411 414 420 424 426 428 428 428 429
8	7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8 7.9 7.10 Acti	Introduction Case study 8 – Variation in measured data A vehicle dynamics overview 7.3.1 Travel on a curved path 7.3.2 The classical treatment based on steady state cornering 7.3.3 Some further discussion of vehicles in curved path 7.3.4 The subjective/objective problem 7.3.5 Mechanisms for generating under- and oversteer Transient effects Steering feel as a subjective modifier Roll as an objective and subjective modifier Frequency response The problems imposed by 7.8.1 Circuit racing 7.8.2 Rallying 7.8.3 Accident avoidance The use of analytical models with a signal-to-noise ratio approach Some consequences of using signal-to-noise ratio	395 397 399 399 401 408 411 414 420 424 424 426 428 428 429 430 439
	7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8 7.9 7.10	Introduction Case study 8 – Variation in measured data A vehicle dynamics overview 7.3.1 Travel on a curved path 7.3.2 The classical treatment based on steady state cornering 7.3.3 Some further discussion of vehicles in curved path 7.3.4 The subjective/objective problem 7.3.5 Mechanisms for generating under- and oversteer Transient effects Steering feel as a subjective modifier Roll as an objective and subjective modifier Frequency response The problems imposed by 7.8.1 Circuit racing 7.8.2 Rallying 7.8.3 Accident avoidance The use of analytical models with a signal-to-noise ratio approach Some consequences of using signal-to-noise ratio	395 397 399 399 401 408 411 414 420 424 424 426 428 428 429 430 439

	Contents ix
8.2.1 Active suspension and variable damping	443
8.2.2 Brake-based systems	447
8.2.3 Active steering systems	448
8.2.4 Active camber systems	449
8.2.5 Active torque distribution	449
8.3 Which active system?	450
Appendix A: Vehicle model system schematics and data sets	452
Appendix B: Fortran tyre model subroutines	472
Appendix C: Glossary of terms	487
References	502
Index	511

Cambanda