Deep Excavation

Theory and Practice



Chang-Yu Ou

Contents

	Prefac	ce	xv		
1	Introduction to the analysis and design of excavations				
	1.1	Geological investigation and soil tests	1		
	1.2	Conditions of the adjacent properties	3		
	1.3	Confirmation of the conditions of an excavation site	3		
	1.4	Designing criteria	3		
	1.5	Collecting case histories of the nearby excavations	4		
	1.6	Auxiliary methods	4		
	1.7	Excavation analyses	4		
	1.8	Layout of the strutting system	4		
	1.9	Monitoring system	5		
	1.10	Protection of neighboring properties	5		
2	Basic	properties and mechanical characteristics of soils	7		
	2.1	Introduction	7		
	2.2	Basic properties	7		
		2.2.1 Specific gravity	8		
		2.2.2 Unit weight and water content	8		
		2.2.3 Atterberg limit	9		
		2.2.4 Permeability	11		
	2.3	Consolidation	11		
	2.4	Concept of effective stresses	14		
	2.5	Parameters of porewater pressure	16		
	2.6	Failure of soils	18		
		2.6.1 Mohr-Coulomb failure theory	18		
		2.6.2 Some commonly used laboratory shear strength tests	21		
		2.6.2.1 Triaxial test	22		
		2.6.2.2 Direct shear test	23		
		2.6.2.3 Direct simple shear test	24		
		2.6.3 Stress paths	25 27		
	2.7 Drained shear strength of soils				

	2.8	Undra	ined shear strength of saturated cohesive soils	29
		2.8.1	Concepts of undrained shear strength	29
		2.8.2	Characteristics of undrained shear strength	31
		2.8.3	Methods to obtain undrained shear strength	34
			2.8.3.1 Triaxial UU test	34
			2.8.3.2 CU test	36
			2.8.3.3 Field vane shear test	38
			2.8.3.4 Cone penetration test	41
	2.9	Dalasis	2.8.3.5 Other methods and empirical formulas	42
	2.9		onship between shear strength, volume change, rewater pressure	43
	2.10	_	ined shear strength of unsaturated cohesive soils	
	2.11		operties at the TNEC site	49 50
	2.12	_	ary and general comments	
	2.12	summo	ary una general comments	52
3	Excav	ation m	ethods and lateral supporting systems	57
	3.1	Introdi	uction	57
	3.2	Excave	ation methods	57
		3.2.1	Full open cut methods	57
		3.2.2	Braced excavation methods	58
		3.2.3	Anchored excavation methods	60
		3.2.4	Island excavation methods	63
		3.2.5	Top-down construction methods	65
		3.2.6	Zoned excavation methods	67
	3.3	Retain	ing walls	67
		3.3.1	Soldier piles	67
		3.3.2	Sheet piles	70
		3.3.3	Column piles	71
		3.3.4	Diaphragm walls	76
	3.4	Struttii	ng systems	80
	3.5	Selecti	on of the retaining strut system	83
	3.6	Case h	sistory of the TNEC excavation	84
	3.7	Summo	ary and general comments	88
4	Later	al earth	pressure	91
	4.1	Introdi	uction	91
	4.2	Latera	l earth pressure at rest	91
	4.3	Rankin	ne's earth pressure theory	92
	4.4		nb's earth pressure theory	97
	4.5	Genera	al discussion of various earth pressure theories	99
		4.5.1	Displacement and earth pressure	99
		4.5.2	Comparisons of Rankine's and Coulomb's earth pressure theories	99
		4.5.3	Reliability of earth pressure theories and other solutions	100
		T.J.J	TOTAL THE TOTAL PROBLEM TO THE STATE AND THE STATE OF THE	11/1/

				C	ontents	vii ———
	4.6	Earth p	pressure foi	r design		105
		4.6.1	Cohesive			105
		4.6.2	Cohesior	nless soils		108
		4.6.3	Alternate	ed layers		109
		4.6.4	Sloping g	ground		109
		4.6.5	Surcharg	e		111
		4.6.6	Seepage			115
		4.6.7	Earthqua	kes		117
	4.7	Summa	ary and gen	neral comments		119
5	Stabi	lity analy	ysis			125
	5.1	Introdi	uction			125
	5.2	Types e	of factors o	f safety		125
	5.3	Overa	ll shear fail	lure		126
	5.4		-	rt method and fixed earth support method		127
	5.5			ure of strutted walls		129
		5.5.1	Push-in			129
		5.5.2	Basal he	ave		134
			5.5.2.1	Bearing capacity method		135
			5.5.2.2	Negative bearing capacity method		139
			5.5.2.3	Slip circle method		141
			5.5.2.4	Comparisons of the various analysis methods		
				for basal heave failure		145
		553	5.5.2.5	Applicability to sandy soils		146
	5.6	5.5.3		dy of overall shear failure		146
	5.6			lure of cantilever walls		154
	5.7	Uphea				162
	5.8	Sand b	_	16.4		163
		5.8.1		sm and factors of safety		163
	5.9	5.8.2	Case stu	ay neral comments		168 170
	5.9	Summe	ary ana ger	terui commenis		170
6	Stres	s and def	formation	analysis: simplified method		179
	6.1	Introd				179
	6.2	Analys	sis of settler	ment induced by the construction of diaphragm w	alls	180
	6.3		-	f wall movement induced by excavation		182
		6.3.1	-	ectors of stability		183
		6.3.2	Excavati	on width		183
		6.3.3	Excavati	on depth		184
		6.3.4	•	etration depth		184
		6.3.5	Wall stif			185
		6.3.6	Strut stif			185
		6.3.7	Strut spa	_		187
		6.3.8	Strut pre	load		188

6.4	Charac	cteristics of ground movement induced by excavation	188
	6.4.1	Shapes and types of ground surface settlement	189
	6.4.2	Influence zones of settlement	190
	6.4.3	Locations of the maximum settlement	193
	6.4.4	Magnitude of the maximum settlement	193
	6.4.5		
		soil movements	194
6.5	Charac	cteristics of excavation bottom movement induced by	
	excava	tion	195
6.6	Time d	ependent movement	197
6.7	Analys.	is of wall deformations induced by excavation	200
6.8	Analys	is of ground surface settlements induced by excavation	200
	6.8.1	Peck's method	201
	6.8.2	Bowles's method	202
	6.8.3	Clough and O'Rourke's method	203
	6.8.4	Ou and Hsieh's method	203
	6.8.5	Comparison of the various analysis methods	205
6.9	Three-a	dimensional excavation behavior	208
6.10	Stress a	analysis	209
	6.10.1	Struts—the apparent earth pressure method	209
			214
			215
		6.10.3.1 Distribution of lateral earth pressure	216
		6.10.3.2 Location of the assumed support	216
		6.10.3.3 Computation procedure	217
6.11	Summa	ry and general comments	226
Stress	and defe	ormation analysis: beam on elastic foundation method	235
7.1	Introdu	ection	235
7.2			236
7. 3	_	•	238
7.4	Distrib	ution of lateral earth pressures	243
7.5		——————————————————————————————————————	245
7.6			248
7.7		*	250
			250
			250
			251
7.8	Сотри	•	252
7.9	-	* 5	253
7.10			253
			254
	7.10.2		~J T
		sole basis of the effective stress	255
	6.5 6.6 6.7 6.8 6.9 6.10 6.11 Stress 7.1 7.2 7.3 7.4 7.5 7.6 7.7	6.4.1 6.4.2 6.4.3 6.4.4 6.4.5 6.5 Charace excava 6.6 Time de 6.7 Analys. 6.8 Analys. 6.8.1 6.8.2 6.8.3 6.8.4 6.8.5 6.9 Three-o 6.10 Stress o 6.10.1 6.10.2 6.10.3 Stress and defe 7.1 Introdu 7.2 Basic p 7.3 Formul 7.4 Distrib. 7.5 Estimat 7.6 Estimat 7.7 Analysi 7.7.1 7.7.2 7.8 Compu 7.9 Limitat 7.10 Applica 7.10.1	6.4.1 Shapes and types of ground surface settlement 6.4.2 Influence zones of settlement 6.4.3 Locations of the maximum settlement 6.4.4 Magnitude of the maximum settlement 6.4.5 Relationships between ground surface settlements and soil movements 6.5 Characteristics of excavation bottom movement induced by excavation 6.6 Time dependent movement 6.7 Analysis of wall deformations induced by excavation 6.8.1 Peck's method 6.8.2 Bowles's method 6.8.2 Bowles's method 6.8.3 Clough and O'Rourke's method 6.8.4 Ou and Hsieh's method 6.8.5 Comparison of the various analysis methods 6.9 Three-dimensional excavation behavior 6.10 Stress analysis 6.10.1 Struts—the apparent earth pressure method 6.10.2 Cantilevered walls—the simplified gross pressure method 6.10.3 Strutted walls—the assumed support method 6.10.3.1 Distribution of lateral earth pressure 6.10.3.2 Location of the assumed support 6.10.3.3 Computation procedure 6.10.3.3 Computation procedure 6.11 Summary and general comments Stress and deformation analysis: beam on elastic foundation method 7.1 Introduction 7.2 Basic principles 7.3 Formulation 7.4 Distribution of lateral earth pressures 7.5 Estimation of coefficient of subgrade reaction 6.5 Estimation of structural parameters 7.7 Analysis methods for excavations 7.7.1 Direct analysis and back analysis 7.7.2 Drained analysis, undrained analysis, and partially drained analysis 7.8 Computation of ground surface settlement 1. Limitations of the beam on elastic foundation method 7.10 Application of computer programs 7.10.1 Confirmation of the type of stress used in computer programs 7.10.1 Confirmation of the computer program coded on the

				
		7.10.3		•••
		=	double basis of effective and total stresses	259
		7.10.4	1 1	250
		7.10.5	built into computer programs	259
		7.10.5	2	259
	7.11	Summa	ary and general comments	262
8	Stress	and def	ormation analysis: finite element method	269
	8.1	Introdu	uction	269
	<i>8.2</i>	Basic p	principles	270
		8.2.1	Plane strain elements	274
		8.2.2	Bar elements	275
		8.2.3	Beam elements	276
		8.2.4	Interface elements	276
	8.3	Stress-	strain relationship and constitutive laws of soils	277
		8.3.1	Elastic incremental model—the hyperbolic model	277
		8.3.2	Linear elastic elastoplastic model	281
		8.3.3	Cam-clay model and other high order models	284
	8.4	Stress-	strain relationship of structural materials and structural	
		models	÷ *	287
	8.5	Detern	nination of initial stresses	288
		8.5.1	Direct input method	289
		8.5.2	Gravity generation method	290
	8.6	Modeli	ing of an excavation process	291
	8.7		generation	292
		8.7.1	Shape of the element	292
		8.7.2	Density of mesh	293
		8.7.3	Boundary conditions	293
	8.8	Excava	ation analysis method	296
		8.8.1	Direct analysis and back analysis	296
		8.8.2	Total stress analysis and effective stress analysis	296
		8.8.3	Drained analysis, undrained analysis, and partially drained	
			analysis	297
		8.8.4	Coupled analysis	297
		8.8.5	Plane strain analysis and three-dimensional analysis	298
	8.9	Detern	nination of soil parameters	299
		8.9.1	Parameters for elastic deformation	299
		8.9.2	Parameters for the hyperbolic model	300
		8.9.3	Parameters for the linear elastic elastoplastic model	302
		8.9.4	Parameters for the Cam-clay model and other high	
			order models	303
	8.10	Detern	nination of structural parameters	305
	8.11		ssion of accuracy of analysis results	305
	8.12		ary and general comments	307

X	Co	nt	Δn	te
	\sim	111	C 1 1	

	Dewat	ering of	excavations		313
	9.1	Introdu	ction		313
	9.2	Goals o	f dewatering		314
	9.3	Method	s of dewatering	;	316
		9.3.1	Open sumps of	or ditches	316
		9.3.2	Deep wells		318
		9.3.3	Well points		319
	9.4	Well th	eory		322
		9.4.1	Confined aqu	ifers	322
			9.4.1.1 Fu	ll penetration wells	322
			9.4.1.2 Pa	rtial penetration well	331
		9.4.2	Free aquifers		331
				ll penetration well	332
				rtial penetration well	334
		9.4.3	Group wells		334
	9.5	_	ng tests		336
		9.5.1	Step drawdov		336
		9.5.2	Constant rate		337
				onfined aquifers	337 339
				ree aquifers	339 340
	9.6		ering plan for a		340
		9.6.1		dewatering methods	340
		9.6.2		on of hydraulic parameters	341
		9.6.3		on of the capacity of wells	341
		9.6.4		f the number of wells	344
		9.6.5		of the influence range of drawdown	
	9.7		ering and grou		346 357
	9.8	Summ	ary and genera	l comments	33/
10	Desig	n of reta	ining structur	al components	361
	10.1	Introa	uction		361
	10.2	Desig	n methods and	factors of safety	361
	10.3		ing walls		362
		10.3.1	Soldier piles	•	363
		10.3.2	Sheet piles		364
		10.3.3	Column pile	s	365
		10.3.4	-		365
			10.3.4.1 V	ertical main reinforcement	367
			10.3.4.2 H	lorizontal main reinforcement	369
			10.3.4.3 S	hear reinforcement	369
				ap splice length and development length	371
	10.4	Struc	tural componer	nts in braced excavations	372

	10.5	Strut sy	estems	375
		10.5.1	Horizontal struts	375
			10.5.1.1 Stress computation	375
			10.5.1.2 Allowable stress	376
			10.5.1.3 Examination of combined stresses	378
		10.5.2	End braces and corner braces	378
		10.5.3	Wales	379
		10.5.4	Center posts	381
			10.5.4.1 Vertical bearing capacity	385
			10.5.4.2 Pullout resistance	386
	10.6		ral components in anchored excavations	386
	10.7		systems	387
		10.7.1	Components of anchors	387
		10.7.2	Analysis of anchor load	389
			Arrangement of anchors	390
			Design of anchor heads, anchor stands, and wales	392
			Design of the free section	395
		10.7.6	Design of the fixed section	396
			10.7.6.1 Friction type of anchor	397
			10.7.6.2 Underreamed anchors	399
			Preloading	399
		10.7.8	Design of retaining walls	400
	10.8		fanchors	400
			Proving test	400
			Suitability test	403
		10.8.3	Acceptance test	403
	10.9	Summa	ry and general comments	404
11	Excav	ation an	d protection of adjacent buildings	409
	11.1	Introdu	ection	409
	11.2	Allowa	ble settlement of buildings	410
		11.2.1	Allowable settlement under the building weight	410
		11.2.2	Excavation-induced allowable settlement	413
	11.3	Introdu	ection to soil improvement methods	415
		11.3.1	Chemical grouting method	415
		11.3.2	Jet grouting method	417
		11.3.3	Deep mixing method	419
		11.3.4	Compaction grouting method	419
	11.4	Buildin	g protection using the characteristics of excavation-induced	
		deform	ation	420
		11.4.1	Reduce the unsupported length of the retaining wall	420
		11.4.2	Decrease the influence of creep	421

		11.4.3 Take advantage of corner effect	422
		11.4.4 Take advantage of the characteristics of ground settlement	422
	11.5	Building protection by increasing stiffness of the retaining-strut system	425
	11.6	Building protection by utilizing auxiliary methods	426
		11.6.1 Ground improvement	426
		11.6.2 Counterfort walls	430
		11.6.3 Cross walls	434
		11.6.4 Micro piles	438
		11.6.5 Underpinning	439
	11.7	Construction defects and remedial measures	444
		11.7.1 Leakage through the retaining wall	444
		11.7.2 Dewatering during excavation	446
		11.7.3 Construction of the retaining wall	447
		11.7.4 Pulling out the used piles	447
		11.7.5 Over-excavation	448
	11.8	Building rectification methods	448
		11.8.1 Compaction grouting	448
		11.8.2 Chemical grouting	451
		11.8.3 Underpinning	452
	11.9	Summary and general comments	454
12	Monit	toring systems	459
	12.1	Introduction	
	12.1	Elements of a monitoring system	459
	12.3	Principles of strain gauges	460
	12.3		461
		12.3.1 Wire resistant type of strain gauges 12.3.2 Vibrating type of strain gauges	461
	12.4	\$ 11 · · · · · · · · · · · · · · · · · ·	465
	12.4	Measurement of movement and tilt	467
		12.4.1 Lateral deformation of retaining walls and soils	467
		12.4.2 Tilt of buildings	474
		12.4.3 Ground settlement and building settlement	476
	125	12.4.4 Heave of excavation bottoms	477
	12.5	Measurement of stress and force	479
		12.5.1 Strut load	479
		12.5.2 Stress of the retaining wall	481
	136	12.5.3 Earth pressure on the retaining wall	483
	12.6	Measurement of water pressure and groundwater level	487
		12.6.1 Water pressure	487
	12 7	12.6.2 Groundwater level	490
	12.7	Other measurement objects	491
	12.8	Plan of monitoring systems	492
	12.9	Application of monitoring systems	493
	12.10	Summary and general comments	498

			Contents	xiii
Appendix A	Con	version factors		503
	A.1	Length		503
	A.2	Area		504
	A.3	Volume or section modulus		504
	A.4	Moment of inertia		504
	A.5	Mass		505
	A.6	Density		505
	A.7	Force or weight		505
	A.8	Stress or pressure		506
	A.9	Unit weight		506
Appendix B	Indi	ces of the case histories: TNEC and		
	buile	dings P, Q, R, and S		507
	B.I	TNEC		507
	<i>B.2</i>	Building P		507
	B.3	Building Q		508
	B.4	Building R		508
	B.5	Building S		508
Appendix C	Con	nmonly used steel sections or piles		509
	C.I	H-steel (or W-section)		509
	C.2	I-section		510
	C.3	U-section sheet piles		510
	C.4	Z-section sheet piles		510
	C.5	Line-section sheet piles		511
	C.6	Rail piles		511
Appendix D	Defi	nition of plane strain		513
Answers	to sele	ected problems		515
Referenc		•		519
Index				529