



# INSECT-PLANT BIOLOGY

Louis M. Schoonhoven | Joop J.A. van Loon | Marcel Dicke



# Contents

<i>Foreword to the second edition by Professor Elizabeth Bernays</i>	vii
<i>Preface to the second edition</i>	ix
<i>Preface to the first edition</i>	x
<b>1 Introduction</b>	1
1.1 Increased attention: why?	1
1.2 Relationships between insects and plants	1
1.3 Relevance for agriculture	2
1.4 Insect–plant research involves many biological subdisciplines	2
1.5 References	3
<b>2 Herbivorous insects: something for everyone</b>	5
2.1 Host-plant specialization	6
2.2 Food-plant range and host-plant range	10
2.3 Specialization on plant parts	11
2.3.1 Above-ground herbivory	11
2.3.2 Below-ground herbivory	13
2.4 Number of insect species per plant species	13
2.5 Herbivorous insects: are they plant taxonomists?	15
2.6 Host plant is more than food plant	16
2.7 Microclimates around plants	17
2.8 Extent of insect damage in natural and agricultural ecosystems	18
2.9 Compensation for herbivore damage	23
2.10 Conclusions	24
2.11 References	24
<b>3 Plant structure: the solidity of anti-herbivore protection</b>	29
3.1 Insect feeding systems	29
3.2 Leaf surface	31
3.2.1 Epicuticular waxes	31
3.2.2 Trichomes	35
3.3 Leaf toughness	36
3.3.1 Mandible wear	36
3.3.2 C <sub>3</sub> and C <sub>4</sub> plants	39
3.4 Structures involved in mutualistic relationships	40
3.5 Plant galls	41

3.6	Plant architecture	42
3.7	Conclusions	43
3.8	References	44
<b>4</b>	<b>Plant chemistry: endless variety</b>	<b>48</b>
4.1	Plant biochemistry	49
4.1.1	Primary plant metabolism	50
4.1.2	Secondary plant substances	50
4.2	Alkaloids	51
4.3	Terpenoids and steroids	52
4.4	Phenolics	55
4.5	Glucosinolates	57
4.6	Cyanogenics	57
4.7	Leaf surface chemistry	58
4.8	Plant volatiles	59
4.9	Concentrations of secondary plant substances	63
4.10	Production costs	65
4.11	Compartmentation	67
4.12	Temporal variability	68
4.12.1	Seasonal effects	69
4.12.2	Day/night effects	70
4.12.3	Interyear variation	71
4.13	Effects of location and fertilizers	71
4.13.1	Sun and shade	71
4.13.2	Soil factors	73
4.14	Induced resistance	74
4.14.1	Induced direct resistance	75
4.14.2	Induced indirect resistance	75
4.14.3	Variation in herbivore-induced changes	77
4.14.4	Genomic and metabolomic changes induced by herbivory	77
4.14.5	Systemic effects	78
4.14.6	Long-term responses	79
4.14.7	Signal transduction	80
4.14.8	Interaction between herbivore-induced and pathogen-induced changes	80
4.14.9	Plant–plant interactions	81
4.15	Genotypic variation	81
4.15.1	Inter-individual variation in plant chemistry	81
4.15.2	Intra-individual variation in plant chemistry	83
4.15.3	Plant sex affects insect susceptibility	84
4.16	Conclusions	85
4.17	Literature	85
4.18	References	86
<b>5</b>	<b>Plants as insect food: not the ideal</b>	<b>99</b>
5.1	Plants are suboptimal food	101
5.1.1	Nitrogen	102
5.1.2	Water	104
5.2	Artificial diets	105

5.3 Consumption and utilization	106
5.3.1 Food quantities eaten	106
5.3.2 Utilization	106
5.3.3 Suboptimal food and compensatory feeding behaviour	111
5.3.4 Allelochemicals and food utilization	113
5.3.5 Detoxification of plant allelochemicals	116
5.4 Symbionts	120
5.4.1 Food utilization and supplementation	120
5.4.2 Detoxification of plant allelochemicals	121
5.5 Host-plant quality affected by microorganisms	121
5.5.1 Plant pathogens	122
5.5.2 Endophytic fungi	122
5.6 Host-plant effects on herbivore susceptibility to pathogens and insecticides	124
5.7 Food-plant quality in relation to environmental factors	125
5.7.1 Drought	125
5.7.2 Air pollution	125
5.8 Conclusions	127
5.9 References	127
<b>6 Host-plant selection: how to find a host plant</b>	<b>135</b>
6.1 Terminology	136
6.2 Host-plant selection: a catenary process	137
6.3 Searching mechanisms	138
6.4 Orientation to host plants	143
6.4.1 Optical versus chemical cues	143
6.4.2 Visual responses to host-plant characteristics	145
6.4.3 Olfactory responses to host plants	149
6.4.4 Flying moths and walking beetles: two cases of olfactory orientation	149
6.5 Chemosensory basis of host-plant odour detection	152
6.5.1 Morphology of olfactory sensilla	152
6.5.2 Olfactory transduction	153
6.5.3 Olfactory electrophysiology and sensitivity	154
6.5.4 Olfactory specificity and coding	157
6.6 Host-plant searching in nature	158
6.7 Conclusions	160
6.8 References	160
<b>7 Host-plant selection: when to accept a plant</b>	<b>169</b>
7.1 The contact phase of host-plant selection: elaborate evaluation of plant traits	169
7.2 Physical plant features acting during contact	170
7.2.1 Trichomes	170
7.2.2 Surface texture	172
7.3 Plant chemistry: contact-chemosensory evaluation	172
7.4 The importance of plant chemistry for host-plant selection: a historical intermezzo	173

7.5	Stimulation of feeding and oviposition	174
7.5.1	Primary plant metabolites	174
7.5.2	Plant secondary metabolites promoting acceptance: token stimuli	176
7.5.3	Generally occurring secondary plant metabolites acting as stimulants	179
7.6	Inhibition of feeding and oviposition	180
7.6.1	Deterrence as a general principle in host-range determination	181
7.6.2	Host-marking as a mechanism to avoid herbivore competition	181
7.7	Plant acceptability: a balance between stimulation and deterrence	182
7.8	Contact-chemosensory basis of host-plant selection behaviour	183
7.8.1	Contact chemoreceptors	183
7.8.2	Gustatory coding	183
7.8.3	Caterpillars as models for coding principles	185
7.8.4	Token stimulus receptors: unsurpassed specialists	186
7.8.5	Sugar and amino acid receptors: detectors of nutrients	188
7.8.6	Deterrent receptors: generalist taste neurons	188
7.8.7	Peripheral interactions	190
7.8.8	Host-plant selection by piercing-sucking insects	192
7.8.9	Oviposition preference	194
7.8.10	Host-plant selection: a three-tier system	195
7.9	Evolution of the chemosensory system and host-plant preferences	197
7.10	Conclusions	198
7.11	References	199
<b>8</b>	<b>Host-plant selection: variation is the rule</b>	<b>209</b>
8.1	Geographical variation	209
8.2	Differences between populations in the same region	211
8.3	Differences between individuals	212
8.4	Environmental factors causing changes in host-plant preference	213
8.4.1	Seasonality	213
8.4.2	Temperature	214
8.4.3	Predation risks	215
8.5	Internal factors causing changes in host-plant preference	215
8.5.1	Developmental stage	215
8.5.2	Insect sex affects food choice	216
8.6	Experience-induced changes in host-plant preference	217
8.6.1	Non-associative changes	217
8.6.2	Associative changes	221
8.7	Pre- and early-adult experience	224
8.8	Adaptive significance of experience-induced changes in host preference	225
8.9	Conclusions	226
8.10	References	227
<b>9</b>	<b>The endocrine system of herbivores listens to host-plant signals</b>	<b>233</b>
9.1	Development	233
9.1.1	Morphism	233
9.1.2	Diapause	236

9.2	Reproduction	237
9.2.1	Maturation	237
9.2.2	Mating behaviour	239
9.3	Conclusions	241
9.4	References	241
<b>10</b>	<b>Ecology: living apart together</b>	<b>244</b>
10.1	Effects of plants on insects	245
10.1.1	Plant phenology	246
10.1.2	Plant chemistry	247
10.1.3	Plant morphology	249
10.1.4	Alternative food	249
10.2	Effects of herbivores on plants	251
10.3	Above-ground and below-ground insect–plant interactions	252
10.4	Microorganisms and insect–plant interactions	252
10.5	Vertebrates and insect–plant interactions	254
10.6	Indirect species interactions in communities	254
10.6.1	Exploitative competition	256
10.6.2	Apparent competition	257
10.6.3	Trophic cascades	257
10.7	Species interactions and phenotypic plasticity	259
10.8	Top-down versus bottom-up forces	260
10.9	Food webs and infochemical webs	261
10.9.1	Food webs	261
10.9.2	Infochemical webs	263
10.10	Communities	264
10.10.1	Why are so many herbivorous insect species ‘rare’?	265
10.10.2	Colonization	265
10.10.3	Community development	266
10.11	Molecular ecology	267
10.12	Conclusions	269
10.13	References	270
<b>11</b>	<b>Evolution: insects and plants forever in combat</b>	<b>278</b>
11.1	Fossilized records of insect–plant interactions	279
11.2	Speciation	282
11.2.1	Reproductive isolation	283
11.2.2	Rates of speciation	286
11.2.3	Reciprocal speciation	286
11.3	Genetic variation in host-plant preference of insects	287
11.3.1	Interspecific differences	287
11.3.2	Intraspecific differences	287
11.3.3	Preference–performance correlation	289
11.3.4	Genetic variation and local host-plant adaptation	289
11.4	Genetic variation in plant resistance against insects	290
11.5	Selection and adaptation	291
11.6	Evolution of insect diversity	292

11.7	Evolution of host-plant specialization	293
11.7.1	Coping with plant secondary metabolites	293
11.7.2	Competition	294
11.7.3	Reduced mortality from natural enemies	294
11.7.4	Phylogenetic relationships	294
11.8	Reciprocal evolution of herbivorous insects and their host plants	296
11.8.1	Criticism of the theory of co-evolution	297
11.8.2	Support for the theory of co-evolution	298
11.9	Conclusions	300
11.10	References	300
<b>12</b>	<b>Insects and flowers: mutualism par excellence</b>	<b>306</b>
12.1	Mutualism	308
12.2	Flower constancy	311
12.2.1	Flower recognition	312
12.2.2	Flower handling	314
12.3	Pollination energetics	316
12.3.1	Distance	316
12.3.2	Accessibility	317
12.3.3	Temperature	317
12.3.4	Food-source evaluation	318
12.3.5	Reward strategy	319
12.3.6	Signalling nectar status	320
12.4	Pollinator movement within multiple-flower inflorescences	321
12.5	Competition	322
12.6	Evolution	324
12.7	Nature conservation	329
12.8	Economy	330
12.9	Conclusions	330
12.10	References	331
<b>13</b>	<b>Insects and plants: how to apply our knowledge</b>	<b>336</b>
13.1	Which herbivorous insect species become pests and why?	337
13.1.1	Characteristics of herbivorous pest species	337
13.1.2	Consequences of crop-plant introductions	337
13.1.3	Agricultural practices promote the occurrence of pest problems	338
13.2	Host-plant resistance	339
13.2.1	Host-plant resistance mechanisms	339
13.2.2	Partial resistance	340
13.2.3	Plant characteristics associated with resistance	341
13.2.4	Methodology of resistance breeding	342
13.3	Polycultures: why fewer pests?	345
13.3.1	The disruptive-crop hypothesis	348
13.3.2	The enemies hypothesis	348
13.3.3	Trap-cropping and crop-weed systems	349
13.3.4	Diversity as a guiding principle	350

13.4 Plant-derived insecticides and antifeedants	350
13.4.1 Antifeedants	351
13.4.2 Neem tree, azadirachtin	352
13.4.3 Outlook for antifeedants as crop protectants	353
13.5 Weed control by herbivorous insects	355
13.5.1 <i>Opuntia</i> and <i>Salvinia</i>	355
13.5.2 Success rate of biological weed-control programmes	356
13.6 Conclusion: diversification holds the clue to the control of pestiferous insects	357
13.7 References	358
<b>Appendices</b>	
<b>A: Further reading</b>	364
Books that focus wholly or to a large extent on insect–plant interactions	364
Proceedings of international symposia on insect–plant relationships	365
<b>B: Structural formulae of selected secondary plant compounds</b>	367
<b>C: Methodology</b>	373
C.1 Choice of plants and insects	373
C.1.1 Plants	373
C.1.2 Insects	374
C.2 Behaviour	374
C.2.1 Olfactory orientation	375
C.2.2 Feeding	376
C.2.3 Oviposition	377
C.3 Sensory physiology	378
C.3.1 Ablation	378
C.3.2 Electrophysiology	378
C.4 Plant chemistry	378
C.4.1 Headspace	378
C.4.2 Leaf surface	378
C.4.3 Plant interior	379
C.4.4 Gene expression patterns	379
C.5 References	380
<b>Taxonomic index</b>	387
<b>Author index</b>	393
<b>Subject index</b>	412