



Loutfi Nuaymi

WiMAX

Technology for
Broadband Wireless Access



 WILEY

Contents

Preface and Acknowledgements	xv
Abbreviations List	xvii
PART ONE Global Introduction to WiMAX	1
1 Introduction to Broadband Wireless Access	3
1.1 The Need for Wireless Data Transmission	3
1.2 Wireless Networks and Broadband Wireless Access (BWA)	4
1.2.1 Different Types of Data Networks	4
1.2.2 Some IEEE 802 Data Network Standards	5
1.2.3 Cordless WLL Phone Systems	6
1.3 Applications of BWA	8
1.3.1 Wireless is Not Mobile!	10
1.3.2 Synthesis of WiMAX BWA Applications	11
1.4 History of BWA Technologies	11
1.4.1 Video Distribution: LMDS, MMDS and DVB	11
1.4.2 Pre-WiMAX Systems	12
2 WiMAX Genesis and Framework	13
2.1 IEEE 802.16 Standard	13
2.1.1 From 802.16-2004 to 802.16e	14
2.2 WiMAX Forum	15
2.2.1 WiMAX Forum Working Groups	15
2.2.2 WiMAX Forum White Papers	16
2.3 WiMAX Products Certification	16
2.3.1 WiMAX Certified Products	18
2.4 Predicted Products and Deployment Evolution	19
2.4.1 Product Types	19
2.4.2 Products and Deployment Timetable	19
2.5 Other 802.16 Standards	20
2.6 The Korean Cousin: WiBro	21
3 Protocol Layers and Topologies	23
3.1 The Protocol Layers of WiMAX	23
3.2 Convergence Sublayer (CS)	25
3.3 Medium Access Control Common Part Sublayer (MAC CPS)	25
3.4 Security Sublayer	25

3.5	PHYSical Layer	26
3.5.1	<i>Single Carrier (SC) and OFDM</i>	27
3.6	Network Management Reference Model	28
3.7	WiMAX Topologies	28
4	Frequency Utilisation and System Profiles	31
4.1	The Cellular Concept	31
4.1.1	<i>Sectorisation</i>	31
4.1.2	<i>Cluster Size Considerations</i>	33
4.1.3	<i>Handover</i>	35
4.2	Licensed and Unlicensed Frequencies	36
4.2.1	<i>Frequency Channels and Spectral Masks</i>	37
4.3	WiMAX Frequencies, Regulations and Availability	38
4.3.1	<i>France</i>	39
4.3.2	<i>Korea</i>	40
4.3.3	<i>USA</i>	40
4.3.4	<i>UK</i>	40
4.3.5	<i>China</i>	40
4.3.6	<i>Brazil</i>	41
4.4	WiMAX System Profiles	41
4.4.1	<i>Fixed WiMAX System Profiles</i>	41
4.4.2	<i>Mobile WiMAX System Profiles</i>	42
PART TWO	WiMAX Physical Layer	43
5	Digital Modulation, OFDM and OFDMA	45
5.1	Digital Modulations	45
5.1.1	<i>Binary Phase Shift Keying (BPSK)</i>	45
5.1.2	<i>Quadrature Phase Shift Keying (QPSK)</i>	45
5.1.3	<i>Quadrature Amplitude Modulation (QAM): 16-QAM and 64-QAM</i>	47
5.1.4	<i>Link Adaptation</i>	47
5.2	OFDM Transmission	47
5.2.1	<i>Basic Principle: Use the IFFT Operator</i>	48
5.2.2	<i>Time Domain OFDM Considerations</i>	50
5.2.3	<i>Frequency Domain OFDM Considerations</i>	51
5.2.4	<i>OFDM Symbol Parameters and Some Simple Computations</i>	52
5.2.5	<i>Physical Slot (PS)</i>	53
5.2.6	<i>Peak-to-Average Power Ratio (PAPR)</i>	53
5.3	OFDMA and Its Variant SOFDMA	53
5.3.1	<i>Using the OFDM Principle for Multiple Access</i>	53
5.3.2	<i>Scalable OFDMA (SOFDMA)</i>	55
5.3.3	<i>OFDMA in the OFDM PHYSical Layer: Subchannelisation</i>	55
5.4	Subcarrier Permutations in WiMAX OFDMA PHY	57
5.4.1	<i>The Main Permutation Modes in OFDMA</i>	57
5.4.2	<i>Some OFDMA PHY Definitions</i>	57
5.4.3	<i>PUSC Permutation Mode</i>	58
5.4.4	<i>FUSC Permutation Mode</i>	65
5.4.5	<i>AMC Permutation Mode</i>	67
5.4.6	<i>TUSC Permutation Mode</i>	68

6	The Physical Layer of WiMAX	69
6.1	The 802.16 Physical Transmission Chains	69
6.1.1	<i>The Global Chains</i>	69
6.2	Channel Coding	69
6.2.1	<i>Randomisation</i>	70
6.2.2	<i>Forward Error Correction (FEC) Codes</i>	71
6.2.3	<i>Interleaving</i>	73
6.2.4	<i>Repetition</i>	73
6.3	Turbo Coding	74
6.3.1	<i>Convolutional Turbo Codes (CTC)</i>	75
6.3.2	<i>Block Turbo Codes (BTC)</i>	76
6.4	Transmission Convergence Sublayer (TCS)	77
6.5	Burst Profile	78
6.5.1	<i>Downlink Burst Profile Parameters</i>	78
6.5.2	<i>Uplink Burst Profile Parameters</i>	79
6.5.3	<i>MCS Link Adaptation</i>	79
PART THREE WiMAX Multiple Access (MAC Layer) and QoS Management		81
7	Convergence Sublayer (CS)	83
7.1	CS in 802.16 Protocol Architecture	83
7.2	Connections and Service Flow	83
7.2.1	<i>Connection IDentifiers (CIDs)</i>	85
7.2.2	<i>Service Flows</i>	85
7.3	Classification and Mapping	88
7.4	CS and QoS	90
7.5	Payload Header Suppression (PHS)	90
7.5.1	<i>PHS Rules</i>	92
7.5.2	<i>PHS Rules Signalling</i>	93
7.5.3	<i>Header Compression in WiMAX</i>	94
8	MAC Functions and MAC Frames	95
8.1	Introduction	95
8.2	MAC Addresses and MAC Frames	95
8.2.1	<i>MAC Addresses and Other Addresses</i>	95
8.2.2	<i>MAC Frames</i>	96
8.2.3	<i>MAC Header Format</i>	96
8.2.4	<i>MAC Subheaders and Special Payloads</i>	100
8.3	Fragmentation, Packing and Concatenation	100
8.3.1	<i>Fragmentation</i>	100
8.3.2	<i>Packing</i>	101
8.3.3	<i>Concatenation</i>	102
8.4	Basic, Primary and Secondary Management Connections	102
8.5	User Data and MAC Management Messages	105
8.6	TLV Encoding in the 802.16 Standard	105
8.6.1	<i>TLV Encoding Sets</i>	106
8.7	Automatic Repeat Request (ARQ)	106
8.7.1	<i>ARQ Feedback Format</i>	108
8.7.2	<i>Hybrid Automatic Repeat Request (HARQ) Mechanism</i>	109
8.8	Scheduling and Link Adaptation	110

9	Multiple Access and Burst Profile Description	113
9.1	Introduction	113
9.2	Duplexing: Both FDD and TDD are Possible	113
9.2.1	<i>FDD Mode</i>	114
9.2.2	<i>TDD Mode</i>	114
9.3	Transmission of Downlink and Uplink Subframes	115
9.3.1	<i>OFDM PHY Downlink Subframe</i>	116
9.3.2	<i>OFDM PHY Uplink Subframe</i>	117
9.3.3	<i>OFDMA PHY Frame</i>	118
9.3.4	<i>Frame Duration</i>	119
9.3.5	<i>Preambles</i>	120
9.4	Maps of Multiple Access: DL-MAP and UL-MAP	121
9.4.1	<i>DL-MAP Message</i>	122
9.4.2	<i>UL-MAP Message</i>	123
9.4.3	<i>OFDMA PHY UL-MAP and DL-MAP Messages</i>	124
9.5	Burst Profile Usage: DCD Message and the DIUC Indicator	125
9.5.1	<i>Burst Profile Selection Thresholds</i>	125
9.5.2	<i>DCD (Downlink Channel Descriptor) Message</i>	126
9.5.3	<i>Transmission of the DCD Message</i>	128
9.5.4	<i>An Example of the DCD Message</i>	128
9.5.5	<i>DIUC Values</i>	129
9.5.6	<i>UCD (Uplink Channel Descriptor) Message and UIUC Indicator</i>	132
9.6	Mesh Frame	134
9.6.1	<i>Network Control Subframe</i>	134
9.6.2	<i>Schedule Control Subframe</i>	135
10	Uplink Bandwidth Allocation and Request Mechanisms	137
10.1	Downlink and Uplink Allocation of Bandwidth	137
10.2	Types of Uplink Access Grant-request	138
10.2.1	<i>Incremental and Aggregate Bandwidth Request</i>	138
10.2.2	<i>Standalone and Piggyback Bandwidth Request</i>	138
10.3	Uplink Access Grant-request Mechanisms	140
10.3.1	<i>Unsolicited Bandwidth Grants</i>	141
10.3.2	<i>Unicast Polling</i>	141
10.3.3	<i>Contention-based Group (Multicast or Broadcast) Polling</i>	142
10.3.4	<i>Management of Multicast Polling Groups</i>	143
10.3.5	<i>Contention Resolution for Group Polling</i>	144
10.3.6	<i>Bandwidth Stealing</i>	146
10.3.7	<i>Example of Uplink Access</i>	147
10.4	Contention-based Focused Bandwidth Request in OFDM PHY	150
10.4.1	<i>Full Contention (REQ Region Full)</i>	151
10.4.2	<i>Focused Contention (REQ Region Focused)</i>	151
10.4.3	<i>Summary of Contention-based Uplink Grant-request Methods</i>	153
10.5	Contention-based CDMA Bandwidth Request in OFDMA PHY	153
11	Network Entry and Quality of Service (QoS) Management	155
11.1	Ranging	155
11.1.1	<i>Ranging Messages</i>	155
11.1.2	<i>Initial Ranging</i>	158
11.1.3	<i>Ranging (or Periodic Ranging)</i>	160

11.2	Link Adaptation	161
11.2.1	Downlink Channel Link Adaptation	162
11.2.2	Uplink Channel Link Adaptation	163
11.3	The Five Scheduling Services or QoS Classes	163
11.3.1	Unsolicited Grant Service (UGS)	165
11.3.2	Extended Real-Time Polling Service (ertPS)	166
11.3.3	Real-Time Polling Service (rtPS)	166
11.3.4	Non-Real-Time Polling Service (nrtPS)	166
11.3.5	Best Effort (BE)	167
11.4	Scheduling and Deployment of Services Over WiMAX	167
11.4.1	The Scheduler is in the BS!	167
11.4.2	Scheduling of the Different Transmission Services	168
11.5	Dynamic Service Addition and Change	170
11.5.1	Service Flow Provisioning and Activation	170
11.5.2	Service Flow Creation	171
11.5.3	Service Flow Modification and Deletion	173
11.5.4	Authorisation Module	174
11.6	Network Entry	175
11.6.1	Registration	179
11.6.2	De-registration and Re-registration	180
11.6.3	SS Reset	181
PART FOUR Diverse Topics		183
12	Efficient Use of Radio Resources	185
	With the contribution of Jérôme Brouet, Alcatel, France	
12.1	Introduction	185
12.2	Radio Engineering Consideration for WiMAX Systems	186
12.2.1	LOS/NLOS Propagation	186
12.2.2	Radio Parameters and System Gains	186
12.2.3	WiMAX Radio Features that Enhance the Range	187
12.2.4	Frequency Planning Guidelines	188
12.2.5	Base Station Synchronisation	188
12.3	Radio Resource Management Procedures	189
12.3.1	Power Control	189
12.3.2	Dynamic Frequency Selection (DFS)	190
12.3.3	Other Radio Resource Management Procedures	192
12.3.4	Channel Measurements	192
12.3.5	Support of Radio Resource Management in the WiMAX RAN	194
12.4	Advanced Antenna Technologies in WiMAX	194
12.4.1	Beamforming or AAS Technologies	195
12.4.2	MIMO (Multiple-Input Multiple-Output) Solution	200
12.4.3	About the Implementation of Advanced Antenna Technologies	203
12.5	Multicast Broadcast Services (MBS)	204
12.5.1	Multi-BS Access MBS	204
12.5.2	MBS Frame	205
13	WiMAX Architecture	207
	With the contribution of Jérôme Brouet, Alcatel, France	
13.1	The Need for a Standardised WiMAX Architecture	207

13.1.1	<i>Supporting Working Groups and Documents</i>	207
13.1.2	<i>High-level Architecture Requirements</i>	208
13.2	Network Reference Model	209
13.2.1	<i>Overview and Definitions</i>	209
13.2.2	<i>ASN Reference Model and Profiles</i>	210
13.2.3	<i>CSN Reference Model</i>	213
13.2.4	<i>Reference Points</i>	214
13.3	Network Functionalities	215
13.3.1	<i>Network Discovery and Selection</i>	215
13.3.2	<i>IP Addressing</i>	216
13.3.3	<i>AAA Framework</i>	216
13.3.4	<i>Mobility</i>	217
13.3.5	<i>End-to-End Quality of Service</i>	217
14	Mobility, Handover and Power-Save Modes	219
14.1	Handover Considerations	219
14.2	Network Topology Acquisition	220
14.2.1	<i>Network Topology Advertisement</i>	220
14.2.2	<i>MS Scanning of Neighbour BSs</i>	220
14.2.3	<i>Association Procedure</i>	221
14.2.4	<i>CDMA Handover Ranging and Automatic Adjustment</i>	222
14.3	The Handover Process	222
14.3.1	<i>Cell Reselection</i>	222
14.3.2	<i>Handover Decision and Initiation</i>	223
14.3.3	<i>Synchronisation to a Target BS Downlink</i>	223
14.3.4	<i>Ranging and Network Re-entry</i>	224
14.3.5	<i>Termination of MS Context</i>	224
14.3.6	<i>Handover Cancellation</i>	224
14.4	Fast BS Switching (FBSS) and Macro Diversity Handover (MDHO)	225
14.4.1	<i>Diversity Set</i>	225
14.4.2	<i>Different Types of BS for a Given MS</i>	225
14.4.3	<i>FBSS (Fast BS Switching)</i>	226
14.4.4	<i>MDHO (Macro Diversity Handover)</i>	226
14.5	Power-Save Modes	227
14.5.1	<i>Sleep Mode</i>	227
14.5.2	<i>Idle Mode</i>	228
15	Security	231
15.1	Security Elements Used in the 802.16 Standard	231
15.1.1	<i>Encryption Algorithms</i>	232
15.1.2	<i>X.509 Certificate</i>	232
15.1.3	<i>Encryption Keys and Security Associations (SAs)</i>	233
15.2	Authentication and the PKM Protocol	235
15.2.1	<i>PKM Protocol MAC Management Messages</i>	235
15.2.2	<i>PKMv1: the BS Authenticates the SS and then Provides it with Keying Material</i>	236
15.2.3	<i>Mutual Authentication as Defined in 802.16e</i>	239
15.2.4	<i>Authorisation Key (AK) Management</i>	240
15.2.5	<i>Management of the Authorisation Key in PKMv2</i>	242
15.3	Data Encryption	242
15.3.1	<i>Generation of Encryption Keys</i>	243

15.3.2	<i>Generation of Encryption Keys in the 802.16e Amendment</i>	245
15.3.3	<i>Traffic Encryption Keys and Handover</i>	246
15.3.4	<i>Traffic Encryption Algorithms</i>	246
15.3.5	<i>Traffic Encryption Algorithms Added in the 802.16e Amendment</i>	248
15.4	Message Authentication with HMAC	248
15.4.1	<i>Message Authentication Keys</i>	249
15.5	Other Security Issues	250
16	Comparisons and Conclusion	251
16.1	Comparison Between Fixed WiMAX and Mobile WiMAX	251
16.2	Comparison Between WiMAX and WiFi	252
16.3	Comparison Between WiMAX and 3G	253
16.3.1	<i>Advantages of the 3G Cellular System</i>	253
16.3.2	<i>Advantages of the (Mobile) WiMAX System</i>	254
16.4	Final Thoughts and Conclusion	254
Annex A:	The Different Sets of MAC Management Messages	255
Annex B:	Example of a Downlink Channel Descriptor (DCD) Message	265
References		273
Index		277