

# **SHALLOW FLOWS**

G.H. JIRKA  
W.S.J. UIJTEWAAL

## Table of contents

|  |     |
|--|-----|
| <i>Foreword</i>  | XI  |
| <b>Introduction</b>  |     |
| Shallow flows: a definition<br><i>G.H. Jirka &amp; W.S.J. Uijttewaal</i>   | 3   |
| <b>Shallow jets, wakes and mixing layers</b>   |     |
| Hydrodynamic instability and transition to turbulence for quasi two-dimensional flows, 2D or not 2D?<br><i>J.-M. Chomaz, P. Billant &amp; F. Gallaire</i>                                | 15  |
| An experimental investigation of a boundary current instability<br><i>E. Thivolle-Cazat &amp; J. Sommeria</i>  | 23  |
| Shallow turbulent wakes: linear stability analysis compared to experimental data<br><i>S.A. Socolofsky, C. von Carmer &amp; G.H. Jirka</i>   | 31  |
| On coherent structures in shallow flows<br><i>M.S. Ghidaoui &amp; A.A. Kolyshkin</i>   | 39  |
| Vortex formation in shallow flows<br><i>D. Rockwell, H. Fu, J.-C. Lin &amp; M. Ozgoren</i>   | 47  |
| Vortex dipoles in a shallow water layer<br><i>D. Sous, N. Bonneton &amp; J. Sommeria</i>   | 57  |
| Dipole formation by tidal flow in a channel<br><i>M.G. Wells &amp; G.J.F. van Heijst</i>   | 63  |
| Starting jets in a double tank apparatus<br><i>V.H. Chu &amp; J.-B. Zhang</i>  | 71  |
| Interaction of quasi-horizontal jets in bounded domains<br><i>I. Kanda &amp; P.F. Linden</i>   | 79  |
| Quasi-two-dimensional turbulence in shallow fluid layers: the role of bottom friction and fluid layer depth<br><i>H.J.H. Clercx, M.L. Zoeteweij &amp; G.J.F. van Heijst</i>              | 87  |
| Perturbing the inflow condition in shallow mixing layer experiments<br><i>B.C. van Prooijen, M. de Nijs &amp; W.S.J. Uijttewaal</i>  | 95  |
| Influence of secondary motion in large-scale coherent vortical structures on the mass transport in a shallow turbulent wake flow<br><i>C.F. von Carmer, A.C. Rummel &amp; G.H. Jirka</i> | 103 |
| Transverse vibrations of a sphere at high combined mass-damping parameter<br><i>D. Mirauda &amp; M. Greco</i>  | 111 |
| The junction vortex system: time-mean and instantaneous flow fields<br><i>M.R. Lawless, S.N. Lane &amp; J.L. Best</i>  | 117 |

## *Shallow stratified and rotating flows in ocean and atmosphere*

|  |     |
|--|-----|
| Quasi-two-dimensional flow structures in stratified and rotating turbulent flows<br><i>H.J.S. Fernando</i>   | 127 |
| Rotating shallow water flow past an obstacle: numerical and laboratory experiments<br><i>G. Perret, M. Farge, A. Stegner, A. Azzalini &amp; K. Schneider</i>             | 137 |
| Fine structure of stratified flow around uniformly moving 2D obstacles in a continuously stratified fluid<br><i>Y.D. Chashechkin, V.V. Mitkin &amp; R.N. Bardakov</i>    | 143 |
| Coriolis effects in mesoscale shallow layer flows<br><i>J.C.R. Hunt, A. Orr, D. Cresswell &amp; A. Owino</i>   | 149 |
| Organized structures in the atmospheric boundary layer<br><i>D. Etling &amp; S. Weinbrecht</i>   | 157 |
| Formation of large-scale coherent structures in turbulent convection<br><i>T. Elperin, N. Kleeorin, I. Rogachevskii &amp; S. Zilitinkevich</i>                           | 163 |
| Transient adjustment of buoyancy-driven exchange flows over a descending barrier<br><i>A.J.S. Cuthbertson, P.A. Davies &amp; M.J. Coates</i>                             | 171 |
| Exchange flows through a long shallow channel<br><i>E.A. Cowen &amp; F.J. Rueda Valdivia</i>   | 179 |
| Computation of non-hydrostatic internal waves over undular topography<br><i>R.J. Labeur &amp; J.D. Pietrzak</i>  | 187 |
| Decomposition of current profiles into modes of the internal wave equation<br><i>B. Boehrer</i>  | 195 |
| Aspects of oscillatory along-shelf flow in the vicinity of an isolated submarine canyon<br><i>D.L. Boyer, A.N. Srdic, S.A. Smirnov, D.B. Haidvogel &amp; J. Sommeria</i> | 201 |
| Long term morphodynamic equilibrium of tidal channels: theory and experiments<br><i>N. Tambroni, M. Bolla Pittaluga &amp; G. Seminara</i>                                | 207 |
| Tidal current computation in the <i>Mar Piccolo</i> (Taranto)<br><i>D. Malcangio &amp; M. Mossa</i>  | 217 |
| Field and model studies of the nepheloid layer in coastal waters of the Great Barrier Reef, Australia<br><i>R. Brinkman, E. Wolanski &amp; S. Spagnol</i>                | 225 |

## *River and channel flows*

|   |     |
|---|-----|
| Complex shallow flows in civil and environmental engineering<br><i>H.J. de Vriend</i>   | 233 |
| 2D numerical model of unsteady river flow<br><i>J. Murillo, P. Garcia-Navarro &amp; P. Brufau</i>   | 245 |
| Transition process of coherent vortices in depth-varying unsteady compound open-channel flows<br><i>I. Nezu, M. Sanjou &amp; K. Goto</i>      | 251 |
| Coherent flow structures in shallow gravel-bed rivers: an experimental and numerical study<br><i>S.N. Lane, R.J. Hardy &amp; C.J. Keylock</i> | 259 |
| Shear layers in partially vegetated channels: analogy to shallow water shear layers<br><i>B.L. White, M. Ghisalberti &amp; H.M. Nepf</i>      | 267 |
| Characterisation of stem wake effects using PIV imagery<br><i>R.J. Schindler, S.N. Lane, C.J. Keylock &amp; P.S. Naden</i>                    | 275 |

|  |     |
|--|-----|
| Coherent vortex structures in an open channel flow with sand ridges by DNS<br><i>S. Hayashi &amp; T. Ohmoto</i>  | 285 |
| Direct numerical simulation of turbulent flow over a rough bed<br><i>K.M. Singh &amp; J.J.R. Williams</i>  | 293 |
| Uniform flow computations in natural open channels<br><i>I. Aydin</i>  | 299 |
| A multiple scales analysis of undular hydraulic jump in turbulent open channel flow<br><i>H. Steinrück &amp; W. Schneider</i>  | 305 |
| Quasi-3D simulation of flow in sharp open-channel bends with horizontal and developed bed topography<br><i>K. Blanckaert, L. Glasson, H.R.A. Jagers &amp; C.J. Sloff</i> | 307 |
| Laboratory experiments of shallow free surface flows<br><i>R. Booij</i>  | 317 |
| Flow structures in meander bends with recirculation<br><i>R.I. Ferguson &amp; D.R. Parsons</i>   | 325 |
| Characteristics of flow and bed form in skewed open channel<br><i>T. Ishigaki &amp; A. Endo</i>  | 333 |
| 3-D numerical calculation of shallow free-surface flow in time-dependent stages from rectangular to compound channels<br><i>I. Nezu &amp; M. Sanjou</i>                  | 339 |
| Large-scale coherent structures in compound channels<br><i>D. Bousmar &amp; Y. Zech</i>  | 347 |
| Free-surface oscillation in an open channel with spur dikes<br><i>T. Ohmoto &amp; R. Hirakawa</i>  | 355 |
| Numerical simulation with a subgrid model: a case of a meandering channel with river training structures<br><i>S. Boonya-aroonnet &amp; Y. Shimizu</i>                   | 361 |
| Interaction between river mouth flow and marine structures: numerical and experimental investigation<br><i>F. Lalli, B. Gallina, M. Miozzi &amp; G.P. Romano</i>         | 369 |
| Alternate bars of finite amplitude: spatial analysis<br><i>B. Federici &amp; M. Colombini</i>  | 379 |
| Numerical experiments on the alternate bars considering the bank strength<br><i>C.-L. Jang &amp; Y. Shimizu</i>  | 387 |
| <i>Transport processes in shallow flows</i>  |     |
| Coherent vortices, Lagrangian particles and the marine ecosystem<br><i>C. Pasquero, A. Bracco &amp; A. Provenzale</i>  | 399 |
| An experimental investigation of pollutant mixing and trapping in shallow coastal re-circulating flows<br><i>M.I. Yuce &amp; D. Chen</i>                                 | 413 |
| PLIF visualisation of mass release in open channel flows with water depths from shallow to supershallow<br><i>F.E. Tang &amp; D. Chen</i>                                | 421 |
| 3D transport of a passive pollutant for wind-driven flows in enclosed basins<br><i>M. Colombini &amp; A. Stocchino</i>   | 429 |

|  |     |
|--|-----|
| Godunov-type quadtree model of species dispersion in shallow flows<br><i>Q. Liang, A.G.L. Borthwick, P.H. Taylor &amp; J. Huang</i>                                      | 439 |
| Dynamics of shear layers induced by hairpin packets in shallow free surface flows: implication for gas transfer<br><i>D. Hurther, E. Terray &amp; U. Lemmin</i>          | 449 |
| The effect of heat release from a gas–liquid interface on turbulence structure in fully developed shallow water flows<br><i>L.I. Enstad, R. Nagaosa &amp; G. Alendal</i> | 457 |
| Hydro- and morphodynamic computations of laboratory experiments with periodic flow conditions in groin fields<br><i>M. Krebs &amp; U. Zanke</i>                          | 463 |
| Tracer experiments in the River Rhine: evaluation of the skewness of observed concentration distributions<br><i>A. van Mazijk &amp; E.J.M. Veling</i>                    | 469 |
| 2-D particle tracking to determine transport characteristics in rivers with dead zones<br><i>V. Weitbrecht, W. Uijttewaal &amp; G.H. Jirka</i>                           | 477 |
| Tracer experiments in the Groyne fields of the River Elbe (Germany)<br><i>H.P. Kozerski, R. Schwartz &amp; T. Hintze</i>   | 485 |
| Sediment-laden flows over fully-developed bedforms: first and second harmonics in a shallow, pseudo-2D turbulence environment<br><i>M.A. Verbanck</i>                    | 491 |
| Hydrodynamic control of sediment-water fluxes<br><i>A. Lorke, M. Schmid, B. Müller, M. Maerki &amp; A. Wüest</i>   | 497 |
| Effect of bed roughness on suspended sediment: experimental and theoretical studies<br><i>B.S. Mazumder, K. Ghoshal &amp; D.C. Dalal</i>                                 | 503 |
| Effects of secondary currents on suspended sediment transport in an open channel flow<br><i>T. Ohmoto, Z. Cui &amp; R. Hirakawa</i>                                      | 511 |
| <i>Numerical modeling and turbulence closure techniques for shallow flows</i>  |     |
| CFD simulation of two- and three-dimensional free-surface flows using a RANS solver<br><i>D.D. Apsley &amp; W. Hu</i>  | 519 |
| Numerical accuracy in the solution of the shallow-water equations<br><i>P. Bromans, C. Vuik, A.E. Mynett &amp; J. Mooiman</i>  | 527 |
| Numerical simulation of river flows in a Lagrangian reference frame<br><i>B.H. Devkota &amp; J. Imberger</i>   | 535 |
| A mixing-length model for shallow turbulent wakes<br><i>P.K. Stansby</i>   | 541 |
| A set of efficient numerical tools for floodplain modeling<br><i>P. Archambeau, B. Dewals, S. Erpicum, S. Detrembleur &amp; M. Pirotton</i>                              | 549 |
| Horizontal large eddy simulation applied to stratified tidal flows<br><i>A.C. Bijlsma, R.E. Uittenbogaard &amp; T. Blokland</i>  | 559 |
| Three-dimensional and depth-averaged large eddy simulation of shallow water flows<br><i>C. Hinterberger, J. Fröhlich &amp; W. Rodi</i>                                   | 567 |
| Subgrid-scale model for quasi-2D turbulence in shallow water<br><i>R.E. Uittenbogaard &amp; B. van Vossen</i>  | 575 |

|   |     |
|---|-----|
| Using 2D unstructured mesh for numerical simulation of free surface flow in meandering canal<br><i>S.R.S. Yazdi &amp; M.M.Z. Qomi</i>   | 583 |
| Unstructured spectral/ <i>hp</i> element methods for shallow water flows<br><i>C. Eskilsson, L. Bergdahl &amp; S.J. Sherwin</i>   | 593 |
| Drying and wetting in finite element shallow-water flows<br><i>O. Bokhove &amp; D. Wirosoetisno</i>   | 601 |
| Application of Kalman filter to finite element model of shallow flow analysis<br><i>H. Kiri, K. Takaki, H. Tanji &amp; T. Nakaya</i>  | 609 |
| Godunov-type Boussinesq modeling of extreme wave run-up<br><i>B. Weston, P.H. Taylor, A.G.L. Borthwick &amp; A.C. Hunt</i>  | 615 |
| Depth averaged model of open channel flows over an arbitrary surface<br><i>T. Hosoda</i>  | 623 |
| Estimating traveling time of flat terrain by 2-dimensional overland flow model<br><i>D. Su &amp; X. Fang</i>  | 629 |
| A simple model of a velocity distribution in accelerating/decelerating flows and its application to depth averaged flow model<br><i>S. Onda, T. Hosoda &amp; I. Kimura</i>          | 637 |
| Complex flow around groynes, computations with Delft3D in combination with HLES<br><i>S.A.H. van Schijndel &amp; H.R.A. Jagers</i>  | 645 |
| 3D numerical analysis of unsteady flow structures around inclined spur dikes by means of a non-linear k- $\epsilon$ model<br><i>I. Kimura, T. Hosoda, S. Onda &amp; A. Tominaga</i> | 651 |
| Three-dimensional numerical analysis of turbulent wind-induced flows in the Lake Balaton (Hungary)<br><i>G. Ciraolo, G. Lipari, E. Napoli, J. Józsa &amp; T. Krámer</i>             | 661 |
| <i>Author index</i>   | 671 |