

ADVANCES IN MULTI-PHOTON PROCESSES AND SPECTROSCOPY


Volume 18

Edited by

S. H. Lin

A. A. Villaeys

Y. Fujimura



World Scientific

Contents

Preface	v
1. Nonlinear Optics for Characterizing XUV/Soft X-ray High-order Harmonic Fields in Attosecond Regime	1
<i>Yasuo Nabekawa and Katsumi Midorikawa</i>	
1. Introduction	1
1.1. Nonlinear phenomena in XUV/soft X-ray region for ultrafast optics . . .	1
1.2. Autocorrelation measurement	3
2. Generation of Intense Harmonic Fields . . .	5
2.1. Single atom response	6
2.2. Propagation of the harmonic fields with pumping laser field: Phase matching	9
2.3. Development of intense high-order harmonic generator	13
3. Two-Photon Double Ionization	20
4. Measurement of Attosecond Pulse Train with Two-Photon ATI	30
5. Interferometric Autocorrelation of APT with Two-Photon Coulomb Explosion . . .	45
5.1. Similarity of APT with mode-locked laser pulses	45
5.2. Why do we need interferometric autocorrelation?	48

5.3.	Two-photon Coulomb explosion . . .	49
5.4.	Interferometric autocorrelation . . .	52
6.	Summary and Prospects	61
	Acknowledgements	63
	References	64
2.	Signatures of Molecular Structure and Dynamics in High-Order Harmonic Generation	69
	<i>Manfred Lein and Ciprian C. Chirilă</i>	
1.	Introduction	69
2.	Theory of High-Order Harmonic Generation	73
2.1.	Basic theory	73
2.2.	Three-step model	76
2.3.	The strong-field approximation . . .	79
2.4.	Odd and even harmonics	84
3.	Influence of Molecular Structure on HHG .	86
3.1.	Ionization step	86
3.2.	Recombination step	89
4.	Dynamical Effects	97
5.	Conclusions	102
	Acknowledgments	103
	References	103
3.	Molecular Manipulation Techniques and Their Applications	107
	<i>Hirofumi Sakai</i>	
1.	Introduction	107
2.	Theoretical Background	109
3.	Molecular Orientation with Combined Electrostatic and Intense, Nonresonant Laser Fields	110
3.1.	One-dimensional molecular orientation	110

3.2.	Three-dimensional molecular orientation	114
4.	Applications with a Sample of Aligned Molecules	118
4.1.	Optimal control of multiphoton ionization processes in aligned I ₂ molecules with time-dependent polarization pulses	118
4.2.	High-order harmonic generation from aligned molecules	123
5.	Summary and Outlook	129
	Acknowledgments	130
	References	130
4.	Sum Frequency Generation: An Introduction with Recent Developments and Current Issues	133
	<i>Mary Jane Shultz</i>	
1.	Introduction	133
2.	Electric Fields and Orientation Factors . . .	136
2.1.	Fresnel factors and propagation direction	141
2.2.	Orientation factors	144
2.2.1.	Simplification of the orientation tensor	146
2.3.	Observed intensity	147
2.3.1.	Molecular examples	150
3.	Recent Developments	151
3.1.	Absolute orientation determination with a reference	151
3.2.	Orthogonal resonances	154
3.3.	Null angle	156
3.3.1.	Visible angle null, VAN . . .	158
3.3.2.	Polarization angle null, PAN	161

3.3.3.	Connection with previous work	164
3.3.4.	Example	165
4.	Current Issues in Sum Frequency Generation	168
4.1.	Interfacial optical constants and bulk contributions	168
4.2.	Collective modes — a theoretical challenge	171
4.3.	Probe depth	174
4.4.	Nanoparticle SFG	176
4.5.	Time resolution	177
4.6.	Surface 2D imaging	178
5.	Selected Results	180
5.1.	Ions at aqueous surfaces: The case for surface H_3O^+	180
5.2.	Interactions at nanostructured interfaces	184
6.	Summary	185
	Acknowledgments	189
	Appendix A	189
	A.1 Tensor product	189
	A.2 Null angle	195
	References	195
5.	Propagation and Intramolecular Coupling Effects in the Four-Wave Mixing Spectroscopy	201
	<i>José Luis Paz</i>	
1.	Introduction	201
2.	Four-Wave Mixing Spectroscopy	206
2.1.	Study and characterization of FWM signal in the frequency space	206

2.2.	Effects of solute concentration, field intensity, and spectral inhomogeneous broadening on FWM	215
2.2.1.	Propagation effects	215
2.2.2.	Topological studies for the FWM signal surfaces	218
2.2.3.	Spectra in the frequency space	223
2.3.	Approximation levels for the study of the propagation in FWM	226
3.	Intramolecular Coupling	229
3.1.	Molecular models	229
3.2.	Theoretical characteristics of the model	231
3.3.	Signal response	233
3.4.	Results and discussion	236
4.	Final Remarks	241
	Acknowledgments	242
	References	242
6.	Control of Molecular Chirality by Lasers	245
	<i>Kunihito Hoki and Yuichi Fujimura</i>	
1.	Introduction	245
2.	Fundamental Issues in Laser Control of Molecular Chirality	247
2.1.	Laser control of an ensemble of racemic mixtures	247
2.2.	Photon polarizations of lasers	248
2.3.	Density matrix treatment of a racemic mixture	253
3.	Control Scenarios	257
3.1.	Pump–dump control via an electronic excited state	258

3.2.	Control of molecular chirality in a randomly oriented racemic mixture using three polarization components of electric fields	266
3.3.	Stimulated Raman adiabatic passage method	275
3.4.	Sequential pump–dump control of chirality transformation competing with photodissociation in an electronic excited state	280
4.	Conclusions	287
	Acknowledgments	288
	References	288