



WILEY

DESIGN OF WATER SUPPLY PIPE NETWORKS



PRABHATA K. SWAMEE
ASHOK K. SHARMA

CONTENTS

| | |
|---|-------------|
| PREFACE | xi |
| NOTATIONS | xiii |
| 1 Introduction | 1 |
| 1.1. Background | 1 |
| 1.2. System Configuration | 2 |
| 1.3. Flow Hydraulics and Network Analysis | 3 |
| 1.4. Cost Considerations | 5 |
| 1.5. Design Considerations | 5 |
| 1.6. Choice Between Pumping and Gravity Systems | 6 |
| 1.7. Network Synthesis | 6 |
| 1.7.1. Designing a Piecemeal Subsystem | 7 |
| 1.7.2. Designing the System as a Whole | 7 |
| 1.7.3. Dividing the Area into a Number of Optimal Zones for Design | 7 |
| 1.8. Reorganization or Restrengthening of Existing Water Supply Systems | 8 |
| 1.9. Transportation of Solids Through Pipelines | 8 |
| 1.10. Scope of the Book | 8 |
| References | 9 |
| 2 Basic Principles of Pipe Flow | 11 |
| 2.1. Surface Resistance | 13 |
| 2.2. Form Resistance | 16 |
| 2.2.1. Pipe Bend | 16 |
| 2.2.2. Elbows | 17 |
| 2.2.3. Valves | 17 |
| 2.2.4. Transitions | 19 |
| 2.2.5. Pipe Junction | 21 |
| 2.2.6. Pipe Entrance | 22 |
| 2.2.7. Pipe Outlet | 22 |
| 2.2.8. Overall Form Loss | 23 |
| 2.2.9. Pipe Flow Under Siphon Action | 23 |

| | |
|--|-----------|
| 2.3. Pipe Flow Problems | 26 |
| 2.3.1. Nodal Head Problem | 27 |
| 2.3.2. Discharge Problem | 27 |
| 2.3.3. Diameter Problem | 27 |
| 2.4. Equivalent Pipe | 30 |
| 2.4.1. Pipes in Series | 32 |
| 2.4.2. Pipes in Parallel | 33 |
| 2.5. Resistance Equation for Slurry Flow | 35 |
| 2.6. Resistance Equation for Capsule Transport | 37 |
| Exercises | 41 |
| References | 41 |
| 3 Pipe Network Analysis | 43 |
| 3.1. Water Demand Pattern | 44 |
| 3.2. Head Loss in a Pipe Link | 45 |
| 3.2.1. Head Loss in a Lumped Equivalent | 45 |
| 3.2.2. Head Loss in a Distributed Equivalent | 45 |
| 3.3. Analysis of Water Transmission Lines | 46 |
| 3.4. Analysis of Distribution Mains | 48 |
| 3.5. Pipe Network Geometry | 50 |
| 3.6. Analysis of Branched Networks | 50 |
| 3.7. Analysis of Looped Networks | 51 |
| 3.7.1. Hardy Cross Method | 52 |
| 3.7.2. Newton–Raphson Method | 60 |
| 3.7.3. Linear Theory Method | 64 |
| 3.8. Multi-Input Source Water Network Analysis | 67 |
| 3.8.1. Pipe Link Data | 68 |
| 3.8.2. Input Point Data | 68 |
| 3.8.3. Loop Data | 70 |
| 3.8.4. Node–Pipe Connectivity | 70 |
| 3.8.5. Analysis | 71 |
| 3.9. Flow Path Description | 74 |
| Exercises | 76 |
| References | 77 |
| 4 Cost Considerations | 79 |
| 4.1. Cost Functions | 81 |
| 4.1.1. Source and Its Development | 81 |
| 4.1.2. Pipelines | 82 |
| 4.1.3. Service Reservoir | 85 |
| 4.1.4. Cost of Residential Connection | 86 |

| | |
|---|------------|
| 4.1.5. Cost of Energy | 87 |
| 4.1.6. Establishment Cost | 87 |
| 4.2. Life-Cycle Costing | 87 |
| 4.3. Unification of Costs | 87 |
| 4.3.1. Capitalization Method | 88 |
| 4.3.2. Annuity Method | 89 |
| 4.3.3. Net Present Value or Present Value Method | 90 |
| 4.4. Cost Function Parameters | 91 |
| 4.5. Relative Cost Factor | 92 |
| 4.6. Effect of Inflation | 92 |
| Exercises | 95 |
| References | 95 |
| 5 General Principles of Network Synthesis | 97 |
| 5.1. Constraints | 98 |
| 5.1.1. Safety Constraints | 99 |
| 5.1.2. System Constraints | 100 |
| 5.2. Formulation of the Problem | 100 |
| 5.3. Rounding Off of Design Variables | 100 |
| 5.4. Essential Parameters for Network Sizing | 101 |
| 5.4.1. Water Demand | 101 |
| 5.4.2. Rate of Water Supply | 102 |
| 5.4.3. Peak Factor | 103 |
| 5.4.4. Minimum Pressure Requirements | 105 |
| 5.4.5. Minimum Size of Distribution Main | 105 |
| 5.4.6. Maximum Size of Water Distribution | 105 |
| 5.4.7. Reliability Considerations | 105 |
| 5.4.8. Design Period of Water Supply Systems | 107 |
| 5.4.9. Water Supply Zones | 108 |
| 5.4.10. Pipe Material and Class Selection | 109 |
| Exercises | 109 |
| References | 109 |
| 6 Water Transmission Lines | 111 |
| 6.1. Gravity Mains | 112 |
| 6.2. Pumping Mains | 114 |
| 6.2.1. Iterative Design Procedure | 115 |
| 6.2.2. Explicit Design Procedure | 116 |
| 6.3. Pumping in Stages | 117 |
| 6.3.1. Long Pipeline on a Flat Topography | 118 |
| 6.3.2. Pipeline on a Topography with Large Elevation Difference | 122 |

| | |
|--|------------|
| 6.4. Effect of Population Increase | 126 |
| 6.5. Choice Between Gravity and Pumping Systems | 128 |
| 6.5.1. Gravity Main Adoption Criterion | 128 |
| Exercises | 130 |
| References | 131 |
| 7 Water Distribution Mains | 133 |
| 7.1. Gravity-Sustained Distribution Mains | 133 |
| 7.2. Pumped Distribution Mains | 136 |
| 7.3. Exercises | 139 |
| References | 140 |
| 8 Single-Input Source, Branched Systems | 141 |
| 8.1. Gravity-Sustained, Branched System | 143 |
| 8.1.1. Radial Systems | 143 |
| 8.1.2. Branch Systems | 144 |
| 8.2. Pumping, Branched Systems | 150 |
| 8.2.1. Radial Systems | 150 |
| 8.2.2. Branched, Pumping Systems | 153 |
| 8.3. Pipe Material and Class Selection Methodology | 159 |
| Exercises | 160 |
| References | 161 |
| 9 Single-Input Source, Looped Systems | 163 |
| 9.1. Gravity-Sustained, Looped Systems | 165 |
| 9.1.1. Continuous Diameter Approach | 167 |
| 9.1.2. Discrete Diameter Approach | 168 |
| 9.2. Pumping System | 172 |
| 9.2.1. Continuous Diameter Approach | 174 |
| 9.2.2. Discrete Diameter Approach | 177 |
| Exercises | 179 |
| Reference | 180 |
| 10 Multi-Input Source, Branched Systems | 181 |
| 10.1. Gravity-Sustained, Branched Systems | 182 |
| 10.1.1. Continuous Diameter Approach | 184 |
| 10.1.2. Discrete Diameter Approach | 186 |
| 10.2. Pumping System | 189 |
| 10.2.1. Continuous Diameter Approach | 190 |
| 10.2.2. Discrete Diameter Approach | 193 |

| | |
|---|------------|
| Exercises | 195 |
| References | 196 |
| 11 Multi-Input Source, Looped Systems | 197 |
| 11.1. Gravity-Sustained, Looped Systems | 198 |
| 11.1.1. Continuous Diameter Approach | 199 |
| 11.1.2. Discrete Diameter Approach | 200 |
| 11.2. Pumping System | 203 |
| 11.2.1. Continuous Diameter Approach | 205 |
| 11.2.2. Discrete Diameter Approach | 206 |
| Exercises | 211 |
| Reference | 212 |
| 12 Decomposition of a Large Water System and Optimal Zone Size | 213 |
| 12.1. Decomposition of a Large, Multi-Input, Looped Network | 214 |
| 12.1.1. Network Description | 214 |
| 12.1.2. Preliminary Network Analysis | 215 |
| 12.1.3. Flow Path of Pipes and Source Selection | 215 |
| 12.1.4. Pipe Route Generation Connecting Input Point Sources | 217 |
| 12.1.5. Weak Link Determination for a Route Clipping | 221 |
| 12.1.6. Synthesis of Network | 227 |
| 12.2. Optimal Water Supply Zone Size | 228 |
| 12.2.1. Circular Zone | 229 |
| 12.2.2. Strip Zone | 235 |
| Exercises | 241 |
| References | 242 |
| 13 Reorganization of Water Distribution Systems | 243 |
| 13.1. Parallel Networks | 244 |
| 13.1.1. Parallel Gravity Mains | 244 |
| 13.1.2. Parallel Pumping Mains | 245 |
| 13.1.3. Parallel Pumping Distribution Mains | 246 |
| 13.1.4. Parallel Pumping Radial System | 247 |
| 13.2. Strengthening of Distribution System | 248 |
| 13.2.1. Strengthening Discharge | 248 |
| 13.2.2. Strengthening of a Pumping Main | 250 |
| 13.2.3. Strengthening of a Distribution Main | 252 |
| 13.2.4. Strengthening of Water Distribution Network | 254 |
| Exercises | 258 |
| Reference | 258 |

| | | |
|-------------------|--|------------|
| 14 | Transportation of Solids Through Pipelines | 259 |
| 14.1. | Slurry-Transporting Pipelines | 260 |
| 14.1.1. | Gravity-Sustained, Slurry-Transporting Mains | 260 |
| 14.1.2. | Pumping-Sustained, Slurry-Transporting Mains | 262 |
| 14.2. | Capsule-Transporting Pipelines | 266 |
| 14.2.1. | Gravity-Sustained, Capsule-Transporting Mains | 267 |
| 14.2.2. | Pumping-Sustained, Capsule-Transporting Mains | 268 |
| | Exercises | 273 |
| | References | 273 |
| Appendix 1 | Linear Programming | 275 |
| | Problem Formulation | 275 |
| | Simplex Algorithm | 276 |
| Appendix 2 | Geometric Programming | 281 |
| Appendix 3 | Water Distribution Network Analysis Program | 287 |
| | Single-Input Water Distribution Network Analysis Program | 287 |
| | Multi-Input Water Distribution Network Analysis Program | 322 |
| INDEX | | 347 |