


Edited by Stefan Hecht and Ivan Huc

 WILEY-VCH

# Foldamers

Structure, Properties, and Applications

Foreword by François Diederich



## Contents

	<b>Foreword</b>	V
	<b>Preface</b>	XV
	<b>List of Contributors</b>	XIX
<b>Part 1</b>	<b>Structure: Foldamer Design Concepts</b>	<b>1</b>
<b>1</b>	<b>Foldamers Based on Local Conformational Preferences</b>	<b>3</b>
	<i>Ivan Huc and Louis Cuccia</i>	
1.1	Introduction	3
1.2	Rigidly Locked Molecules	4
1.3	Predictable Foldamers	5
1.3.1	Local Conformational Control	6
1.3.2	Folded Conformations of $\pi$ -conjugated Systems	9
1.3.2.1	Crescents and Helices	9
1.3.2.2	Linear Strands	13
1.3.2.3	Macrocycles	13
1.3.3	Partially $\pi$ -conjugated Oligomers	16
1.4	Semi-rigid Backbones	17
1.4.1	Tertiary Aromatic Amides, Imides and Ureas	18
1.4.2	Tertiary Aliphatic Amides: Polyprolines and Peptoids	20
1.4.3	Hindered Polymer and Oligomer Backbones	23
1.5	Conformational Transitions	25
1.6	Conclusion and Perspectives	27
	<i>References</i>	28
<b>2</b>	<b>Foldamers Based on Remote Intrastrand Interactions</b>	<b>35</b>
	<i>Philippe Le Grel and Gilles Guichard</i>	
2.1	Introduction	35
2.2	What can be Learned from Strategies used to Control Conformations of $\alpha$ -Polypeptides?	36

- 2.3 Helices from Homogeneous Oligomeric Backbones with Periodicity at the Monomer Level:  $\omega$ -Peptides and their Analogs 37
    - 2.3.1 Compact Helices with Large (>10 atoms) H-bonded Rings 37
      - 2.3.1.1 The Homologation Strategy:  $\beta$ - and  $\gamma$ -Peptide Foldamers 37
      - 2.3.1.2 Imposing Backbone Conformational Restriction/Pre-organization for Optimal Helical Folding 39
      - 2.3.1.3 Folding in an Aqueous Environment 43
      - 2.3.1.4 Dynamics of  $\beta$ - and  $\gamma$ -Peptide Helices: Evidence for Noncooperative Folding/Unfolding Processes 44
    - 2.3.2 Extended Helices with Small H-bonded Rings Centered at a Single Residue 45
      - 2.3.2.1  $\alpha$ -Peptides: the  $\gamma$ -Helix 45
      - 2.3.2.2  $\omega$ -Peptides with Specific Conformation-stabilizing Elements 45
      - 2.3.2.3 Stabilizing Local Backbone Conformation by Inverse-Bifurcation Involving an Additional Heteroatom 48
  - 2.4 Oligoamide Mixed Helices 51
    - 2.4.1 The  $\alpha$ -Oligopeptide Precedent: from Antibiotic Gramicidin A to Poly-Gln Aggregates in Huntington's Disease 52
    - 2.4.2 Introducing Periodicity at the Level of a Dimer Unit in  $\beta$ -Peptides leads to a Remarkably Stable Mixed Helical Fold 53
      - 2.4.2.1 By Mixing  $\beta^2$ - and  $\beta$ -Amino Acids 53
      - 2.4.2.2 Additional Substitution Patterns Stabilizing the Mixed 10/12- (12/10-) Helix 55
    - 2.4.3 Extending the Concept of Mixed Helices 56
  - 2.5 Nonperiodic Structures: Open Chain  $\beta$ -Turn-like Motifs and Hairpins in Designed Homo-oligomers 58
    - 2.5.1 Sheet-forming  $\omega$ -peptides 58
    - 2.5.2 Turn Segment for Hairpin Formation 59
  - 2.6 Expanding Structural Diversity with Heterogeneous Backbones 61
    - 2.6.1 From Discrete  $\omega$ -Amino Acid Guests in  $\alpha$ -Helices to Helical  $\alpha,\omega$ - and  $\beta,\gamma$ -Peptide Hybrids 61
    - 2.6.2 Hairpins from  $\alpha,\omega$ -Peptide Hybrids 65
    - 2.6.3 Sculpting New Shapes by Integrating H-Bonding, Aromatic Interactions and Multiple Levels of Pre-organization 66
  - 2.7 Conclusion and Outlook 67
  - References* 68
- 3 Foldamers Based on Solvophobic Effects 75**  
*Yan Zhao and Jeffrey S. Moore*
- 3.1 Introduction 75
  - 3.2 Learning from Solvophobically Driven Assemblies – Intermolecular Solvophobic Interactions 77
  - 3.3 Learning from Synthetic and Biological Polymers 81
  - 3.4 Recent Advances in Foldamers Based on Solvophobic Effects 84

3.4.1	Foldamers Stabilized by Adjacent, Identical Aromatic Units	85
3.4.2	Foldamers Stabilized by Adjacent Donor–acceptor Aromatic Units	87
3.4.3	Foldamers Stabilized by Nonadjacent Aromatic Units	92
3.4.4	Foldamers Stabilized by Aliphatic Units	100
3.5	Conclusions and Outlook	103
	<i>References</i>	104
<b>4</b>	<b>Foldamer Hybrids: Defined Supramolecular Structures from Flexible Molecules</b>	<b>109</b>
	<i>Carsten Schmuck and Thomas Rehm</i>	
4.1	Introduction	109
4.2	Hybridization of Oligomers with Well-defined Structures	112
4.2.1	Coiled Coils and Helix Bundles	112
4.2.2	Intertwined Strands	116
4.2.3	Stacks of Helical Strands and Macrocycles	117
4.2.4	Tapes and Hydrogen-bonded Sheets	120
4.3	Hybridization-induced Folding of Unstructured Molecules	122
4.3.1	Hydrogen-bonded Tapes	122
4.3.2	Helices Based on Metal-ligand Interactions and Salt Bridges	127
4.3.3	Double-stranded Hybrids Based on Aryl-aryl Interactions and Hydrophobic Contacts	130
4.3.4	Hybrids Based on DNA-base-pairing Recognition	132
4.4	Formation of Large Polymeric Aggregates via Self-assembly	136
4.5	Applications of Foldamer Hybridization	139
4.6	Conclusion	143
	<i>References</i>	143
<b>5</b>	<b>Control of Polypeptide Chain Folding and Assembly</b>	<b>147</b>
	<i>Rajkishor Rai and Padmanabhan Balaram</i>	
5.1	Introduction	147
5.2	Helix Promotion by Backbone Substitution	150
5.2.1	$\alpha$ -Aminoisobutyric Acid (Aib) and Related Dialkyl Amino Acids	150
5.2.2	Diproline Segments	152
5.3	Hairpin Design using Obligatory Turn Segments	155
5.3.1	<sup>D</sup> Pro-Xxx Turns	155
5.3.2	Aib- <sup>D</sup> Xxx Turns	157
5.3.3	Asn-Gly Turns	159
5.3.4	Expanded Loop Segments	161
5.3.5	Choice of Strand Residues	161
5.4	Helix–Helix Motifs	162
5.5	Multi-stranded $\beta$ -Sheets	164
5.6	Mixed Helix-Sheet ( $\alpha/\beta$ ) Structures	165
5.7	Conclusions	167
	<i>References</i>	168

<b>6</b>	<b>Simulation of Folding Equilibria</b>	<b>173</b>
	<i>Wilfred F. van Gunsteren and Zrinka Gattin</i>	
6.1	Introduction	173
6.2	Dynamical Simulation of Folding Equilibria under Different Thermodynamic and Kinetic Conditions	175
6.3	Variation of the Composition of the Polypeptide Analogs and the Solvent	178
6.4	Convergence of the Simulated Folding Equilibrium	181
6.5	Sensitivity of the Folding Equilibrium to the Force Field Used	184
6.6	Comparison of Simulated with Experimentally Measured Observables	185
6.7	Characterization of the Unfolded State and the Folding Process	186
6.8	Conclusion	190
	<i>References</i>	<i>190</i>
<b>Part 2</b>	<b>Function: From Properties to Applications</b>	<b>193</b>
<b>7</b>	<b>Foldamer-based Molecular Recognition</b>	<b>195</b>
	<i>Jorge Becerril, Johanna M. Rodriguez, Ishu Saraogi and Andrew D. Hamilton</i>	
7.1	Introduction	195
7.2	Small Molecule Recognition Using Foldamers	196
7.2.1	Receptors for Water Molecules	196
7.2.2	Receptors for Ammonium Cations	198
7.2.3	Receptors for Hydrophobic Small Molecules	201
7.2.4	Receptors for Saccharides	204
7.2.5	Receptors of Other Organic Molecules	207
7.3	Protein Recognition	210
7.3.1	Abiotic Synthetic Foldamers	211
7.3.2	Peptidomimetic Foldamers	212
7.4	Mimicry of Biomineralization: Recognition of Crystal Surfaces Using Foldamers	217
7.4.1	Introduction to Biomineralization	217
7.4.2	Biomimetic Synthesis of Calcite Using Foldamers	220
7.4.3	Biomimetic Synthesis of CdS Using Foldamers	224
7.5	Conclusion	224
	<i>References</i>	<i>225</i>
<b>8</b>	<b>Biological Applications of Foldamers</b>	<b>229</b>
	<i>Marc Koyack and Richard Cheng</i>	
8.1	Introduction	229
8.1.1	$\beta$ -Peptides	230
8.1.2	Peptoids	231
8.1.3	Peptide Nucleic Acids (PNA)	231

8.1.4	DNA-Binding Oligoamides	232
8.1.5	Aryl Amides and Aryl Ureas	234
8.1.6	<i>meta</i> -Phenylene Ethynyls (mPE)	235
8.1.7	Terphenyls	235
8.2	Design Strategies	236
8.2.1	Direct Sequence Conversion	237
8.2.1.1	RNA-binding Peptoids	237
8.2.1.2	RNA-binding Oligourea and Carbamate	238
8.2.1.3	RNA-binding $\beta$ -Peptides	239
8.2.1.4	Receptor-binding $\beta$ -Peptides	239
8.2.2	Distribution of Physicochemical Properties	240
8.2.2.1	Antimicrobial Peptoids	240
8.2.2.2	Antimicrobial $\beta$ -Peptides	241
8.2.2.3	Antimicrobial Aryl Amides and Aryl Ureas	243
8.2.2.4	Antimicrobial <i>meta</i> -Phenylene Ethynyls	244
8.2.2.5	DNA-binding Peptoids	244
8.2.2.6	DNA-binding $\beta$ -Peptides	245
8.2.2.7	Cholesterol Uptake-inhibiting $\beta$ -Peptides	245
8.2.2.8	Heparin-inhibiting Aryl Amides	247
8.2.2.9	Calmodulin-inhibiting Aryl Amides	248
8.2.3	Modular Assembly	248
8.2.3.1	DNA-binding Oligoamides	248
8.2.3.2	Nucleotide-binding Peptide Nucleic Acids	251
8.2.4	Grafting Bioactive Functionalities onto Scaffolds	253
8.2.4.1	Protein–protein Interaction-inhibiting $\beta$ -Peptides	253
8.2.4.2	Protein–protein Interaction-inhibiting Peptoids	255
8.2.4.3	Terphenyl Helix Mimetics	256
8.3	Outlook and Future Directions	257
	<i>References</i>	257
<b>9</b>	<b>Protein Design</b>	<b>267</b>
	<i>Jean-Luc Jestin and Frédéric Pecorari</i>	
9.1	Introduction	267
9.2	Design of Proteins from Natural Scaffolds	269
9.2.1	Design of Enzymes	270
9.2.1.1	Grafting Catalytic Sites in Proteins	270
9.2.1.2	Endowing Enzymes with Two Catalytic Activities in a Single Domain	270
9.2.1.3	Grafting Allosteric Sites to Regulate Enzyme Activity	271
9.2.2	Design of Binding Proteins	272
9.3	Design of Proteins from Building Blocks	275
9.3.1	Design of Proteins from Structural Domains	275
9.3.1.1	Methods for the Identification of Stable Structural Domains	275
9.3.1.2	Identifying New Folds and New Topologies	276

9.3.1.3	Combining Domains	277
9.3.2	Design of Proteins from Secondary Structures	277
9.4	Design of Proteins using Altered Alphabets	280
9.4.1	Design of Proteins using Reduced Alphabets	280
9.4.2	Design of Proteins using Extended Alphabets	281
9.4.2.1	By Codon Reassignment Strategies	282
9.4.2.2	By Suppression Strategies	282
9.5	Design of Proteins <i>de novo</i>	284
9.5.1	Computational Design of New Folds and Experimental Proofs	284
9.5.2	Combinatorial and Experimental Design	284
9.6	Conclusion	286
	<i>References</i>	287

## **10 Nucleic Acid Foldamers: Design, Engineering and Selection of Programmable Biomaterials with Recognition, Catalytic and Self-assembly Properties** 291

*Arkadiusz Chworos and Luc Jaeger*

10.1	Introduction	291
10.2	Principles of Nucleic Acid Foldamers	292
10.2.1	Structural Principles: Hierarchical Organization and Modularity	292
10.2.1.1	Chemical Modularity and Stability	292
10.2.1.2	Secondary Structure Principles	294
10.2.1.3	Tertiary Structure Principles	295
10.2.1.4	Quaternary Structure Principles	298
10.2.2	Functional Principles: Recognition, Switches and Catalysis	299
10.2.2.1	Aptamers and Nucleic Acid Switches	301
10.2.2.2	Ribozymes and DNAzymes	302
10.2.2.3	Multifunctional Nucleic Acid Foldamers	302
10.3	Synthesis of Nucleic Acid Foldamers and Analogs	303
10.4	Combinatorial Approaches for Isolating Functional Nucleic Acid Foldamers	306
10.5	DNA Architectonics	307
10.5.1	Rational Design of DNA Tiles	308
10.5.2	Principle of Tensegrity and Mode of Assembly	309
10.6	RNA Architectonics	310
10.6.1	General Approach	310
10.6.2	Examples of RNA Nano-architectures	313
10.7	Self-assembly Strategies for Building Complex Nucleic Acid Nanostructures	315
10.7.1	Programmable Self-assembly	315
10.7.1.1	General Principles: “One pot” versus “Step-wise” Assembly	315
10.7.1.2	Addressable Self-assembly	317
10.7.1.3	Algorithmic Self-assembly	317
10.7.1.4	Templated Self-assembly and Scaffolded DNA Origami	317

10.7.2	Additional Principles of Nucleic Acid Architectonics	318
10.7.2.1	Principle of Orientational Compensation	318
10.7.2.2	Applications of Principles of Symmetry	318
10.7.2.3	Fractal Nano-architectures	318
10.8	Ornamentation and Functionalization of Nucleic Acid Architectures	319
10.8.1	General Principles	319
10.8.2	Nucleic Acid Foldamers for Sensors, Medicine and Nano-electronics	319
10.9	Conclusions	321
	<i>References</i>	323
<b>11</b>	<b>Helically Folding Polymers</b>	<b>331</b>
	<i>Eiji Yashima and Katsuhiko Maeda</i>	
11.1	Introduction	331
11.2	Helical Polymers with High Helix Inversion Barriers (Static Helical Polymers)	332
11.2.1	Poly(triarylmethyl methacrylate)s	333
11.2.2	Polychloral	334
11.2.3	Polyisocyanides	336
11.2.4	Polyguanidines	337
11.3	Helical Polymers with Low Helix Inversion Barriers (Dynamic Helical Polymers)	338
11.3.1	Dynamic Helical Polymers Assisted by Covalent Bonding	339
11.3.1.1	Polyisocyanates	339
11.3.1.2	Polysilanes	341
11.3.1.3	Polyacetylenes	342
11.3.2	Dynamic Helical Polymers Assisted by Noncovalent Bonding	344
11.3.2.1	Induced Helical Poly(phenylacetylene)s	345
11.3.2.2	Hierarchical Amplification of Helical-Sense Excess in Liquid Crystals	347
11.3.2.3	Other Induced Helical Polymers	349
11.3.3	Memory of Induced Helical Chirality	351
11.4	Inversion of Macromolecular Helicity	355
11.5	Applications of Helical Polymers	359
11.6	Conclusion	362
	<i>References</i>	363
<b>12</b>	<b>Polyisocyanides: Stiffened Foldamers</b>	<b>367</b>
	<i>Matthijs B.J. Otten, Gerald A. Metselaar, Jeroen J.L.M. Cornelissen, Alan E. Rowan and Roeland J.M. Nolte</i>	
12.1	Introduction	367
12.2	Preparation	368
12.3	Conformation	370

- 12.4 Stiffening the Helix 377
- 12.5 Functionalized Polyisocyanides 387
- 12.6 Conclusions 398
- References* 398

**13 Foldamers at Interfaces 403**

*Jan van Esch, Hennie Valkenier, Sebastian Hartwig, and Stefan Hecht*

- 13.1 Introduction 403
- 13.2 Folding in Solution and at Interfaces 405
  - 13.2.1 Types of Interactions 406
  - 13.2.2 Thermodynamics 406
  - 13.2.3 Design Considerations 408
  - 13.2.4 Scope 409
- 13.3 Helical Structures 410
  - 13.3.1 Adsorption of Helical Structures at Interfaces 410
  - 13.3.2 Loss of Helicity upon Adsorption 412
  - 13.3.3 Helical Structures Formed upon Adsorption 414
- 13.4 Sheet Structures 415
  - 13.4.1 Adsorbed Sheet Structures at Interfaces 415
  - 13.4.2 Enhanced Sheet Formation upon Adsorption 417
  - 13.4.3 Change in Sheet Structure upon Adsorption 420
- 13.5 Turn Elements and Hairpins 421
- 13.6 Outlook 423
- References* 424

**Index 427**