



Alexandre C. Dimian and  
Costin Sorin Bildea

 WILEY-VCH

# Chemical Process Design

Computer-Aided Case Studies



## Contents

|          |   |           |
|----------|---|-----------|
|          | <b>Preface</b>                                    | XV        |
| <b>1</b> | <b>Integrated Process Design</b>                  | <b>1</b>  |
| 1.1      | Motivation and Objectives                         | 1         |
| 1.1.1    | Innovation Through a Systematic Approach          | 1         |
| 1.1.2    | Learning by Case Studies                          | 2         |
| 1.1.3    | Design Project                                    | 3         |
| 1.2      | Sustainable Process Design                        | 5         |
| 1.2.1    | Sustainable Development                           | 5         |
| 1.2.2    | Concepts of Environmental Protection              | 5         |
| 1.2.2.1  | Production-Integrated Environmental Protection    | 6         |
| 1.2.2.2  | End-of-pipe Antipollution Measures                | 7         |
| 1.2.3    | Efficiency of Raw Materials                       | 7         |
| 1.2.4    | Metrics for Sustainability                        | 9         |
| 1.3      | Integrated Process Design                         | 13        |
| 1.3.1    | Economic Incentives                               | 13        |
| 1.3.2    | Process Synthesis and Process Integration         | 14        |
| 1.3.3    | Systematic Methods                                | 15        |
| 1.3.3.1  | Hierarchical Approach                             | 16        |
| 1.3.3.2  | Pinch-Point Analysis                              | 16        |
| 1.3.3.3  | Residue Curve Maps                                | 16        |
| 1.3.3.4  | Superstructure Optimization                       | 17        |
| 1.3.3.5  | Controllability Analysis                          | 17        |
| 1.3.4    | Life Cycle of a Design Project                    | 17        |
| 1.4      | Summary   | 19        |
|          | References  | 20        |
| <b>2</b> | <b>Process Synthesis by Hierarchical Approach</b> | <b>21</b> |
| 2.1      | Hierarchical Approach of Process Design           | 22        |
| 2.2      | Basis of Design                                   | 27        |
| 2.2.1    | Economic Data                                     | 27        |
| 2.2.2    | Plant and Site Data                               | 27        |
| 2.2.3    | Safety and Health Considerations                  | 28        |

|         |   |    |
|---------|---|----|
| 2.2.4   | Patents                                       | 28 |
| 2.3     | Chemistry and Thermodynamics                  | 28 |
| 2.3.1   | Chemical-Reaction Network                     | 28 |
| 2.3.2   | Chemical Equilibrium                          | 31 |
| 2.3.3   | Reaction Engineering Data                     | 31 |
| 2.3.4   | Thermodynamic Analysis                        | 32 |
| 2.4     | Input/Output Analysis                         | 32 |
| 2.4.1   | Input/Output Structure                        | 33 |
| 2.4.1.1 | Number of Outlet Streams                      | 34 |
| 2.4.1.2 | Design Variables                              | 35 |
| 2.4.2   | Overall Material Balance                      | 35 |
| 2.4.3   | Economic Potential                            | 36 |
| 2.5     | Reactor/Separation/Recycle Structure          | 41 |
| 2.5.1   | Material-Balance Envelope                     | 41 |
| 2.5.1.1 | Excess of Reactant                            | 43 |
| 2.5.2   | Nonlinear Behavior of Recycle Systems         | 43 |
| 2.5.2.1 | Inventory of Reactants and Make-up Strategies | 43 |
| 2.5.2.2 | Snowball Effects                              | 44 |
| 2.5.2.3 | Multiple Steady States                        | 45 |
| 2.5.2.4 | Minimum Reactor Volume                        | 45 |
| 2.5.2.5 | Control of Selectivity                        | 45 |
| 2.5.3   | Reactor Selection                             | 45 |
| 2.5.3.1 | Reactors for Homogeneous Systems              | 46 |
| 2.5.3.2 | Reactors for Heterogeneous Systems            | 46 |
| 2.5.4   | Reactor-Design Issues                         | 47 |
| 2.5.4.1 | Heat Effects                                  | 47 |
| 2.5.4.2 | Equilibrium Limitations                       | 48 |
| 2.5.4.3 | Heat-Integrated Reactors                      | 48 |
| 2.5.4.4 | Economic Aspects                              | 49 |
| 2.6     | Separation System Design                      | 49 |
| 2.6.1   | First Separation Step                         | 50 |
| 2.6.1.1 | Gas/Liquid Systems                            | 50 |
| 2.6.1.2 | Gas/Liquid/Solid Systems                      | 51 |
| 2.6.2   | Superstructure of the Separation System       | 51 |
| 2.7     | Optimization of Material Balance              | 54 |
| 2.8     | Process Integration                           | 55 |
| 2.8.1   | Pinch-Point Analysis                          | 55 |
| 2.8.1.1 | The Overall Approach                          | 56 |
| 2.8.2   | Optimal Use of Resources                      | 58 |
| 2.9     | Integration of Design and Control             | 58 |
| 2.10    | Summary                                       | 58 |
|         | References                                    | 60 |

|          |  |            |
|----------|--|------------|
| <b>3</b> | <b>Synthesis of Separation System</b>                                | <b>61</b>  |
| 3.1      | Methodology  | 61         |
| 3.2      | Vapor Recovery and Gas-Separation System                             | 64         |
| 3.2.1    | Separation Methods   | 64         |
| 3.2.2    | Split Sequencing   | 64         |
| 3.3      | Liquid-Separation System   | 71         |
| 3.3.1    | Separation Methods   | 72         |
| 3.3.2    | Split Sequencing   | 73         |
| 3.4      | Separation of Zeotropic Mixtures by Distillation                     | 75         |
| 3.4.1    | Alternative Separation Sequences                                     | 75         |
| 3.4.2    | Heuristics for Sequencing  | 76         |
| 3.4.3    | Complex Columns  | 77         |
| 3.4.4    | Sequence Optimization  | 78         |
| 3.5      | Enhanced Distillation  | 79         |
| 3.5.1    | Extractive Distillation  | 79         |
| 3.5.2    | Chemically Enhanced Distillation                                     | 79         |
| 3.5.3    | Pressure-Swing Distillation  | 79         |
| 3.6      | Hybrid Separations   | 79         |
| 3.7      | Azeotropic Distillation  | 84         |
| 3.7.1    | Residue Curve Maps   | 84         |
| 3.7.2    | Separation by Homogeneous Azeotropic Distillation                    | 88         |
| 3.7.2.1  | One Distillation Field   | 88         |
| 3.7.2.2  | Separation in Two Distillation Fields                                | 89         |
| 3.7.3    | Separation by Heterogeneous Azeotropic Distillation                  | 95         |
| 3.7.4    | Design Methods   | 98         |
| 3.8      | Reactive Separations   | 99         |
| 3.8.1    | Conceptual Design of Reactive Distillation Columns                   | 100        |
| 3.9      | Summary  | 101        |
|          | References   | 101        |
| <br>     |  |            |
| <b>4</b> | <b>Reactor/Separation/Recycle Systems</b>                            | <b>103</b> |
| 4.1      | Introduction   | 103        |
| 4.2      | Plantwide Control Structures   | 106        |
| 4.3      | Processes Involving One Reactant                                     | 108        |
| 4.3.1    | Conventional Control Structure                                       | 108        |
| 4.3.2    | Feasibility Condition for the Conventional Control Structure         | 111        |
| 4.3.3    | Control Structures Fixing Reactor-Inlet Stream                       | 112        |
| 4.3.4    | Plug-Flow Reactor  | 114        |
| 4.4      | Processes Involving Two Reactants                                    | 115        |
| 4.4.1    | Two Recycles   | 115        |
| 4.4.2    | One Recycle  | 117        |
| 4.5      | The Effect of the Heat of Reaction                                   | 118        |
| 4.5.1    | One-Reactant, First-Order Reaction in PFR/Separation/Recycle Systems | 118        |

|          |   |            |
|----------|---|------------|
| 4.6      | Example–Toluene Hydrodealkylation Process           | 122        |
| 4.7      | Conclusions   | 126        |
|          | References  | 127        |
| <b>5</b> | <b>Phenol Hydrogenation to Cyclohexanone</b>        | <b>129</b> |
| 5.1      | Basis of Design                                     | 129        |
| 5.1.1    | Project Definition                                  | 129        |
| 5.1.2    | Chemical Routes                                     | 130        |
| 5.1.3    | Physical Properties                                 | 131        |
| 5.2      | Chemical Reaction Analysis                          | 132        |
| 5.2.1    | Chemical Reaction Network                           | 132        |
| 5.2.2    | Chemical Equilibrium                                | 133        |
| 5.2.2.1  | Hydrogenation of Phenol                             | 133        |
| 5.2.2.2  | Dehydrogenation of Cyclohexanol                     | 135        |
| 5.2.3    | Kinetics  | 137        |
| 5.2.3.1  | Phenol Hydrogenation to Cyclohexanone               | 137        |
| 5.2.3.2  | Cyclohexanol Dehydrogenation                        | 139        |
| 5.3      | Thermodynamic Analysis                              | 140        |
| 5.4      | Input/Output Structure                              | 141        |
| 5.5      | Reactor/Separation/Recycle Structure                | 144        |
| 5.5.1    | Phenol Hydrogenation                                | 144        |
| 5.5.1.1  | Reactor-Design Issues                               | 145        |
| 5.5.2    | Dehydrogenation of Cyclohexanol                     | 151        |
| 5.5.2.1  | Reactor Design                                      | 151        |
| 5.6      | Separation System                                   | 152        |
| 5.7      | Material-Balance Flowsheet                          | 153        |
| 5.7.1    | Simulation  | 153        |
| 5.7.2    | Sizing and Optimization                             | 155        |
| 5.8      | Energy Integration                                  | 156        |
| 5.9      | One-Reactor Process                                 | 158        |
| 5.10     | Process Dynamics and Control                        | 161        |
| 5.10.1   | Control Objectives                                  | 161        |
| 5.10.2   | Plantwide Control                                   | 162        |
| 5.11     | Environmental Impact                                | 166        |
| 5.12     | Conclusions   | 170        |
|          | References  | 172        |
| <b>6</b> | <b>Alkylation of Benzene by Propylene to Cumene</b> | <b>173</b> |
| 6.1      | Basis of Design                                     | 173        |
| 6.1.1    | Project Definition                                  | 173        |
| 6.1.2    | Manufacturing Routes                                | 173        |
| 6.1.3    | Physical Properties                                 | 175        |
| 6.2      | Reaction-Engineering Analysis                       | 176        |
| 6.2.1    | Chemical-Reaction Network                           | 176        |
| 6.2.2    | Catalysts for the Alkylation of Aromatics           | 178        |

|          |  |            |
|----------|--|------------|
| 6.2.3    | Thermal Effects  | 180        |
| 6.2.4    | Chemical Equilibrium                                   | 181        |
| 6.2.5    | Kinetics   | 181        |
| 6.3      | Reactor/Separator/Recycle Structure                    | 183        |
| 6.4      | Mass Balance and Simulation                            | 185        |
| 6.5      | Energy Integration                                     | 187        |
| 6.6      | Complete Process Flowsheet                             | 192        |
| 6.7      | Reactive Distillation Process                          | 195        |
| 6.8      | Conclusions  | 199        |
|          | References,  | 200        |
| <b>7</b> | <b>Vinyl Chloride Monomer Process</b>                  | <b>201</b> |
| 7.1      | Basis of Design  | 201        |
| 7.1.1    | Problem Statement                                      | 201        |
| 7.1.2    | Health and Safety                                      | 202        |
| 7.1.3    | Economic Indices                                       | 202        |
| 7.2      | Reactions and Thermodynamics                           | 202        |
| 7.2.1    | Process Steps  | 202        |
| 7.2.2    | Physical Properties                                    | 205        |
| 7.3      | Chemical-Reaction Analysis                             | 205        |
| 7.3.1    | Direct Chlorination                                    | 206        |
| 7.3.2    | Oxychlorination  | 208        |
| 7.3.3    | Thermal Cracking                                       | 210        |
| 7.4      | Reactor Simulation                                     | 212        |
| 7.4.1    | Ethylene Chlorination                                  | 212        |
| 7.4.2    | Pyrolysis of EDC                                       | 212        |
| 7.5      | Separation System                                      | 213        |
| 7.5.1    | First Separation Step                                  | 213        |
| 7.5.2    | Liquid-Separation System                               | 215        |
| 7.6      | Material-Balance Simulation                            | 216        |
| 7.7      | Energy Integration                                     | 219        |
| 7.8      | Dynamic Simulation and Plantwide Control               | 222        |
| 7.9      | Plantwide Control of Impurities                        | 224        |
| 7.10     | Conclusions  | 229        |
|          | References   | 229        |
| <b>8</b> | <b>Fatty-Ester Synthesis by Catalytic Distillation</b> | <b>231</b> |
| 8.1      | Introduction   | 231        |
| 8.2      | Methodology  | 232        |
| 8.3      | Esterification of Lauric Acid with 2-Ethylhexanol      | 235        |
| 8.3.1    | Problem Definition and Data Generation                 | 235        |
| 8.3.2    | Preliminary Chemical and Phase Equilibrium             | 236        |
| 8.3.3    | Equilibrium-based Design                               | 238        |
| 8.3.4    | Thermodynamic Experiments                              | 239        |
| 8.3.5    | Revised Conceptual Design                              | 240        |

|           |   |            |
|-----------|---|------------|
| 8.3.6     | Chemical Kinetics Analysis                    | 241        |
| 8.3.6.1   | Kinetic Experiments                           | 241        |
| 8.3.6.2   | Selectivity Issues                            | 242        |
| 8.3.6.3   | Catalyst Effectiveness                        | 243        |
| 8.3.7     | Kinetic Design                                | 244        |
| 8.3.7.1   | Selection of Internals                        | 245        |
| 8.3.7.2   | Preliminary Hydraulic Design                  | 246        |
| 8.3.7.3   | Simulation                                    | 248        |
| 8.3.8     | Optimization                                  | 250        |
| 8.3.9     | Detailed Design                               | 251        |
| 8.4       | Esterification of Lauric Acid with Methanol   | 251        |
| 8.5       | Esterification of Lauric Acid with Propanols  | 254        |
| 8.5.1     | Entrainer Selection                           | 255        |
| 8.5.2     | Entrainer Ratio                               | 257        |
| 8.6       | Conclusions                                   | 258        |
|           | References                                    | 259        |
| <b>9</b>  | <b>Isobutane Alkylation</b>                   | <b>261</b> |
| 9.1       | Introduction                                  | 261        |
| 9.2       | Basis of Design                               | 263        |
| 9.2.1     | Industrial Processes for Isobutane Alkylation | 263        |
| 9.2.2     | Specifications and Safety                     | 263        |
| 9.2.3     | Chemistry                                     | 264        |
| 9.2.4     | Physical Properties                           | 265        |
| 9.2.5     | Reaction Kinetics                             | 265        |
| 9.3       | Input–Output Structure                        | 267        |
| 9.4       | Reactor/Separation/Recycle                    | 268        |
| 9.4.1     | Mass-Balance Equations                        | 268        |
| 9.4.2     | Selection of a Robust Operating Point         | 272        |
| 9.4.3     | Normal-Space Approach                         | 274        |
| 9.4.3.1   | Critical Manifolds                            | 274        |
| 9.4.3.2   | Distance to the Critical Manifold             | 275        |
| 9.4.3.3   | Optimization                                  | 277        |
| 9.4.4     | Thermal Design of the Chemical Reactor        | 278        |
| 9.5       | Separation Section                            | 280        |
| 9.6       | Plantwide Control and Dynamic Simulation      | 281        |
| 9.7       | Discussion                                    | 284        |
| 9.8       | Conclusions                                   | 285        |
|           | References                                    | 285        |
| <b>10</b> | <b>Vinyl Acetate Monomer Process</b>          | <b>287</b> |
| 10.1      | Basis of Design                               | 287        |
| 10.1.1    | Manufacturing Routes                          | 287        |
| 10.1.2    | Problem Statement                             | 288        |
| 10.1.3    | Health and Safety                             | 289        |

|           |   |            |
|-----------|---|------------|
| 10.2      | Reactions and Thermodynamics                          | 289        |
| 10.2.1    | Reaction Kinetics                                     | 289        |
| 10.2.2    | Physical Properties                                   | 293        |
| 10.2.3    | VLE of Key Mixtures                                   | 294        |
| 10.3      | Input–Output Analysis                                 | 294        |
| 10.3.1    | Preliminary Material Balance                          | 294        |
| 10.4      | Reactor/Separation/Recycles                           | 296        |
| 10.5      | Separation System                                     | 298        |
| 10.5.1    | First Separation Step                                 | 299        |
| 10.5.2    | Gas-Separation System                                 | 300        |
| 10.5.3    | Liquid-Separation System                              | 300        |
| 10.6      | Material-Balance Simulation                           | 302        |
| 10.7      | Energy Integration                                    | 304        |
| 10.8      | Plantwide Control                                     | 305        |
| 10.9      | Conclusions   | 310        |
|           | References  | 311        |
| <b>11</b> | <b>Acrylonitrile by Propene Ammoxidation</b>          | <b>313</b> |
| 11.1      | Problem Description                                   | 313        |
| 11.2      | Reactions and Thermodynamics                          | 314        |
| 11.2.1    | Chemistry Issues                                      | 314        |
| 11.2.2    | Physical Properties                                   | 317        |
| 11.2.3    | VLE of Key Mixtures                                   | 318        |
| 11.3      | Chemical-Reactor Analysis                             | 319        |
| 11.4      | The First Separation Step                             | 321        |
| 11.5      | Liquid-Separation System                              | 324        |
| 11.5.1    | Development of the Separation Sequence                | 324        |
| 11.5.2    | Simulation  | 324        |
| 11.6      | Heat Integration                                      | 328        |
| 11.7      | Water Minimization                                    | 332        |
| 11.8      | Emissions and Waste                                   | 334        |
| 11.8.1    | Air Emissions   | 334        |
| 11.8.2    | Water Emissions                                       | 334        |
| 11.8.3    | Catalyst Waste  | 335        |
| 11.9      | Final Flowsheet                                       | 335        |
| 11.10     | Further Developments                                  | 337        |
| 11.11     | Conclusions   | 337        |
|           | References  | 338        |
| <b>12</b> | <b>Biochemical Process for NO<sub>x</sub> Removal</b> | <b>339</b> |
| 12.1      | Introduction  | 339        |
| 12.2      | Basis of Design                                       | 341        |
| 12.3      | Process Selection                                     | 341        |
| 12.4      | The Mathematical Model                                | 343        |
| 12.4.1    | Diffusion-Reaction in the Film Region                 | 343        |



|           |  |            |
|-----------|--|------------|
| 12.4.1.1  | Model Parameters   | 346        |
| 12.4.2    | Simplified Film Model  | 348        |
| 12.4.3    | Convection-Mass-Transfer Reaction in the Bulk                            | 351        |
| 12.4.3.1  | Bulk Gas   | 351        |
| 12.4.3.2  | Bulk Liquid  | 352        |
| 12.4.4    | The Bioreactor   | 354        |
| 12.5      | Sizing of the Absorber and Bioreactor                                    | 355        |
| 12.6      | Flowsheet and Process Control  | 357        |
| 12.7      | Conclusions  | 358        |
|           | References   | 360        |
| <b>13</b> | <b>PVC Manufacturing by Suspension Polymerization</b>                    | <b>363</b> |
| 13.1      | Introduction   | 363        |
| 13.1.1    | Scope  | 363        |
| 13.1.2    | Economic Issues  | 363        |
| 13.1.3    | Technology   | 365        |
| 13.2      | Large-Scale Reactor Technology   | 365        |
| 13.2.1    | Efficient Heat Transfer  | 367        |
| 13.2.2    | The Mixing Systems   | 369        |
| 13.2.3    | Fast Initiation Systems  | 370        |
| 13.3      | Kinetics of Polymerization   | 371        |
| 13.3.1    | Simplified Analysis  | 374        |
| 13.4      | Molecular-Weight Distribution  | 376        |
| 13.4.1    | Simplified Analysis  | 377        |
| 13.5      | Kinetic Constants  | 378        |
| 13.6      | Reactor Design   | 378        |
| 13.6.1    | Mass Balance   | 379        |
| 13.6.2    | Molecular-Weight Distribution  | 382        |
| 13.6.3    | Heat Balance   | 383        |
| 13.6.4    | Heat-Transfer Coefficients   | 384        |
| 13.6.5    | Physical Properties  | 385        |
| 13.6.6    | Geometry of the Reactor  | 385        |
| 13.6.7    | The Control System   | 385        |
| 13.7      | Design of the Reactor  | 388        |
| 13.7.1    | Additional Cooling Capacity by Means of an External Heat Exchanger       | 389        |
| 13.7.2    | Additional Cooling Capacity by Means of Higher Heat-Transfer Coefficient | 390        |
| 13.7.3    | Design of the Jacket   | 390        |
| 13.7.4    | Dynamic Simulation Results   | 390        |
| 13.7.5    | Additional Cooling Capacity by Means of Water Addition                   | 392        |
| 13.7.6    | Improving the Controllability of the Reactor by Recipe Change            | 393        |
| 13.8      | Conclusions  | 396        |
|           | References   | 396        |

|           |  |            |
|-----------|--|------------|
| <b>14</b> | <b>Biodiesel Manufacturing</b>                 | <b>399</b> |
| 14.1      | Introduction to Biofuels                       | 399        |
| 14.1.1    | Types of Alternative Fuels                     | 399        |
| 14.1.2    | Economic Aspects                               | 401        |
| 14.2      | Fundamentals of Biodiesel Manufacturing        | 402        |
| 14.2.1    | Chemistry                                      | 402        |
| 14.2.2    | Raw Materials                                  | 404        |
| 14.2.3    | Biodiesel Specifications                       | 405        |
| 14.2.4    | Physical Properties                            | 406        |
| 14.3      | Manufacturing Processes                        | 409        |
| 14.3.1    | Batch Processes                                | 409        |
| 14.3.2    | Catalytic Continuous Processes                 | 411        |
| 14.3.3    | Supercritical Processes                        | 413        |
| 14.3.4    | Hydrolysis and Esterification                  | 414        |
| 14.3.5    | Enzymatic Processes                            | 415        |
| 14.3.6    | Hydropyrolysis of Triglycerides                | 415        |
| 14.3.7    | Valorization of Glycerol                       | 416        |
| 14.4      | Kinetics and Catalysis                         | 416        |
| 14.4.1    | Homogeneous Catalysis                          | 416        |
| 14.4.2    | Heterogeneous Catalysis                        | 419        |
| 14.5      | Reaction-Engineering Issues                    | 420        |
| 14.6      | Phase-Separation Issues                        | 422        |
| 14.7      | Application                                    | 423        |
| 14.8      | Conclusions                                    | 426        |
|           | References                                     | 427        |
| <br>      |  |            |
| <b>15</b> | <b>Bioethanol Manufacturing</b>                | <b>429</b> |
| 15.1      | Introduction                                   | 429        |
| 15.2      | Bioethanol as Fuel                             | 429        |
| 15.3      | Economic Aspects                               | 431        |
| 15.4      | Ecological Aspects                             | 433        |
| 15.5      | Raw Materials                                  | 435        |
| 15.6      | Biorefinery Concept                            | 437        |
| 15.6.1    | Technology Platforms                           | 437        |
| 15.6.2    | Building Blocks                                | 439        |
| 15.7      | Fermentation                                   | 440        |
| 15.7.1    | Fermentation by Yeasts                         | 440        |
| 15.7.2    | Fermentation by Bacteria                       | 441        |
| 15.7.3    | Simultaneous Saccharification and Fermentation | 441        |
| 15.7.4    | Kinetics of Saccharification Processes         | 442        |
| 15.7.5    | Fermentation Reactors                          | 444        |
| 15.8      | Manufacturing Technologies                     | 445        |
| 15.8.1    | Bioethanol from Sugar Cane and Sugar Beets     | 445        |
| 15.8.2    | Bioethanol from Starch                         | 446        |
| 15.8.3    | Bioethanol from Lignocellulosic Biomass        | 447        |

XIV | Contents

|                   |  |            |
|-------------------|--|------------|
| 15.9              | Process Design: Ethanol from Lignocellulosic Biomass | 449        |
| 15.9.1            | Problem Definition                                   | 449        |
| 15.9.2            | Definition of the Chemical Components                | 450        |
| 15.9.3            | Biomass Pretreatment                                 | 450        |
| 15.9.4            | Fermentation   | 452        |
| 15.9.5            | Ethanol Purification and Water Recovery              | 456        |
| 15.10             | Conclusions  | 458        |
|                   | References   | 459        |
| <b>Appendix A</b> | <b>Residue Curve Maps for Reactive Mixtures</b>      | <b>461</b> |
| <b>Appendix B</b> | <b>Heat-Exchanger Design</b>                         | <b>474</b> |
| <b>Appendix C</b> | <b>Materials of Construction</b>                     | <b>483</b> |
| <b>Appendix D</b> | <b>Saturated Steam Properties</b>                    | <b>487</b> |
| <b>Appendix E</b> | <b>Vapor Pressure of Some Hydrocarbons</b>           | <b>489</b> |
| <b>Appendix F</b> | <b>Vapor Pressure of Some Organic Components</b>     | <b>490</b> |
| <b>Appendix G</b> | <b>Conversion Factors to SI Units</b>                | <b>491</b> |

|              |            |
|--------------|------------|
| <b>Index</b> | <b>493</b> |
|--------------|------------|