

VOLUME 2 | FOURTH EDITION

Ludwig's Applied Process Design for Chemical and Petrochemical Plants

- Distillation • Petroleum fractionation
- Gas processing • Dehydration • Packed towers



A. Kayode Coker

Preface	<i>ix</i>
Acknowledgments	<i>xi</i>
Biography	<i>xiii</i>
CHAPTER 10 Distillation	
10.1	Equilibria Basic Considerations 2
10.2	Vapor-Liquid Equilibria 4
10.3	Activity Coefficients 11
10.4	Excess Gibbs Energy-GE 11
10.5	K- value 12
10.6	Ideal Systems 14
10.7	Henry's Law 15
10.8	K-Factor Hydrocarbon Equilibrium Charts 15
10.9	Non-Ideal Systems 25
10.10	Thermodynamic Simulation Software Programs 27
10.11	Vapor pressure 29
10.12	Azeotropic Mixtures 39
10.13	Bubble Point of Liquid Mixture 48
10.14	Equilibrium Flash Computations 51
10.15	Degrees of Freedom 57
10.16	UniSim (Honeywell) Software 58
10.17	Binary System Material Balance: Constant Molal Overflow Tray to Tray 58
10.18	Determination of Distillation Operating Pressures 66
10.19	Condenser Types from a Distillation Column 67
10.20	Effect of Thermal Condition of Feed 70
10.21	Effect of Total Reflux, Minimum Number of Plates in a Distillation Column 72
10.22	Relative Volatility (α) Separating Factor in a Vapor-Liquid System 74
10.23	Rapid Estimation of Relative Volatility 80
10.24	Estimation of Relative Volatilities under 1.25 ($\alpha < 1.25$) by Ryan [271] 81
10.25	Estimation of Minimum Reflux Ratio: Infinite Plates 81
10.26	Calculation of Number of Theoretical Trays at Actual Reflux 83
10.27	Identification of "Pinch Conditions" on a x-y Diagram at High Pressure 84
10.28	Distillation Column Design 87
10.29	Simulation of a Fractionating Column 88
10.30	Determination of Number of Theoretical Plates in a Fractionating Column by the Smoker Equations at constant relative volatility ($\alpha = \text{constant}$) 95
10.31	The Jafarey, Douglas and McAvoy Equation: Design and Control [275, 276] 97
10.32	Number of Theoretical Trays at Actual Reflux 101
10.33	Estimating Tray Efficiency in a Distillation Column 102
10.34	Batch Distillation 107
10.35	Steam Distillation 135
10.36	Distillation with Heat Balance of Component Mixture 140
10.37	Multicomponent Distillation 156
10.38	Scheibel-Montross Empirical: Adjacent Key Systems: Constant or Variable Volatility [61] 182
10.39	Minimum Number of Trays: Total Reflux-Constant Volatility 183
10.40	Smith-Brinkley (SB) Method [326] 190
10.41	Retrofit design of distillation columns 195
10.42	Tray-by-Tray for Multicomponent Mixtures 206
10.43	Tray-by-Tray Calculation of a Multicomponent Mixture Using a Digital Computer 207
10.44	Thermal Condition of Feed 209
10.45	Minimum Reflux-Underwood Method, Determination of α_{AVG} . For Multicomponent Mixture 209
10.46	Heat Balance-Adjacent Key Systems with Sharp Separations, Constant Molal Overflow 213
10.47	Stripping Volatile Organic Chemicals (VOC) from Water with Air 214
10.48	Rigorous Plate-to-Plate Calculation (Sorel Method [311]) 217
10.49	Multiple Feeds and Side Streams for a Binary Mixture 220
10.50	Chou and Yaws Method [96] 226
10.51	Optimum Reflux Ratio and Optimum Number of Trays Calculations 228
10.52	Tower Sizing for Valve Trays 235
10.53	Troubleshooting, Predictive Maintenance and Controls for Distillation Columns 253

Contents

- 10.54 Distillation Sequencing with Columns having More than Two Products 257
- 10.55 Heat Integration of Distillation Columns 260
- 10.56 Capital Cost Considerations for Distillation Columns 262

Nomenclature for Part 1: Distillation Process Performance 263

CHAPTER 11 Petroleum, Complex-Mixture Fractionation, Gas Processing, Dehydration, Hydrocarbon Absorption and Stripping 269

- 11.1 Characterization of Petroleum and Petroleum Fractions 269
- 11.2 Crude Oil Assay Data 274
- 11.3 Crude Cutting Analysis 274
- 11.4 Crude Oil Blending 274
- 11.5 Laboratory Testing of Crude Oils 281
- 11.6 Viscosity 286
- 11.7 Octanes 287
- 11.8 Cetanes 287
- 11.9 Diesel Index 287
- 11.10 Determination of the Lower Heating Value of Petroleum Fractions 288
- 11.11 Aniline Point Blending 288
- 11.12 Chromatographically Simulated Distillations 288
- 11.13 Process Description 290
- 11.14 Process Variables in the Design of Crude Distillation Column 292
- 11.15 Gas Processing 297
- 11.16 Gas Dryer (Dehydration) Design 309
- 11.17 Kremser-Brown-Sherwood Method - No Heat of Absorption 315
- 11.18 Absorption: Edmister Method 320
- 11.19 Gas Treating Troubleshooting 330
- 11.20 Cause - Insufficient Re-concentration of Glycol 332
- 11.21 Sour Water Stripping Process 333

Glossary 336

Nomenclature 343

Subscripts 344

CHAPTER 12 Enhanced Distillation Types 345

- 12.1 Homogeneous azeotropic distillation 345
- 12.2 Separation of Minimum Boiling Homogeneous Azeotropes 345
- 12.3 Separation of Maximum Boiling Homogeneous Azeotropes 346
- 12.4 Heterogeneous Azeotropic Distillation 347
- 12.5 Minimum Boiling Azeotropes 350

- 12.6 Salt Distillation 350
 - 12.7 Pressure Swing Distillation 350
 - 12.8 Distillation with Vapor Recompression (VRC) 350
 - 12.9 Extractive Distillation 350
 - 12.10 Residue Curve Maps 351
 - 12.11 Reactive (Catalytic) Distillation 357
 - 12.12 Advantages and Disadvantages of Reactive Distillation 364
 - 12.13 Different Ways of Applying Reactive Distillation 367
 - 12.14 Contact Devices Used for Catalytic Distillation 368
 - 12.15 Flowchart for Process Development 370
- Nomenclature 371

CHAPTER 13 Part 3: Mechanical Designs for Tray Performance 373

- 13.1 Tray Types and Distinguishing Application Features 373
- 13.2 Bubble Cap Tray Design 376
- 13.3 Bubble-Cap-Tray Tower Diameter 380
- 13.4 Tray Layouts 383
- 13.5 Liquid Distribution: Feed, Side Streams, Reflux 384
- 13.6 Liquid By-Pass Baffles 388
- 13.7 Liquid Drainage or Weep Holes 388
- 13.8 Bottom Tray Seal Pan 388
- 13.9 Turndown Ratio 388
- 13.10 Bubble Caps 389
- 13.11 Slots 389
- 13.12 Shroud Ring 391
- 13.13 Tray Performance-Bubble Caps 391
- 13.14 Overdesign 394
- 13.15 Total Tray Pressure Drop 399
- 13.16 Liquid Height Over Outlet Weir 399
- 13.17 Slot Opening 400
- 13.18 Liquid Gradient Across Tray 402
- 13.19 Riser and Reversal Pressure Drop 409
- 13.20 Total Pressure Drop Through Tray 416
- 13.21 Downcomer Pressure Drop 416
- 13.22 Liquid Height in Downcomer 417
- 13.23 Downcomer Seal 417
- 13.24 Tray Spacing 417
- 13.25 Residence Time in Downcomers 418
- 13.26 Liquid Entrainment from Bubble Cap Trays 419
- 13.27 Bottom Tray Seal Pan 420
- 13.28 Throw Over Outlet Segmental Weir 420
- 13.29 Vapor Distribution 420
- 13.30 Sieve Trays with Downcomers 425
- 13.31 Tower Diameter 427
- 13.32 Tray Spacing 427
- 13.33 Downcomer 428

13.34	Hole Size and Spacing	429	14.8	Contacting Efficiency, Expressed as K_{Ga} , HTU, HETP	530
13.35	Tray Hydraulics	429	14.9	Packing Size	530
13.36	Height of Liquid Over Outlet Weir, h_{ow}	430	14.10	Pressure Drop	531
13.37	Hydraulic Gradient, Δ	430	14.11	Materials of Construction	536
13.38	Dry Tray Pressure Drop	431	14.12	Particle versus Compact Preformed Structured Packings	536
13.39	Fair's Method [193]	432	14.13	Fouling of Packing	537
13.40	Static Liquid Seal on Tray, or Submergence	432	14.14	Minimum Liquid Wetting Rates	537
13.41	Dynamic Liquid Seal	433	14.15	Loading Point-Loading Region	539
13.42	Total Wet Tray Pressure Drop	433	14.16	Flooding Point	545
13.43	Pressure Drop through Downcomer, h_d	434	14.17	Foaming Liquid Systems	548
13.44	Liquid Backup or Height in Downcomer	434	14.18	Surface Tension Effects	548
13.45	Weep Point (Velocity)	437	14.19	Packing Factors	550
13.46	Entrainment Flooding	438	14.20	Recommended Design Capacity and Pressure Drop	551
13.47	Maximum Hole Velocity: Flooding	443	14.21	Pressure Drop Design Criteria and Guide: Random Packings Only	553
13.48	Design Hole Velocity	443	14.22	Effects of Physical Properties	557
13.49	Tray Stability	444	14.23	Performance Comparisons	560
13.50	Vapor Cross-Flow Channeling on Sieve Trays	445	14.24	Capacity Basis for Design	561
13.51	Tray Layout	445	14.25	Proprietary Random Packing Design Guides	565
13.52	Perforated Plates Without Downcomers	452	14.26	Liquid Hold-up	583
13.53	Diameter	453	14.27	Packing Wetted Area	586
13.54	Capacity	453	14.28	Effective Interfacial Area	586
13.55	Pressure Drop	453	14.29	Entrainment From Packing Surface	586
13.56	Dry Tray Pressure Drop	453	14.30	Structured Packing	588
13.57	Effective Head, h_e	454	14.31	New Generalized Pressure Drop Correlation Charts	608
13.58	Total Wet Tray Pressure Drop	454	14.32	Mass and Heat Transfer in Packed Towers	608
13.59	Hole Size, Spacing, Percent Open Area	454	14.33	Number of Transfer Units, N_{OG} , N_{OL}	613
13.60	Tray Spacing	454	14.34	Gas and Liquid-phase Coefficients, k_G and k_L	620
13.61	Entrainment	454	14.35	Height of a Transfer Unit, H_{OG} , H_{OL} , HTU	621
13.62	Dump Point, Plate Activation Point, or Load Point	455	14.36	Mass Transfer With Chemical Reaction	632
13.63	Tray Designs and Layout	456	14.37	Distillation in Packed Towers	640
13.64	Proprietary Valve Trays Design and Selection	458	14.38	Height Equivalent to a Theoretical Plate (HETP)	641
13.65	Proprietary Designs	461	14.39	HETP Guide Lines	645
13.66	Baffle Tray Columns	464	14.40	Transfer Unit	646
13.67	Tower Specifications	469	14.41	Cooling Water With Air	651
13.68	Mechanical Problems in Tray Distillation Columns	473	14.42	Atmospheric	651
13.69	Troubleshooting Distillation Columns	475	14.43	Natural Draft	651
	Nomenclature	478	14.44	Forced Draft	651
	CHAPTER 14 Packed Towers	483	14.45	Induced Draft	651
14.1	Shell	483	14.46	General Construction	651
14.2	Random Packing	484	14.47	Cooling Tower Terminology	653
14.3	Number of Flow or Drip Points Required [131]	500	14.48	Specifications	654
14.4	Redistributors	506	14.49	Performance	657
14.5	Wall Wipers or Side Wipers	508	14.50	Ground Area vs. Height	663
14.6	Hold-down Grids	508	14.51	Pressure Losses	663
14.7	Packing Installation	510			

Contents

14.52	Fan Horsepower for Mechanical Draft Tower	665	Appendix C	Physical Properties of Liquids and Gases	757
14.53	Water Rates and Distribution	665	Appendix D	Alphabetical Conversion Factors	793
14.54	Blow-down and Contamination Build-up	666	Appendix E	Equations and Analysis	871
14.55	Preliminary Design Estimate of New Tower	667	Appendix F	Solving Equations Using Excel	885
14.56	Alternate Preliminary Design of New Tower (after References 12 and 19)	667	Appendix G	Analytical Techniques	895
14.57	Performance Evaluation of Existing Tower [19]	672	Appendix H	Numerical Techniques	901
	Nomenclature	675	Appendix I	Screenshot Guide to Absoft Compiler Graphical User Interface	917
	References For Chapter 10, 11, 12 and 13	679	Appendix J	Equilibrium K-Values	925
	References For Chapter 14	687	Appendix K	Simulations	939
	Bibilography	691	Index		953
Appendix A	A List of Engineering Process Flow Diagrams and Process Data Sheets	697	Appendix L	Simulation Results using Unisim can be found on the companion website: http://www.elsevierdirect.com/companions/9780750683661	
Appendix B	Ethics in the Engineering Profession	745			