

# Thermal Field Theory

MICHEL LE BELLAC

CAMBRIDGE MONOGRAPHS  
ON MATHEMATICAL PHYSICS

# Contents

|                                                              |    |
|--------------------------------------------------------------|----|
| <i>Preface</i>                                               | xi |
| <b>1 Introduction</b>                                        | 1  |
| 1.1 Quantum chromodynamics                                   | 1  |
| 1.2 The deconfinement/chiral transition                      | 4  |
| 1 The bag model                                              | 4  |
| 2 Lattice quantum chromodynamics                             | 7  |
| 1.3 Heavy ion collisions                                     | 11 |
| <i>References and further reading</i>                        | 16 |
| <i>Exercises</i>                                             | 17 |
| <b>2 Quantum statistical mechanics</b>                       | 18 |
| 2.1 Path integral formalism and imaginary time               | 19 |
| 2.2 Operator formalism                                       | 24 |
| 2.3 The spectral function $\rho(k_0)$                        | 25 |
| 2.4 The Matsubara (or imaginary-time) propagator             | 27 |
| 2.5 The time-ordered propagator                              | 28 |
| 2.6 Frequency sums                                           | 29 |
| <i>References and further reading</i>                        | 32 |
| <i>Exercises</i>                                             | 32 |
| <b>3 The scalar field at finite temperature</b>              | 35 |
| 3.1 The neutral scalar field                                 | 35 |
| 1 Wick's theorem and the propagator                          | 36 |
| 2 First-order corrections: propagator and partition function | 39 |
| 3 Feynman rules                                              | 43 |
| 3.2 The charged scalar field                                 | 44 |
| 3.3 Real-time formalism                                      | 47 |
| 1 Path integrals                                             | 47 |

|          |                                                      |     |
|----------|------------------------------------------------------|-----|
| 2        | Integration path and propagators                     | 50  |
| 3        | Feynman rules with the symmetric propagator          | 54  |
| 3.4      | The self-energy in the real-time formalism           | 55  |
| 3.5      | Renormalization at non-zero temperature              | 58  |
|          | <i>References and further reading</i>                | 60  |
|          | <i>Exercises</i>                                     | 60  |
| <b>4</b> | <b>Simple applications of perturbation theory</b>    | 62  |
| 4.1      | Ring diagrams in the $\phi^4$ -model                 | 62  |
| 4.2      | Some one-loop diagrams                               | 65  |
| 1        | Self-energy diagram in the imaginary-time formalism  | 66  |
| 2        | Self-energy diagram in the real-time formalism       | 69  |
| 3        | The three-point vertex at one-loop                   | 70  |
| 4.3      | Cutting rules at finite temperature                  | 72  |
| 1        | Derivation of the rules                              | 72  |
| 2        | Application to the self-energy                       | 75  |
| 4.4      | Physical interpretation of discontinuities           | 77  |
| 1        | Production of a weakly interacting massive particle  | 77  |
| 2        | Production of a weakly interacting massless particle | 78  |
| 3        | General proof                                        | 81  |
| 4        | Small deviations from equilibrium                    | 83  |
|          | <i>References and further reading</i>                | 85  |
|          | <i>Exercises</i>                                     | 85  |
| <b>5</b> | <b>Dirac and gauge fields at finite temperature</b>  | 86  |
| 5.1      | The Dirac field at finite temperature                | 86  |
| 1        | Coherent fermion states and path integrals           | 86  |
| 2        | Quantization of the Dirac field                      | 90  |
| 3        | Frequency sums                                       | 93  |
| 4        | Non-zero chemical potential                          | 95  |
| 5.2      | Quantization of gauge fields at non-zero temperature | 97  |
| 1        | The partition function                               | 98  |
| 2        | The gauge boson propagator in linear gauges          | 102 |
| 3        | The gauge boson propagator at non-zero temperature   | 106 |
| 5.3      | Real photon and lepton pair production               | 108 |
| 1        | Real photon production                               | 109 |
| 2        | Lepton pair production                               | 109 |
|          | <i>References and further reading</i>                | 111 |
|          | <i>Exercises</i>                                     | 111 |
| <b>6</b> | <b>Collective excitations in a plasma</b>            | 114 |
| 6.1      | Linear response theory                               | 115 |
| 6.2      | The photon propagator in a QED plasma                | 118 |

|          |                                                           |            |
|----------|-----------------------------------------------------------|------------|
| 1        | General form of the photon propagator                     | 118        |
| 2        | The hard thermal loop approximation for $\Pi_{\mu\nu}$    | 119        |
| 3        | Evaluation of $\Pi_{\mu\nu}$                              | 121        |
| 4        | Transverse and longitudinal photons                       | 123        |
| 6.3      | Debye screening and plasma oscillations                   | 124        |
| 1        | Linear response and Debye screening                       | 124        |
| 2        | Plasma oscillations                                       | 127        |
| 3        | Sum rules and residues                                    | 129        |
| 4        | Non-zero chemical potential                               | 133        |
| 6.4      | Kinetic derivation of the photon self-energy              | 134        |
| 6.5      | The electron propagator in a QED plasma                   | 138        |
| 1        | Evaluation of $\Sigma$                                    | 138        |
| 2        | Quasi-particles                                           | 140        |
| 6.6      | Elementary excitations in a QCD plasma                    | 144        |
|          | <i>References and further reading</i>                     | 147        |
|          | <i>Exercises</i>                                          | 147        |
| <b>7</b> | <b>Hard thermal loops and resummation</b>                 | <b>150</b> |
| 7.1      | Hard thermal loops in QED                                 | 150        |
| 1        | The three-point function in QED                           | 150        |
| 2        | The four-point functions in QED                           | 154        |
| 3        | The effective Lagrangian in QED                           | 156        |
| 7.2      | The QCD plasma                                            | 158        |
| 1        | The three-point functions in QCD                          | 158        |
| 2        | General remarks on hard thermal loops                     | 161        |
| 3        | Hard thermal loops from Ward identities                   | 163        |
| 7.3      | The effective expansion                                   | 168        |
| 1        | General theory                                            | 168        |
| 2        | Production of soft dileptons in a quark-gluon plasma      | 172        |
| 3        | The gluon damping rate                                    | 175        |
| 4        | Higher-order calculations                                 | 178        |
| 7.4      | Kinetic theory of hard thermal loops                      | 180        |
|          | <i>References and further reading</i>                     | 188        |
|          | <i>Exercises</i>                                          | 188        |
| <b>8</b> | <b>Dynamical screening</b>                                | <b>191</b> |
| 8.1      | Energy loss of a heavy fermion in a QED plasma            | 192        |
| 8.2      | Production of hard real photons from a quark-gluon plasma | 199        |
| 8.3      | Screening and transport phenomena                         | 202        |
|          | <i>References and further reading</i>                     | 210        |
|          | <i>Exercises</i>                                          | 210        |

|                                                                |     |
|----------------------------------------------------------------|-----|
| <b>9 Neutrino emission from stars</b>                          | 212 |
| 9.1 The photon dispersion relations revisited                  | 213 |
| 9.2 Neutrino emission from photon decay                        | 217 |
| <i>References and further reading</i>                          | 221 |
| <i>Exercises</i>                                               | 221 |
| <br><b>10 Infrared problems at finite temperature</b>          | 222 |
| 10.1 Kinoshita–Lee–Nauenberg theorem in lepton pair production | 223 |
| 1 The two-loop approximation                                   | 225 |
| 2 Resummation and infrared safe processes                      | 227 |
| 10.2 Transverse gluons in the static limit                     | 229 |
| 1 The magnetic mass                                            | 229 |
| 2 Linde's problem                                              | 231 |
| 10.3 Soft photon production                                    | 232 |
| 10.4 Fermion damping rate                                      | 235 |
| <i>References and further reading</i>                          | 237 |
| <i>Exercises</i>                                               | 238 |
| <br><b>A Formulary</b>                                         | 239 |
| <br><b>B Operator formalism</b>                                | 244 |
| <i>References</i>                                              | 249 |
| <i>Index</i>                                                   | 254 |