

power systems

S. Obara

Fuel Cell Micro-grids



Springer

Contents

1	A Small-scale Fuel Cell Cogeneration System Considering Partial Load and Load Fluctuation	1
1.1	Introduction	1
1.2	System Configuration	2
1.2.1	System Outline	2
1.2.2	Energy Loss and Mass Loss	4
1.2.3	System Model and Equations	5
1.2.4	Partial Load Operation	7
1.3	Energy Balance and Objective Function	8
1.3.1	Energy Balance	8
1.3.2	Electric Heater Operation	9
1.3.3	Thermal Storage Operation	11
1.4	Energy Output Characteristics	11
1.4.1	System Operation Map	11
1.4.2	Load Fluctuation and Fuel Consumption	12
1.5	Case Study	14
1.5.1	System Outline	14
1.5.2	Results of the Operation Plan	14
1.5.3	Annual Operation Cost of the System	15
1.6	Conclusions	16
2	Equipment Arrangement Planning of a Fuel Cell Energy Network Optimized for Cost Minimization	17
2.1	Introduction	17
2.2	System Scheme	18
2.2.1	The Energy Network	18
2.2.2	Fuel Cell System	19
2.2.3	Heat Source Use Order	20
2.2.4	City Gas Reformer	20
2.2.5	Operation Model of the System	21

2.3	Amount of Heat Release of the Hot Water Piping Network (HWN).....	22
2.4	Energy Balance.....	24
2.4.1	The Balance of Power	24
2.4.2	The Balance of Heat.....	24
2.5	Cost Calculation and Objective Function	25
2.5.1	Cost Calculation.....	25
2.5.2	Objective Function.....	26
2.6	Analysis Method and Case Study	26
2.6.1	Optimization Using a Genetic Algorithm	26
2.6.2	Equipment Characteristics Model.....	27
2.6.3	Operation of the Heat Storage Tank and Boiler.....	29
2.6.4	Specification of Hot Water Piping and a Hot Water Circulating Pump	29
2.6.5	Analysis Flow	30
2.6.6	Analysis Conditions	32
2.7	Analysis Result.....	34
2.7.1	Operation Plan of the Fuel Cell and the Reformer.....	34
2.7.2	Amount of Hot Water Heat Release and the Hot Water Piping Route.....	36
2.7.3	Quantity of Flow of the Hot Water Circulating Pump	38
2.7.4	Operation of the Heat Storage Tank and the Boiler	39
2.7.5	Cost Analysis Results.....	40
2.7.6	Consideration of Analysis Accuracy.....	41
2.8	Conclusions	42

3	Effective Improvement in Generation Efficiency due to Partition Cooperation Management.....	43
3.1	Introduction	43
3.2	System Configuration.....	44
3.2.1	Scheme of the FC Micro-grid	44
3.2.2	System Configuration	45
3.2.3	Operating Method	46
3.3	Installation Planning of the FC Micro-grid.....	46
3.3.1	Generation Efficiency of the Micro-grid.....	46
3.3.2	The Power Demand Model	49
3.3.3	The Analysis Method	50
3.4	Case Study.....	51
3.5	Analysis Results and Discussion	52
3.5.1	Generation Efficiency of the Stand-alone System	52
3.5.2	Generation Efficiency of the Central System.....	54
3.5.3	Generation Efficiency of the Partition Cooperation System	54
3.6	Conclusions	59

4	Fuel Cell Network System Considering Reduction in Fuel Cell Capacity Using Load Leveling and Heat Release Loss.....	61
4.1	Introduction	61
4.2	Load Leveling and the Arrangement Plan of the Fuel Cell	62
4.2.1	The Fuel Cell Network System	62
4.2.2	Power Generation Characteristics of the Fuel Cell	63
4.2.3	Load Leveling Using Water Electrolysis	65
4.2.4	Distribution of the Fuel Cell	65
4.2.5	Energy Balance Equation.....	66
4.2.6	Operating Method of the System	68
4.3	Analysis Method.....	68
4.3.1	Procedure of Analysis	68
4.3.2	Solution Parameters	70
4.4	Case Study	71
4.4.1	Energy Demand Pattern and Network System	71
4.4.2	Reduction Effect of the Fuel Cell Facility Capacity	72
4.4.3	Route Planning Result of the Hot Water Piping.....	73
4.4.4	Result of the Fuel Cell Arrangement Plan	75
4.5	Conclusions	76
5	Equipment Plan of a Compound Interconnection Micro-grid Composed of Diesel Power Plants and a Fuel Cell.....	77
5.1	Introduction	77
5.2	Compound Interconnection Micro-grid	78
5.2.1	The Micro-grid Model	78
5.2.2	The CIM Model	80
5.2.3	Facility Scheme.....	80
5.2.4	The CIM Operating Method.....	82
5.3	Equipment Characteristics	82
5.3.1	Diesel Engine Power Generator	82
5.3.2	The Proton Exchange Membrane-type Fuel Cell	84
5.4	Analysis Method.....	84
5.4.1	Route Plan of the Compound Interconnection Grid	84
5.4.2	Analysis Flow	85
5.4.3	The Power Demand Model	86
5.5	Case Study	88
5.5.1	The Urban Area Model	88
5.5.2	Complex Community	89
5.5.3	The Residential Area Model	91
5.6	Conclusions	93

6	The Effective-use Method of Exhaust Heat for Distributed Fuel Cells	95
6.1	Introduction	95
6.2	Outline of the Fuel Cell Energy Network System	96
6.2.1	System Outline.....	96
6.2.2	The Path and the Amount of Heat Release from the Hot Water Piping.....	98
6.2.3	Heat Energy Balance.....	100
6.2.4	The Heat Release Amount for a Hot Water Network.....	101
6.3	Model of the Fuel Cell.....	102
6.3.1	Characteristics of Electric Power and Heat Output.....	102
6.3.2	Energy Demand Pattern and Capacity of the Fuel Cell....	103
6.4	Case Analysis	104
6.4.1	Weather Conditions in Sapporo	104
6.4.2	Analysis Method	105
6.5	Analysis Results	107
6.5.1	The Optimal Path and the Amount of Heat Release from a Hot Water Piping Network.....	107
6.5.2	Optimal Path of the Energy Demand Pattern and the Hot Water Piping.....	108
6.5.3	The Influence of Load Fluctuations	110
6.6	Conclusions	111
7	Load Response Characteristics of the Fuel Cell for Individual Cold-region Houses	113
7.1	Introduction	113
7.2	System Configuration.....	114
7.2.1	System Outline.....	114
7.2.2	Method of Power Generation.....	116
7.2.3	Method of Heat Supply	117
7.2.4	Controller and Auxiliary Machinery	117
7.2.5	Model of Operation Control.....	118
7.3	The Time Constant of Each Piece of Equipment.....	119
7.3.1	The Time Constant of the Fuel Cell Stack	120
7.3.2	Town Gas Reformer.....	123
7.3.3	Inverter and System Interconnection Device	124
7.3.4	The Time Constant of the Heat Pump.....	124
7.4	Analysis Method.....	125
7.5	Results and Discussion	126
7.5.1	Control Variables of the Controller.....	126
7.5.2	Step Response Characteristics of the System.....	128
7.5.3	Step Response Characteristics with Power Load Fluctuation.....	130
7.5.4	Application to an Individual Cold-region House	133
7.6	Conclusions	135

8	Load Response Characteristics of a Fuel Cell Micro-grid with Control of the Number of Units	137
8.1	Introduction	137
8.2	The Micro-grid Model	138
8.2.1	Power Quality of the Micro-grid.....	138
8.3	Response Characteristics of System Configuration Equipment	142
8.3.1	Generation Characteristics of the Engine Generator.....	142
8.3.2	Generation Characteristics of the Fuel Cell	143
8.3.3	Output Characteristics of the City Gas Reformer	144
8.3.4	Inverter and Interconnection Device	144
8.3.5	Generation Efficiency of the Fuel Cell System.....	144
8.4	Control Variables and Analysis Method.....	145
8.5	Load Response Characteristics of the Micro-grid	147
8.5.1	Step Response Characteristics.....	147
8.5.2	Application of the Electric Power Demand Pattern of a House	148
8.5.3	Generation Efficiency of the Fuel Cell	150
8.6	Conclusions	152
9	Dynamic Characteristics of a PEM-FC/ Woody Biomass Engine Hybrid Micro-grid	153
9.1	Introduction	153
9.2	System Scheme.....	154
9.2.1	The Hybrid Micro-grid.....	154
9.2.2	The Micro-grid System Operating Method.....	157
9.3	Control Response Characteristics of PEM-FC and SEG	157
9.3.1	The Control Block Diagram.....	157
9.3.2	Response Characteristics of PEM-FC	159
9.3.3	Response Characteristics of SEG.....	160
9.4	Results of Dynamic Characteristics Analysis of the PWHC Micro-grid	161
9.4.1	Power Response Characteristics of PWHC.....	161
9.4.2	Response Characteristics of SEG and the PEM-FC Micro-grid Using the Power Load Pattern for Houses.....	163
9.4.3	Response Characteristics of the PWHC Micro-grid Using the Power Load Pattern for Houses	165
9.5	Conclusions	167
10	A Fuel Cell and Hydrogenation Engine Hybrid System Considering Efficiency Improvement for Partial-load Operation.....	169
10.1	Introduction	169
10.2	System Scheme.....	170
10.2.1	The HCGS Model	170
10.2.2	Operation Method of the System	171

10.3	Equipment Characteristics	173
10.3.1	Output Characteristics of NEG	173
10.3.2	Output Characteristics of PEM-FC	177
10.4	Power and Heat Output Characteristics of HCGS	179
10.4.1	Output Characteristics of NEG and PEM-FC	179
10.4.2	Method Operating FC or NEG with the Threshold Value of the Load (OM-C).....	180
10.4.3	Operation Method Using PEM-FC Corresponding to a Base Load (OM-D)	181
10.5	Case Study	182
10.5.1	Power and Heat Demand Model	182
10.5.2	Analysis Method	183
10.6	Results and Discussion	184
10.6.1	City Gas Consumption	184
10.6.2	Generation Efficiency and Total Efficiency.....	185
10.6.3	Carbon Dioxide Emissions.....	186
10.6.4	Capacity of the Heat Storage Tank	187
10.7	Conclusions	188

11	CO₂ Discharged from a Compound Micro-grid of a Hydrogenation City Gas Engine and a Fuel Cell.....	189
11.1	Introduction	189
11.2	System Scheme.....	190
11.2.1	The IMPE Model	190
11.2.2	Operation Method of the Micro-grid.....	191
11.2.3	Equipment Scheme	191
11.3	Equipment Characteristics.....	193
11.3.1	Output Characteristics of the Gas Engine Power Generator	193
11.3.2	Carbon Dioxide Emissions of NEG	195
11.3.3	The PEM-FC System	196
11.4	Case Study	197
11.4.1	The Urban Area Model	197
11.4.2	The Power Demand Model	198
11.4.3	Analysis Flow	198
11.5	Results and Discussion	200
11.5.1	Power Load of the Micro-grid.....	200
11.5.2	Capacity of the Power Plant.....	202
11.5.3	Power Generation Efficiency	202
11.5.4	Carbon Dioxide Emissions.....	202
11.5.5	Heat Demand and Exhaust Heat Output	204
11.6	Conclusions	204

12	Development of a Fast Operation Algorithm of a Fuel Cell System with Solar Reforming	207
12.1	Introduction	207
12.2	System Configuration	208
12.2.1	The Fuel Cell System with Bioethanol Solar Reforming (FBSR)	208
12.2.2	Installation Method of FBSR	209
12.2.3	Control of Reformed Fuel	209
12.3	Energy and Mass Balance	210
12.3.1	Energy Balance	210
12.3.2	Mass Balance	210
12.4	Dynamic Operation Prediction of SRF	210
12.4.1	Analysis Procedure of the Operation Prediction Algorithm	210
12.4.2	Structure of the Neural Network	211
12.4.3	Learning Calculation	212
12.4.4	The Operation Prediction Process	214
12.5	Preparation of the Training Signal Using a GA	215
12.5.1	Dynamic Operation Plan of a Representative Day	215
12.5.2	Chromosome Model and Analysis Flow	216
12.5.3	System Operation	217
12.5.4	Objective Function and Adaptive Value	217
12.6	Case Study	218
12.6.1	Analysis System	218
12.6.2	Characteristics of the System	218
12.6.3	Analysis Condition	219
12.7	Results and Discussion	221
12.7.1	Energy Supply by FBSR	221
12.7.2	Analytic Accuracy of the Operation Prediction	222
12.7.3	Analysis Error of the Heat Storage Prediction	225
12.7.4	Relationship Between the Difference in Weather Characteristics and the Operation Prediction Error	227
12.8	Conclusions	230
13	Power Characteristics of a Fuel Cell Micro-grid with Wind Power Generation	231
13.1	Introduction	231
13.2	The Micro-grid Model	232
13.3	Response Characteristics of System Configuration Equipment	233
13.3.1	Power Generation Characteristics of the Fuel Cell	233
13.3.2	Output Characteristics of the City Gas Reformer	233
13.3.3	Power Generation Characteristics of Wind Power Generation	234
13.3.4	Generation Efficiency of the Fuel Cell System	235
13.3.5	Inverter and System Interconnection Device	236

13.4	Control Parameters and Analysis Method	237
13.5	Load Response Characteristics of the Micro-grid	238
13.5.1	Step Response	238
13.5.2	Load Response Characteristics of Cold-region Houses ...	239
13.5.3	Power Generation Efficiency	241
13.6	Conclusions	242
References		245
Index		251