
John Nolte

THE HUMAN BRAIN AN INTRODUCTION TO ITS FUNCTIONAL ANATOMY



A Student | CONSULT Title

Online + Print

MOSBY ELSEVIER SIXTH EDITION

Contents

Introduction to the Nervous System	1
The nervous system has central and peripheral parts, 1 The principal cellular elements of the nervous system are neurons and glial cells, 2	A CONTROL OF THE CONT
Development of the Nervous System	37
The neural tube and neural crest give rise to the central and peripheral nervous systems, 37 Adverse events during development can cause congenital malformations of the nervous system, 49	
Gross Anatomy and General Organization of the Central Nervous System	53
The long axis of the CNS bends at the cephalic flexure, 54 Hemisecting a brain reveals parts of the diencephalon, brainstem, and ventricular system, 54 Humans, relative to other animals, have large brains, 55 Named sulci and gyri cover the cerebral surface, 55 The diencephalon includes the thalamus and hypothalamus, 64 Most cranial nerves are attached to the brainstem, 65 The cerebellum includes a vermis and two hemispheres, 67 Sections of the cerebrum reveal the basal ganglia and limbic structures, 67 Parts of the nervous system are interconnected in systematic ways, 68	
Meningeal Coverings of the Brain and Spinal Cord	80
There are three meningeal layers: the dura mater, arachnoid, and pia mater, 80 The dura mater provides mechanical strength, 82 The dura mater has an arachnoid lining, 86 Pia mater covers the surface of the CNS, 90 The vertebral canal contains spinal epidural space, 91 Bleeding can open up potential meningeal spaces, 92 Parts of the CNS can herniate from one intracranial compartment into another, 93	
Ventricles and Cerebrospinal Fluid	99
The brain contains four ventricles, 99 Choroid plexus is the source of most CSF, 103 Imaging techniques allow both the CNS and CSF to be visualized, 110 Disruption of CSF circulation can cause hydrocephalus, 117	
Blood Supply of the Brain	122
The internal carotid arteries and vertebral arteries supply the brain, 122 Imaging techniques allow arteries and veins to be visualized, 132 Blood flow to the CNS is closely controlled, 132 A system of barriers partially separates the nervous system from the rest of the body, 140 Superficial and deep veins drain the brain, 141	tig i Tim turunung agun meneri tinang pagagagan

Inputs to neurons cause slow, local potential changes, 156	
Action potentials convey information over long distances, 159	
Appendix 7A: Resistors, Capacitors, and Neuronal Membranes, 173	
Appendix 7B: Calculating the Membrane Potential, 176	
Synaptic Transmission between Neurons	177
There are five steps in conventional chemical synaptic transmission, 178 Synaptic transmission can be rapid and point-to-point, or slow and often diffuse, 181	- المناسع من ويون المن من الم
Synaptic strength can be facilitated or depressed, 188 Most neurotransmitters are small amine molecules, amino acids, or neuropeptides, 190 Gap junctions mediate direct current flow from one neuron to another, 196	
Sensory Receptors and the Peripheral Nervous System	201
Receptors encode the nature, location, intensity, and duration of stimuli, 202 Somatosensory receptors detect mechanical, chemical, or thermal changes, 206	
Peripheral nerves convey information to and from the CNS, 221	
Spinal Cord	227
The spinal cord is segmented, 228	a memory entire character
All levels of the spinal cord have a similar cross-sectional structure, 232	
The spinal cord is involved in sensory processing, motor outflow, and reflexes, 233	
Spinal gray matter is regionally specialized, 234	
Reflex circuitry is built into the spinal cord, 238 Ascending and descending pathways have defined locations in the spinal white matter, 242	
The autonomic nervous system monitors and controls visceral activity, 252	
A longitudinal network of arteries supplies the spinal cord, 258	
Spinal cord damage causes predictable deficits, 259	
Organization of the Brainstem	266
The brainstem has conduit, cranial nerve, and integrative functions, 267	Course labour to believe
The medulla, pons, and midbrain have characteristic gross anatomical features, 268	
The internal structure of the brainstem reflects surface features and the position of long tracts, 271	
The reticular core of the brainstem is involved in multiple functions, 280	
Some brainstem nuclei have distinctive neurochemical signatures, 283 The brainstem is supplied by the vertebral-basilar system, 289	
Cranial Nerves and Their Nuclei	295
Cranial nerve nuclei have a generally predictable arrangement, 295	1
Cranial nerves III, IV, VI, and XII contain somatic motor fibers, 299	
Branchiomeric nerves contain axons from multiple categories, 305	
Brainstem damage commonly causes deficits on one side of the head and the opposite side of the body, 319	
The Chemical Senses of Taste and Smell	323
The perception of flavor involves gustatory, olfactory, trigeminal, and other inputs, 324 Taste is mediated by receptors in taste buds innervated by cranial nerves VII, IX, and X, 324	yes speed but for a feet fig. o
Olfaction is mediated by receptors that project directly to the telepocephalon 330	

149

Electrical Signaling by Neurons

Hearing and Balance: The Eighth Cranial Nerve	342
Auditory and vestibular receptor cells are located in the walls of the membranous labyrinth, 343 The cochlear division of the eighth nerve conveys information about sound, 349 The vestibular division of the eighth nerve conveys information about linear and angular acceleration of the head, 363	e
Atlas of the Human Brainstem	378
The Thalamus and Internal Capsule: Getting to and from the Cerebral Cortex	390
The diencephalon includes the epithalamus, subthalamus, hypothalamus, and thalamus, 391 The thalamus is the gateway to the cerebral cortex, 394 Interconnections between the cerebral cortex and subcortical structures travel through the internal capsule, 407	V rise commune co
The Visual System	415
The eye has three concentric tissue layers and a lens, 416 The retina contains five major neuronal cell types, 420 Retinal neurons translate patterns of light into patterns of contrast, 425 Half of the visual field of each eye is mapped systematically in the contralateral cerebral hemisphere, 437 Primary visual cortex sorts visual information and distributes it to other cortical areas, 448 Early experience has permanent effects on the visual system, 452 Reflex circuits adjust the size of the pupil and the focal length of the lens, 452	
Overview of Motor Systems	457
Each lower motor neuron innervates a group of muscle fibers, forming a motor unit, 457 Motor control systems involve both hierarchical and parallel connections, 461 The corticospinal tract has multiple origins and terminations, 464	etalegas en
Basal Ganglia	474
The basal ganglia include five major nuclei, 475 Basal ganglia circuitry involves multiple parallel loops that modulate cortical output, 479 Interconnections of the basal ganglia determine the pattern of their outputs, 480 Penetrating branches from the circle of Willis supply the basal ganglia, 486 Many basal ganglia disorders result in abnormalities of movement, 487	
Cerebellum	494
The cerebellum can be divided into both transverse and longitudinal zones, 495 All parts of the cerebellum share common organizational principles, 499 Cerebellar cortex receives multiple inputs, 507 Each longitudinal zone has a distinctive output, 513 Patterns of connections indicate the functions of longitudinal zones, 514 Clinical syndromes correspond to functional zones, 520	angganan salah in mengan kenalan salah
Control of Eye Movements	524
Six extraocular muscles move the eye in the orbit, 526 There are fast and slow conjugate eye movements, 529 Changes in object distance require vergence movements, 534	en e

The basal ganglia and cerebellum participate in eye movement control, 536

C	Cerebral Cortex	541
N T	Most cerebral cortex is neocortex, 542 Neocortical areas are specialized for different functions, 549 The corpus callosum unites the two cerebral hemispheres, 569 Consciousness and sleep are active processes, 571	
C	Orives and Emotions: The Hypothalamus and Limbic System	580
	The hypothalamus coordinates drive-related behaviors, 581 Limbic structures are interposed between the hypothalamus and neocortex, 594	
F	Formation, Modification, and Repair of Neuronal Connections	608
S	Both neurons and connections are produced in excess during development, 609 Synaptic connections are adjusted throughout life, 616 PNS repair is more effective than CNS repair, 628	
Ī	Atlas of the Human Forebrain	638
(Glossary	658
]	Index	691