

Alan H.S. Chan
Sio-long Ao
Editors

Advances in Industrial Engineering and Operations Research

Contents

| | |
|---------------------------------------------------------------------------------------------------|-----|
| Preface | v |
| Contributors | xxi |
| 1 A Comprehensive Movement Compatibility Study for Hong Kong Chinese | 1 |
| W.H. Chan and Alan H.S. Chan | |
| 1.1 Introduction | 1 |
| 1.2 Methods | 4 |
| 1.2.1 Experimental Design | 4 |
| 1.2.2 Subjects | 4 |
| 1.3 Results and Discussion | 4 |
| 1.3.1 Response Preference and Mean Stereotype Strength | 4 |
| 1.3.2 Reversibility | 7 |
| 1.3.3 Response Time | 8 |
| 1.4 Conclusion and Recommendations | 9 |
| References | 10 |
| 2 A Study of Comparative Design Satisfaction Between Culture and Modern Bamboo Chair | 13 |
| Vanchai Laemlaksaku and Sittichai Kaewkuekool | |
| 2.1 Introduction | 13 |
| 2.2 Methodology | 14 |
| 2.2.1 Design and Fabrication | 14 |
| 2.2.2 Sample Selection | 17 |
| 2.2.3 Questionnaire | 17 |
| 2.3 Results | 18 |
| 2.3.1 Dimensional Appropriateness of Chair | 18 |
| 2.3.2 Comfort Level of Chair | 21 |

| | | |
|----------|----------------------------------------------------------------------------------------------------------------------|-----------|
| 2.4 | Conclusions | 24 |
| 2.4.1 | Dimensional Appropriateness of the Chair | 24 |
| 2.4.2 | Comfort Level | 24 |
| 2.4.3 | Aesthetic Appeal of the Modern Bamboo Chair | 25 |
| 2.5 | Recommendations | 25 |
| | References | 25 |
| 3 | Factors Influencing Symbol-Training Effectiveness | 27 |
| | Annie W.Y. Ng and Alan H.S. Chan | |
| 3.1 | Introduction | 27 |
| 3.2 | Factors Influencing Symbol-Training Effectiveness | 28 |
| 3.2.1 | Training Method | 28 |
| 3.2.2 | Other Training Factors | 34 |
| 3.3 | Experimental Design and Analysis for Symbol-Training Effectiveness Research | 34 |
| 3.4 | <i>Conclusion</i> | 36 |
| | References | 36 |
| 4 | Multiple-Colony Ant Algorithm with Forward-Backward Scheduling Approach for Job-Shop Scheduling Problem | 39 |
| | Apinanthana Udomsakdigool and Voratas Kachitvichyanukul | |
| 4.1 | Introduction | 39 |
| 4.2 | Problem Definition and Graph-Based Representation | 40 |
| 4.2.1 | Problem Definition | 40 |
| 4.2.2 | Graph-Based Representation | 41 |
| 4.2.3 | The General Concept of ACO Algorithm | 42 |
| 4.2.4 | Memory Requirement for Ant and Colony | 43 |
| 4.2.5 | Hierarchical Cooperation in Multiple Colonies | 44 |
| 4.2.6 | <i>Backward Scheduling Approach</i> | 45 |
| 4.3 | Description of Algorithm | 46 |
| 4.3.1 | Initialize Pheromone and Parameter Setting | 47 |
| 4.3.2 | Local Improvement | 50 |
| 4.3.3 | Pheromone Updating | 51 |
| 4.3.4 | Restart Process | 53 |
| 4.4 | Experimental Results | 53 |
| 4.5 | Conclusion and Recommendation | 53 |
| 4.5.1 | Conclusion | 53 |
| 4.5.2 | Recommendation | 54 |
| | References | 54 |
| 5 | Proposal of New Paradigm for Hand and Foot Controls in the Context of Spatial Compatibility Effect | 57 |
| | Alan H.S. Chan and Ken W.L. Chan | |
| 5.1 | Introduction | 57 |
| 5.1.1 | Spatial Stimulus-Response (SR) Compatibility | 58 |

| | | |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 5.2 | Research Plan and Methodology | 59 |
| 5.3 | Experiment 1: Spatial SR Compatibility Effect of Foot Controls | 59 |
| 5.3.1 | Design | 59 |
| 5.4 | Experiment 2: Spatial SR Compatibility Effect of Hand and Foot Controls | 60 |
| 5.4.1 | Design | 61 |
| 5.5 | Experiment 3: Spatial SR Compatibility Effect of Hand and Foot Controls for Stimulus and Response Arrays on Orthogonal Planes | 61 |
| 5.5.1 | Design | 62 |
| 5.6 | Experiment 4: Spatial SR Compatibility Effect of Hand and Foot Controls for Stimulus and Response Arrays on Parallel and Orthogonal Planes | 62 |
| 5.6.1 | Design | 63 |
| 5.7 | Analysis | 64 |
| | References | 64 |
| 6 | Development of a Mathematical Model for Process with S-Type Quality Characteristics to a Quality Selection Problem | 67 |
| | K. Tahera, R.N. Ibrahim, and P.B. Lochert | |
| 6.1 | Introduction | 67 |
| 6.2 | Model Development | 69 |
| 6.3 | Genetic Algorithm | 74 |
| 6.3.1 | Genetic Representation | 75 |
| 6.3.2 | Population Size | 76 |
| 6.3.3 | Generating Initial Population | 76 |
| 6.3.4 | Fitness Function | 77 |
| 6.3.5 | Selection | 77 |
| 6.3.6 | Mating or Crossover | 77 |
| 6.3.7 | Mutation | 78 |
| 6.3.8 | Termination Criteria | 79 |
| 6.3.9 | Generic Algorithm Parameters | 79 |
| 6.4 | Numerical Example | 79 |
| 6.5 | Conclusions | 80 |
| | References | 80 |
| 7 | Temporal Aggregation and the Production Smoothing Model: Evidence from Electronic Parts and Components Manufacturing in Taiwan | 83 |
| | Chien-wen Shen | |
| 7.1 | Introduction | 83 |
| 7.2 | Literature Review | 84 |
| 7.3 | Model Specifications | 85 |

| | |
|-------------------------------------------------------------------------------|------------|
| 7.4 Empirical Results | 87 |
| 7.4.1 Tests of Production-Smoothing Hypotheses | 88 |
| 7.4.2 Model Analyses | 88 |
| 7.5 Conclusions | 93 |
| References | 94 |
| 8 Simulations of Gear Shaving and the Tooth Contact Analysis | 95 |
| Shinn-Liang Chang, Hung-Jeng Lin, Jia-Hung Liu, and Ching-Hua Hung | |
| 8.1 Introduction | 95 |
| 8.2 Mathematical Model of the Shaving Machine | 96 |
| 8.3 Tooth Contact Analysis of the Shaved Gear | 103 |
| 8.4 Longitudinal Tooth Crowning Introduced by Litvin | 105 |
| 8.5 Conclusion | 109 |
| References | 109 |
| 9 On Aggregative Methods of Supplier Assessment | 111 |
| Vladimír Modrák | |
| 9.1 Introduction | 111 |
| 9.2 Research Background and Motivation | 112 |
| 9.3 The Importance of Suppliers Assessment and Selection | 114 |
| 9.4 Alternative Techniques of Supplier Assessment | 116 |
| 9.4.1 Assessment of the Quality of Supplied Products | 117 |
| 9.4.2 Assessment by Adherence to Time Schedules | 117 |
| 9.4.3 Supplier Assessment with Respect to the Schedule of Quantity | 120 |
| 9.4.4 Aggregative Supplier Assessment | 123 |
| 9.5 Discussion and Closing Remarks | 124 |
| References | 124 |
| 10 Human Factors and Ergonomics for Nondestructive Testing | 127 |
| B.L. Luk and Alan H.S. Chan | |
| 10.1 Introduction | 127 |
| 10.2 Principles and Procedures | 128 |
| 10.2.1 Dye Penetrant Inspection | 128 |
| 10.2.2 Magnetic Particles Inspection | 129 |
| 10.2.3 Ultrasonic Inspection | 130 |
| 10.2.4 Eddy Current | 132 |
| 10.3 Human Abilities and Skills Required | 133 |
| 10.3.1 Perceptual and Cognitive Abilities | 133 |
| 10.3.2 Physical Strength | 135 |
| 10.3.3 Surface Preparation Technique | 135 |
| 10.4 Ergonomics, Safety, and Health Problems | 136 |
| 10.4.1 Illumination | 136 |

| | |
|-----------------------------------------------------------------------------------------------------------------|-----|
| 10.4.2 Working Posture | 136 |
| 10.4.3 Potential Chemical Hazards | 138 |
| 10.5 Conclusions and Recommendations | 140 |
| References | 141 |
| | |
| 11 A Novel Matrix Approach to Determine Makespan for Zero-Wait Batch Processes | 143 |
| Amir Shafeeq, M.I. Abdul Mutalib, K.A. Amminudin, and Ayyaz Muhammad | |
| 11.1 Introduction | 143 |
| 11.2 Batch Process | 144 |
| 11.2.1 Makespan for Single-Product Batch Processing | 145 |
| 11.2.2 Makespan for Multiproduct Batch Process | 146 |
| 11.3 The Matrix Method | 148 |
| 11.4 Application of the Matrix Method | 150 |
| 11.5 Conclusion | 152 |
| References | 153 |
| | |
| 12 Interactive Meta-Goal Programming: A Decision Analysis Approach for Collaborative Manufacturing | 155 |
| Hao W. Lin, Sev V. Nagalingam, and Grier C.I. Lin | |
| 12.1 Introduction | 155 |
| 12.2 Decision Making in Collaborative Manufacturing | 156 |
| 12.3 Interactive Meta-Goal Programming-Based Decision Analysis Framework | 157 |
| 12.3.1 Meta-Goals | 157 |
| 12.3.2 Interactive Process | 161 |
| 12.3.3 Interactive Meta-Goal Programming-Based Decision Analysis Workflow | 167 |
| 12.4 Example | 169 |
| 12.5 Conclusion | 171 |
| References | 172 |
| | |
| 13 Nonlinear Programming Based on Particle Swarm Optimization | 173 |
| Takeshi Matsui, Kosuke Kato, Masatoshi Sakawa, Takeshi Uno, and Kenji Morihara | |
| 13.1 Introduction | 173 |
| 13.2 Nonlinear Programming Problem | 174 |
| 13.3 Particle Swarm Optimization | 174 |
| 13.4 Improvement of Particle Swarm Optimization | 175 |
| 13.4.1 Generation of Initial Search Positions of Particles | 176 |
| 13.4.2 Modified Move Schemes of a Particle | 176 |
| 13.4.3 Division of the Swarm into Two Subswarms | 177 |
| 13.4.4 Secession | 178 |

| | |
|------------------------------------------------------------------------|-----|
| 13.4.5 Multiple Stretching Technique | 179 |
| 13.4.6 The Procedure of Revised PSO | 180 |
| 13.5 Numerical Example | 181 |
| 13.6 Conclusions | 183 |
| References | 183 |
| 14 A Heuristic for the Capacitated Single Allocation | |
| Hub Location Problem | 185 |
| Jeng-Fung Chen | |
| 14.1 Introduction | 185 |
| 14.2 Previous Related Studies | 186 |
| 14.3 A Model | 187 |
| 14.4 Heuristic | 188 |
| 14.4.1 Determining the Number of Hubs | 188 |
| 14.4.2 Selecting Hub Locations | 189 |
| 14.4.3 Allocating Nonhubs To Hubs | 189 |
| 14.4.4 Heuristic SATLCHLP | 190 |
| 14.5 Computational Results | 190 |
| 14.5.1 Australia Post Data Set | 191 |
| 14.5.2 Results | 191 |
| 14.6 Conclusions and Suggestions for Future Research | 194 |
| References | 195 |
| 15 Multimodal Transport: A Framework for Analysis | 197 |
| Mark K.H. Goh, Robert DeSouza, Miti Garg, Sumeet Gupta, and Luo Lei | |
| 15.1 Introduction | 197 |
| 15.2 Literature Review | 199 |
| 15.3 Theoretical Framework | 200 |
| 15.4 Research Methodology | 201 |
| 15.5 Case Study | 202 |
| 15.5.1 Railways | 203 |
| 15.5.2 Road | 203 |
| 15.5.3 Maritime | 203 |
| 15.5.4 Multimodal | 204 |
| 15.6 Future Directions for Research | 207 |
| References | 208 |
| 16 Fractional Matchings of Graphs | 209 |
| Jiguo Yu and Baoxiang Cao | |
| 16.1 Terminology and Notation | 209 |
| 16.2 Basic Results on Fractional Matching | 210 |
| 16.3 Fractional Factor-Critical Graph | 211 |
| 16.4 Fractional Deleted Graphs | 215 |
| 16.5 Fractional Covered Graphs | 217 |
| 16.6 Fractional Extendable Graph | 220 |

| | |
|----------------------------------------------------------------------------------------------------|-----|
| 16.7 Conclusion | 224 |
| References | 224 |
| 17 Correlation Functions for Dynamic Load Balancing of Cycle Shops | 227 |
| Claudia Fiedler and Wolfgang Meyer | |
| 17.1 Problem Statement | 227 |
| 17.2 Load-Balancing Systems: State of the Art | 229 |
| 17.3 Process Plan and Resource Model | 230 |
| 17.4 Theory of Correlation Scheduling | 232 |
| 17.4.1 Two Processes Being Sent to the Plant | 232 |
| 17.4.2 Three Processes Being Sent to the Plant | 233 |
| 17.4.3 Generalization to n Processes | 233 |
| 17.5 Dynamic Scheduling | 234 |
| 17.5.1 Collision Functions | 234 |
| 17.5.2 Scheduling Procedure | 235 |
| 17.6 Load Balancing | 237 |
| 17.6.1 Load Balancing at System Level | 237 |
| 17.6.2 Load Balancing at Subsystem Level | 238 |
| 17.7 Conclusion | 242 |
| References | 243 |
| 18 Neural Network-Based Integral Sliding Mode Control for Nonlinear Uncertain Systems | 245 |
| S.W. Wang and D.L. Yu | |
| 18.1 Introduction | 245 |
| 18.1.1 Sliding Mode Control | 245 |
| 18.1.2 Integral Sliding Mode Control | 246 |
| 18.1.3 Radial Basis Function Neural Network Approximation | 246 |
| 18.2 Problem Statement | 247 |
| 18.3 New Integral Sliding Surface | 248 |
| 18.4 Sliding Mode Control Law | 253 |
| 18.5 Numerical Example | 254 |
| 18.6 Conclusions | 256 |
| References | 256 |
| 19 Decentralized Neuro-Fuzzy Control of a Class of Nonlinear Systems | 259 |
| Miguel A. Hernández and Yu Tang | |
| 19.1 Introduction | 259 |
| 19.2 Problem Statement | 260 |
| 19.3 Recurrent Neuro-fuzzy Networks | 262 |
| 19.4 Design of the Decentralized Control | 263 |
| 19.4.1 Control Law | 263 |
| 19.4.2 Stability Analysis | 264 |
| 19.5 Output Feedback | 269 |

| | |
|---------------------------------------------------------------------------------------------------------------------|-----|
| 19.6 Experimental Results | 269 |
| 19.7 Conclusions | 272 |
| References | 273 |
| 20 A New Training Algorithm of Adaptive Fuzzy Control for Chaotic Dynamic Systems | 275 |
| Chun-Fei Hsu, Bore-Kuen Lee, and Tsu-Tian Lee | |
| 20.1 Introduction | 275 |
| 20.2 Problem Formulation | 277 |
| 20.3 Design of AFC with PID-Type Learning Algorithm | 278 |
| 20.3.1 Approximation of Fuzzy System | 278 |
| 20.3.2 Design of PID-AFC | 279 |
| 20.3.3 Design of PID-AFC with Bound Estimation | 281 |
| 20.4 Simulation Results | 284 |
| 20.5 Conclusions | 287 |
| References | 289 |
| 21 General-Purpose Simulation Management for Satellite Navigation Signal Simulation | 291 |
| Ge Li, Xinyu Yao, and Kedi Huang | |
| 21.1 Introduction | 291 |
| 21.2 The Real-Time Application Requirements | 292 |
| 21.2.1 Requirements for the Simulation Architecture | 292 |
| 21.2.2 Requirements of the Real-Time Calculation for the High-Fidelity Model | 292 |
| 21.2.3 Requirements of the Data Communication for Different Layers | 293 |
| 21.2.4 Requirements of the Real-Time Simulation Engine | 293 |
| 21.3 A General-Purpose Architecture for Satellite Navigation Signal Simulation | 293 |
| 21.4 General-Purpose Real-Time Distributed Simulation Managements | 295 |
| 21.4.1 Experiment Design and Management Techniques | 295 |
| 21.4.2 Simulation Database Techniques | 296 |
| 21.4.3 Simulation Management Techniques | 297 |
| 21.4.4 System Scalability Realization | 298 |
| 21.5 Conclusions | 298 |
| References | 299 |
| 22 Multilayered Quality-of-Service Architecture with Cross-layer Coordination for Teleoperation System | 301 |
| X.U. Lei and L.I. Guo-dong | |
| 22.1 Introduction | 301 |
| 22.2 Network Performance Parameters Analysis | 302 |
| 22.3 Architectural Framework | 303 |

| | | |
|-----------|----------------------------------------------------------------------------------------------------------------------------|------------|
| 22.4 | Communication Network QoS Enhancement | 305 |
| 22.4.1 | Network Layer QoS Optimization | 305 |
| 22.4.2 | Data Link Layer QoS Optimization | 306 |
| 22.5 | Resource Network QoS Enhancement | 307 |
| 22.5.1 | Transport Layer QoS Optimization | 307 |
| 22.5.2 | Presentation Layer QoS Enhancing | 308 |
| 22.5.3 | Session Layer QoS Supervision | 309 |
| 22.5.4 | Application Layer QoS | 309 |
| 22.6 | Cross-layer Coordination and Adaptation | 309 |
| 22.7 | Application Scenarios | 311 |
| 22.8 | Conclusion | 313 |
| | References | 313 |
| 23 | Improvement of State Estimation for Systems with Chaotic Noise | 315 |
| | Pitikhate Sooraksa and Prakob Jandaeng | |
| 23.1 | Introduction | 315 |
| 23.2 | Improvement of Adaptive Kalman Filtering | 316 |
| 23.3 | Results | 319 |
| 23.3.1 | Model | 319 |
| 23.3.2 | Computer Simulation | 319 |
| 23.4 | Conclusion | 325 |
| | References | 325 |
| 24 | Combined Sensitivity–Complementary Sensitivity Min–Max Approach for Load Disturbance–Setpoint Tradeoff Design | 327 |
| | Ramon Vilanova and Orlando Arrieta | |
| 24.1 | Introduction | 327 |
| 24.2 | Problem Formulation | 328 |
| 24.2.1 | PID Controller | 329 |
| 24.2.2 | Process Model | 329 |
| 24.2.3 | Design Problem Formulation | 329 |
| 24.3 | Solution to the Optimal Approximation Problem | 331 |
| 24.4 | Step Response Tuning | 333 |
| 24.5 | Disturbance Attenuation Tuning | 335 |
| 24.6 | Example | 336 |
| 24.7 | <i>Trade-off</i> Tuning | 338 |
| 24.8 | Conclusions | 342 |
| | References | 342 |
| 25 | Nonlinear Adaptive Sliding Mode Control for a Rotary Inverted Pendulum | 345 |
| | Yanliang Zhang, Wei Tech Ang, Jiong Jin, Shudong Zhang, and Zhihong Man | |
| 25.1 | Introduction | 345 |

| | | |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------|------------|
| 25.2 | Background | 346 |
| 25.2.1 | Mathematical Model of System | 346 |
| 25.2.2 | Sliding Mode Control | 347 |
| 25.2.3 | Adaptive Control | 348 |
| 25.3 | Sliding Mode Control: Design and Simulation | 348 |
| 25.3.1 | Linear Sliding Mode Control | 348 |
| 25.3.2 | Nonlinear Sliding Mode Control | 350 |
| 25.4 | Nonlinear Adaptive Sliding Mode Control Design and Simulation | 353 |
| 25.4.1 | System Parameters | 353 |
| 25.4.2 | Parameter Selection | 356 |
| 25.5 | Experimental Results | 357 |
| 25.6 | Conclusion | 359 |
| | References | 359 |
| 26 | Robust Load Frequency Sliding Mode Control Based on Uncertainty and Disturbance Estimator | 361 |
| | P.D. Shendge, B.M. Patre, and S.B. Phadke | |
| 26.1 | Introduction | 361 |
| 26.2 | Dynamic Model for Load Frequency Control | 362 |
| 26.3 | Model Following and UDE-Based Control Law | 364 |
| 26.4 | Design of Control | 364 |
| 26.4.1 | Uncertainty and Disturbance Estimation with First-Order Filter | 366 |
| 26.4.2 | Uncertainty and Disturbance Estimation with Second-Order Filter | 366 |
| 26.4.3 | Uncertainty and Disturbance Estimation with n th-Order Filter | 367 |
| 26.5 | Model Following and UDE Based LFC | 368 |
| 26.6 | Results | 370 |
| 26.7 | Conclusion | 373 |
| | References | 373 |
| 27 | Robust Intelligent Motion Control for Linear Piezoelectric Ceramic Motor System Using Self-constructing Neural Network . . . | 375 |
| | Chun-Fei Hsu, Bore-Kuen Lee, and Tsu-Tian Lee | |
| 27.1 | Introduction | 375 |
| 27.2 | Problem Formulation | 377 |
| 27.3 | Robust Intelligent Motion Controller Design | 378 |
| 27.3.1 | Description of SCNN | 379 |
| 27.3.2 | Approximation of SCNN | 381 |
| 27.3.3 | Design of RIMC | 382 |
| 27.4 | Experimental Results | 384 |
| 27.5 | Conclusions | 388 |
| | References | 390 |

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 28 Development of Hybrid Magnetic Bearings System for Axial-Flow Blood Pump | 391 |
| Lim Tau Meng and Cheng Shanbao | |
| 28.1 Introduction | 391 |
| 28.2 Design of Axial-flow Blood Pump | 392 |
| 28.3 Principles of Magnetic Bearings | 394 |
| 28.4 Principles of Lorentz-type Motor | 394 |
| 28.5 Control of the HMBs System | 396 |
| 28.6 Performance of the HMBs System | 397 |
| 28.7 Conclusions and Future Work | 399 |
| References | 399 |
| | |
| 29 Critical Angle for Optimal Correlation Assignment to Control Memory and Computational Load Requirements in a Densely Populated Target Environment | 401 |
| D.M. Akbar Hussain and Zaki Ahmed | |
| 29.1 Introduction | 402 |
| 29.2 Critical Angle Representation | 402 |
| 29.3 Motion Model Consideration | 404 |
| 29.4 Implementation | 406 |
| 29.5 Performance Parameter | 407 |
| 29.6 Simulation Results | 408 |
| 29.7 Conclusion | 412 |
| References | 413 |
| | |
| 30 High-Precision Finite Difference Method Calculations of Electrostatic Potential | 415 |
| David Edwards, Jr. | |
| 30.1 Introduction | 415 |
| 30.1.1 Historical Development 1970–2007 | 415 |
| 30.1.2 Brief Description of the Process | 416 |
| 30.2 Construction of Order-10 Algorithm for General Mesh Points and the Definition of the grad6 Function | 417 |
| 30.3 Properties of the grad6 Function and the Definition of the Maximum-Error Function | 419 |
| 30.4 Comparison of Different Algorithms for the Two-Tube Zero-Gap Lens | 423 |
| 30.5 Application to Region Construction | 425 |
| 30.6 Dependence of Algorithm Precision upon the Set of Surrounding Points | 426 |
| 30.7 Notes of Caution | 428 |
| 30.8 Summary and Conclusion | 430 |
| Appendix A | 431 |
| References | 432 |

| | |
|-------------------------------------------------------------------------------------------------------------------|-----|
| 31 Newton–Tau Method | 433 |
| Karim Ivaz and Bahram Sadigh Mostahkam | |
| 31.1 Introduction | 433 |
| 31.2 Solving Nonlinear Fredholm Integral Equation | 433 |
| 31.2.1 Formulation of the Problem | 433 |
| 31.2.2 Application of the Newton Method | 434 |
| 31.2.3 Application of the Tau Method | 435 |
| 31.2.4 Numerical Examples | 436 |
| 31.3 Solving a System of Nonlinear Integral Equations | 438 |
| 31.3.1 Formulation of the Problem | 438 |
| 31.3.2 Application of the Newton Method to SNFIE | 440 |
| 31.3.3 The Tau Method Applied to (8) | 441 |
| 31.3.4 Numerical Examples | 443 |
| 31.4 Solving Nonlinear Integro-Differential Equation | 445 |
| 31.4.1 Formulation of the Problem | 445 |
| 31.4.2 Application of the Newton Method | 447 |
| 31.4.3 Application of the Tau Method | 448 |
| 31.4.4 Numerical Examples | 451 |
| References | 452 |
| | |
| 32 Reconfigurable Hardware Implementation of the Successive Overrelaxation Method | 453 |
| Safaa J. Kasbah, Ramzi A. Haraty, and Issam W. Damaj | |
| 32.1 Introduction | 453 |
| 32.2 Description of the Algorithm | 455 |
| 32.3 Reconfigurable Computing | 455 |
| 32.3.1 Hardware Compilation | 456 |
| 32.3.2 Handel-C Language | 457 |
| 32.4 Hardware Implementation of SOR | 459 |
| 32.5 Experimental Results | 462 |
| 32.6 Conclusion | 464 |
| References | 464 |
| | |
| 33 Tabu Search Algorithm Based on Strategic Oscillation for Nonlinear Minimum Spanning Tree Problems | 467 |
| Hideki Katagiri, Masatoshi Sakawa, Kosuke Kato, Ichiro Nishizaki, Takeshi Uno, and Tomohiro Hayashida | |
| 33.1 Introduction | 467 |
| 33.2 Problem Formulation | 468 |
| 33.3 Summary of Tabu Search | 469 |
| 33.4 Tabu Search Algorithm Based on Strategic Oscillation for Nonlinear MST Problems | 469 |
| 33.4.1 Initial Solution | 470 |
| 33.4.2 Neighborhood Structure and Local Search | 471 |
| 33.4.3 Tabu List and Aspiration Criterion | 471 |

| | |
|------------------------------------------------------------------------------------------------------------|------------|
| 33.4.4 Strategic Oscillation | 471 |
| 33.4.5 Diversification | 472 |
| 33.5 Numerical Experiment | 472 |
| 33.6 Conclusion | 475 |
| References | 475 |
| 34 Customization of Visual Lobe Measurement System for Testing the Effects of Foveal Load | 477 |
| Cathy H.Y. Chiu and Alan H.S. Chan | |
| 34.1 Introduction | 477 |
| 34.2 Design | 480 |
| 34.2.1 Additional Features | 480 |
| 34.2.2 Stimuli | 481 |
| 34.2.3 Software | 483 |
| 34.2.4 Apparatus | 483 |
| 34.2.5 Output | 483 |
| 34.3 Conclusion | 484 |
| References | 485 |
| Index | 487 |