

Geometric Dimensioning and Tolerancing

Applications, Analysis & Measurement

[per ASME Y14.5-2009]



James D. Meadows

Table of Contents

<u>Chapter Number</u>	<u>Chapter Title</u>	<u>Pages</u>
1	Symbols, Rules, Charts	1
	-Geometric Characteristics	2
	-Symbols	3
	-New Symbols	5
	-Old Symbols, New Meanings	5
	-Charts-Food Chains of Symbology	6
	-A Few Basic Definitions, Formulas and Guidelines	8
	-New Rule Regarding the Use of Regardless of Feature Size	10
	-Maximum Material Boundary, Least Material Boundary and Regardless of Material Boundary	10
	-Actual Minimum Material Envelope vs. Actual Mating Envelope	11
	-Flatness of the Derived Median Plane	12
	-Types of Controls	13
	-Tolerances	13
	-General Rules for Tolerances	15
2	Selecting a Tolerancing Approach	20
	-Datums and Datum Features	21
	-Defining, Tolerancing and Qualifying Datum Features	23
	-Fixed Fastener Assembly Tolerancing Formula	24
	-Simultaneous Requirement Rule	25
	-Reading a Feature Control Frame	28
3	Datum Feature Simulators	29
	-Datum Feature Simulators: Physical and Imaginary	30
	-Fixtures, Gages and Virtual Condition Boundaries	31
4	Boundaries and Material Condition Symbols, MMC, LMC & RFS	35
	-Dimensioning and Tolerancing Overview	36
	-Rule #1: Size Tolerance and Form Tolerance are Interdependent	37
	-Exceptions to Rule #1	38
	-New Principle of Independency Symbol	38
	-GO Gages	40
	-Brief Comparison of Concentricity, Circular Runout, Total Runout and Position Tolerancing	42
	-Introduction of Orientation on Mating Parts	42
	-Material Condition Symbols and Concepts Explained	45
	-Regardless of Feature Size	45
	-Least Material Condition	48
	-Maximum Material Condition	49
	-Inner and Outer Boundary Calculations	50

5	Major Concepts of Geometric Dimensioning and Tolerancing	58
	-Converting from Plus and Minus Tolerance to Geometric Tolerance	58
	-Position	63
	-Profile	64
	-Selecting Datum Features	64
	-Size Tolerance Controls Form Tolerance (Rule #1), GO Gages	66
	-Flatness	67
	-Perpendicularity	68
	-Mating Part Tolerancing	71
	-Reading the Feature Control Frames as a Language	74
	-Functional Gages	74
	-Calculating Inner and Outer Boundaries	75
	-Virtual Condition	75
	-Resultant Condition	75
	-Practical Absolute Gage Tolerancing	76
	-Bonus Tolerancing Formulas	78
	-Allowed vs. Actual Deviation from True Position Calculations	82
	-Conversion Chart Inches	84
	-Conversion Chart Millimeters	85
	-Tolerance Zone vs. Boundary Verification	88
	-Another Difference between Bonus Tolerance (Growth) and Datum Shift (Movement) of Tolerance Zones	89
6	Form	93
	-Flatness	95
	-Straightness	100
	-Cylindricity	109
	-Circularity (Roundness)	113
	-Spherical Diameters Controlled with Circularity	118
	-Average Dimensions	119
7	Orientation	120
	-Parallelism	122
	-Parallelism of a Tangent Plane	128
	-Perpendicularity	129
	-Angularity	136
	-Angularity of a Tangent Plane	138
	-Angularity as a Refinement of Position	140
	-Shifting vs. Growing Tolerance Zones	142
8	Profile	146
	-Profile of a Surface	147
	-New Symbol for Unequal or Unilateral Profile Tolerancing	151
	-Profile of a Line	160
	-The Power and Versatility of Profile (Mating Parts)	163

-Tolerancing Mating Part Profiles	163
-Composite Profile	168
-Composite vs. Two Single Segment Profile Controls	173
-Profiling Patterns of Features Using 3 Levels of Profile Tolerances	176
-Coplanarity	177
-Continuous Feature of Size Symbol	177
-Dimension Origin Symbol	180
-Locating Offset Surface with Profile of a Surface	184
-Conicity	187
9 Runout	191
-Circular Runout	192
-Total Runout	195
-Comparison of Perpendicularity and Total Runout on a Planar Surface	203
10 Concentricity and Symmetry	207
-Concentricity	208
-Comparison of Coaxiality Controls	210
-Symmetry	215
11 Datums	217
-How They are Selected and What They Mean	219
-Specifying Degrees of Freedom	223
-Datum Feature Simulation	224
-Designating Degrees of Freedom on the Part Drawing	227
-Establishing a Valid Datum Plane	232
-Effects of Differing Datum Precedence on Part Acceptance	237
-Curved Surface as a Datum Feature	238
-Conical Datum Features	239
-Datum Feature Pattern Referenced Regardless of Material Boundary	240
-Inclined Datum Feature	241
-Constant Cross-Sections and Complex Datum Features	242
-Specifying Degrees of Freedom in the Feature Control Frame	243
-Multiple Datum Reference Frame Identification	245
-Correct Material Boundary Size Specified Next to the Datum Feature	246
-Correct Material Boundary Calculations	247
-Using the Translation Modifier	248
-Basic or BSC Spelled Out in a Feature Control Frame	250
-Planar Datum Feature Simulated at Regardless of Material Boundary (RMB)	252
-Planar Datum Feature Simulated at Maximum Material Boundary (MMB)	253
-Offset Datum Features of Size Simulated at RMB and MMB	255
-Profiled Datum Features Simulated at RMB and MMB	256
-Irregular Datum Features of Size	263
12 Centerplane Datums	264
-An Overview	265

-Centerplane Datums on Mating Parts in a Fixed Fastener Assembly	267
13 Position with Fixed Fastener Assemblies and Projected Tolerance Zones	279
-Tolerancing Mating Parts in a Fixed Fastener Assembly	280
-Projected Tolerance Zones and How they are Measured	286
-Datum Feature Shift/Pattern Shift	289
-Alternate Method Using Chain Lines to Show Projected Tolerance Zones	292
-Calculating Clearance Hole Sizes Needed Without Projected Tolerance Zones	293
14 Tolerancing Mating Parts in a Floating Fastener Assembly	294
-Floating Fastener Assembly Condition (Radial Hole Patterns)	295
-Assigning Datum Features to Mating Parts with Radial Hole Patterns	296
-Calculating Position Tolerance	298
-Two Single Segment Position Tolerancing	300
-Calculating Minimum Wall Thicknesses	301
-Accumulative Datum Shift on Mating Parts in an Assembly	303
-Tolerance Zones and Their Movement with Two Single Segment Position	304
15 Direct vs. Indirect Relationships	305
-Overview	306
-Tolerancing Mating Parts Holding Function Directly and Indirectly	308
-Switching Datums in Mid-Stream	311
-Unique Effects of Utilizing the LMC and LMB Concepts	311
-Wall Thickness Calculations	314
16 Datum Targets	321
-Flexible Parts, Datum Targets and Partial Datum Features	322
-Sheet Metal Panels and GD&T Sheets	327
-Equalizing Datums	329
-Moveable Targets, Finding the Datum Planes and Fixturing	333
-Datum Target Symbols for Spherical Diameters	335
-Centerplane Datums	336
-Spherical Tolerance Zones	337
17 Datum Feature Scheme Choices	338
-Datum Feature Patterns and Profile	339
-Simultaneous Requirements	342
-Compound Datum Features of Size	345
-Secondary and Tertiary Datum Features of Size	347
-Finished Machining Requirements for a Cast Part	350
18 Flexible Parts	352
-Flexible Parts and Inspecting Them in the Way They Work	353
-Temporary Datum Features	354
-Common Misconceptions	355
-Free State Variation in Sheet Metal Parts	356

-Specifying Restrained State Inspection	358
-Fixturing Sheet Metal Parts	359
-Profile ALL OVER Controls and What They Mean	363
19 Position Boundary Concept	366
-Position Boundary	367
-Elongated Holes	367
-Functional Gages and Virtual Condition Boundaries	370
-Tolerancing Hoses, Pipes and Tubing with Positional Boundary	371
-Tolerancing Oddly Configured Features with Positional Boundary	373
-Oddly Configured Datum Features and How to Represent them in Gages	374
-Tolerance Zones vs. Boundary Concept Explanation	376
-Rectangular Tolerance Zones for Round Holes	378
-Bi-directional Position Tolerancing, Polar Coordinate Method	379
20 Why Use GD&T	381
-Multiple Interpretations of Simple Plus and Minus Tolerances	383
-Converting from Plus and Minus to Composite Position Tolerancing	386
-Calculating the Position Tolerance for a Composite Position Control	387
-Minimum Wall Thickness Calculation for Composite Position Tolerances	391
-Composite Tolerancing for Coaxial Hole Patterns	393
-Minimum Wall Thickness Calculations for Coaxial Hole Patterns	393
-Composite Position Tolerancing with 3 Levels of Control	396
-Differentiating Between Features of Similar Size and Shape	397
21 Composite vs. Two Single Segment Positional Tolerancing	398
-Composite vs. Two Single Segment Positional Tolerancing	399
-Similarities	401
-Differences	402
-One Level Tolerancing vs. Composite Tol. and Simultaneous Requirements	405
-Two Single Segment Position Controls	411
-Refining Geometric Controls to be More Cost Effective	414
22 Dimensioning and Tolerancing of Gages	423
-Dimensioning and Tolerancing of Gages per ASME Y14.43-2003	424
-GO Gages	424
-NOGO Gages	426
-Functional Gages	427
-Calculating to Determine Good Parts Rejected or Bad Parts Accepted	430
-Steps in the Development of a Dimensional Inspection Plan	436
23 Tolerance Stack-Up Analysis	442
-Tolerance Stack-Up Analysis for a Fixed Fastener Assembly	443
-Rules	444
-Calculating Gaps; Working the Route	445
-Calculating Inner and Outer Boundary Means and Their Tolerances	448

-Calculating Statistical Tolerancing	451
-Root Sum Squares	451
-Bender Factor	457
-Reintegrating the Statistical Tolerancing into the Assembly	458
-A Simpler Way to Reintegrate the Statistical Tolerance	461
-More Statistical Formulas and Symbols	462
-Glossary of Statistical Terms	464
24 How to be Specific in Calculating and Specifying Statistical Requirements for Size and Geometric Tolerancing	466
-Some Useful Definitions When Geometric Tolerances are Used	469
-Symbolology for SPC Formulas	471
-Arithmetic Mean; Normal Distribution of Tolerance and the Standard Deviation; Statistical Probability for Tolerance Stack-Up Analysis for Positional Geometric Tolerances	474
-Calculating a Standard Deviation	476
-Predicting the Amount of Tolerance to be Consumed by Manufacturing	477
-Charts and Tables	478
25 Tolerance Stack-Up Analysis in a 5-Part Assembly	481
-Determining a MIN GAP in a Rotating Assembly	482
-Factors vs. Non-factors	483
-Alignment	485
-Dealing with Threaded Features	486
-Calculating the Pertinent Numbers	490
-Simplifying the Assembly Drawing	491
-Creating a Line Graph with Numbers to Calculate the Minimum Clearance	492
-Adding the Negative and Positive Designations	492
-Wall Thickness Calculations and Choosing the Pertinent Tolerances	493
-Single Part Analysis	496
-Using Profile Tol. and Separate Requirements for Accumulated Error	499
26 Tolerance Stack-Up Created during Manufacture due to Changing Set Ups	502
-Where the Tolerance Accumulation Comes From	503
-Proportions and Trigonometry	504
27 GD&T as a Language	507
-To Properly Read a Drawing	508
-Reading the Feature Control Frames as Sentences	512
-Profile	513
-Tolerance Zones and Pattern Shift Zones	513
-Reading Two Single Segment Controls	514
-Using Gages to Visualize a Geometric Tolerance's Meaning	517
-Reading a GD&T Sheet	526
-Optional Tolerancing Approaches for Similar Results	529
-Gears	530

-Pattern Shift, Where it Comes From and How it Effects the Workpiece	532
-Bonus Tolerance, Virtual Condition and Zero Positional Tolerances	535
-Threads, Gears and Splines	536
-Sequential Tolerancing Using the Simultaneous Requirement Rule	537
28 Definitions	539
Index	568
Bibliography	573
Other GD&T Course Materials Written by James D. Meadows	574