

SECOND EDITION



Architect's Handbook of
**Construction
Detailing**

David Kent Ballast, FAIA, CSI

CONTENTS

List of Tables xi

Preface xiii

Acknowledgments xv

Introduction xvii

How SI Units Are Used in this Book xix

Abbreviations xxi

1 CONCRETE DETAILS_____ **1**

1-1 Concrete Slab-on-Grade Tolerances 03 05 03 1

1-2 Cast-in-Place Concrete Sectional Tolerances 03 05 04 4

1-3 Cast-in-Place Concrete Plan Tolerances 03 05 05 5

1-4 Waterstops 03 15 13 7

1-5 Slab-on-Grade Control Joint 03 30 07 9

1-6 Slab-on-Grade Isolation Joint 03 30 08 12

1-7 Slab-on-Grade Construction Joint 03 30 09 14

1-8 Cast-in-Place Concrete Wall with Insulation 03 30 53 16

1-9 Architectural Concrete 03 30 00 19

1-10 Precast Concrete Spandrel with Insulation 03 40 01 22

1-11 *Precast Concrete Beam and Double Tee Tolerances* 04 41 00 25

1-12 Autoclaved Aerated Concrete Panels 04 22 23.1 27

1-13 Architectural Precast Concrete Panel Tolerances 03 45 13 30

1-14 Architectural Precast Panel Size and Configuration 03 45 14 32

1-15 Architectural Precast Concrete Forming 03 45 15 34

1-16 Architectural Precast Corners 03 45 16 36

1-17 Architectural Precast Joints 03 45 17 39

1-18 Architectural Precast Weathering Details 03 45 18 40

1-19 Architectural Precast Panel Connections 03 45 19 42

1-20 Architectural Precast Spandrel Panels 03 45 20 44

1-21 Architectural Precast Parapet 03 45 21 45

1-22 Cast-in-Place/Precast Connection 03 45 90 47

1-23 Precast Floor/Beam Erection Tolerances 03 45 91 49

1-24 Glass Fiber Reinforced Concrete Panels 03 49 00 51

2 MASONRY DETAILS_____ **55**

2-1 Vertical Concrete Masonry Expansion Joint 04 05 23.1 55

2-2 Vertical Brick Expansion Joint 04 05 23.2 58

2-3	Vertical Masonry Expansion Joint in Composite Wall 04 05 23.3	62
2-4	Brick/Masonry Cavity Wall at Grade 04 21 10.1	65
2-5	Brick/Masonry Cavity Wall at Spandrel 04 21 10.2	69
2-6	Brick/Masonry Cavity Wall at Roof/Parapet 04 21 10.3	71
2-7	Masonry Grouted Wall 04 21 10.4	74
2-8	Brick Veneer, Wood Studs 04 21 13.1	78
2-9	Brick Veneer, Steel Stud Backing Wall 04 21 13.2	82
2-10	Brick Veneer, Steel Stud Backup Wall at Opening 04 21 13.3	87
2-11	Brick on Shelf Angle 04 21 13.4	91
2-12	Shelf Angle on Steel Framing 04 21 13.5	96
2-13	Interior Masonry Bearing Partition 04 22 01	99
2-14	Wood Joists on Interior Masonry Bearing Partition 04 22 02	101
2-15	Autoclaved Aerated Concrete Masonry 04 22 26	102
2-16	Reinforced Concrete Masonry Wall at Grade 04 22 23.1	104
2-17	Reinforced Concrete Masonry Wall at Floor 04 22 23.2	107
2-18	Reinforced Concrete Masonry Wall at Parapet 04 22 23.3	109
2-19	Glass Block Wall at Sill and Head 04 23 13.1	110
2-20	Glass Block Wall at Jamb and Vertical Joint 04 23 13.2	113
2-21	Glass Block Wall—Alternate Details 04 23 13.4	115
2-22	Anchored Stone Veneer with Concrete Masonry Unit Backup at Grade 04 42 13.1	116
2-23	Anchored Stone Veneer with Concrete Masonry Unit Backup at Spandrel 04 42 13.2	120
2-24	Anchored Stone Veneer with Concrete Masonry Unit Backup at Parapet 04 42 13.3	122
2-25	Exterior Stone Veneer at Base 04 42 13.4	125
2-26	Exterior Stone Veneer at Spandrel 04 42 13.5	129
2-27	Exterior Stone Veneer at Parapet 04 42 13.6	130
2-28	Cut Stone on Concrete Backup Wall 04 42 13.7	132
2-29	Interior Stone Veneer	134
2-30	Interior Stone Veneer at Vertical Joint 04 42 16.2	135
2-31	Exterior Stone on Steel Truss Frame 04 42 23	136
2-32	Exterior Stone on Framing System 04 42 26	139

3 METAL DETAILS 143

3-1	Structural Steel Column Erection Tolerances 05 05 03	143
3-2	Steel Column/Beam Connection Tolerances 05 05 03.1	145
3-3	Structural Steel Column Plan Tolerances 05 05 04	146
3-4	Structural Steel Column Location Tolerances 05 05 04.1	148
3-5	Structural Steel Support for Masonry 05 12 23.1	150
3-6	Structural Steel Support for Precast Concrete 05 12 23.3	152
3-7	Steel/Precast with Insulation 05 12 23.3	153
3-8	Structural Steel Support for Curtain Walls 05 12 23.5	155

3-9	Open Web Steel Joists 05 21 19	157
3-10	Stair Layout 05 51 00.1	158
3-11	Stair Layout at Base 05 51 00.2	160
3-12	Stair Layout at Landing 05 51 00.3	161
3-13	Stair Layout at Top Landing 05 51 00.4	162
3-14	Metal Stairs 05 51 13	164
3-15	Ornamental Metal/Glass Guard 05 52 13	165
3-16	Expansion Joint at Floor and Wall 05 54 00.1	166

4 WOOD DETAILS 169

4-1	Platform Framing at Foundation 06 11 00.1	169
4-2	Platform Framing at Stepped Foundation 06 11 00.2	172
4-3	Platform Framing at Roof 06 11 00.3	173
4-4	Multistory Framing at Foundation 06 11 00.4	175
4-5	Multistory Framing at Floor Line 06 11 00.5	177
4-6	Multistory Framing at Roof 06 11 00.6	178
4-7	Structural Insulated Panel at Foundation 06 12 00.1	179
4-8	Structural Insulated Panel at Roof 06 12 00.2	182
4-9	Glulam Beam at Foundation Wall 06 18 13.1	183
4-10	Glulam Beam at Column 06 18 13.2	185
4-11	Glulam Purlins at Beam 06 18 13.3	186
4-12	Glulam Roof Beam 06 18 13.4	188
4-13	Glulam Column at Base 06 18 16	190
4-14	Base Cabinet 06 41 00.1	191
4-15	Upper Cabinet 06 41 00.2	193
4-16	Countertops 06 41 00.3	195
4-17	Shelving 06 41 00.4	197
4-18	Flush Wood Paneling 06 42 16	199

5 THERMAL AND MOISTURE PROTECTION DETAILS 203

5-1	Foundation Waterproofing 07 13 00	203
5-2	Cold, Liquid-Applied Membrane Deck Waterproofing 07 14 00.1	206
5-3	Vegetated Protected Membrane Roofing 07 55 63	209
5-4	Slab-on-Grade Foundation Insulation 07 21 13	212
5-5	Weather Barrier Concepts	213
5-6	Exterior Insulation and Finish System at Base	224
5-7	Exterior Insulation and Finish System at Parapet	229
5-8	Exterior Insulation and Finish System Openings	231
5-9	Asphalt/Glass Fiber Shingles at Eaves 07 31 13	232
5-10	Wood Shingles at Eaves 07 31 29	235
5-11	Roofing Tiles at Eaves 07 32 00	237

5-12	Preformed Metal Wall Panel at Base 07 42 13.1	238
5-13	Preformed Metal Wall Panel at Parapet 07 42 13.2	240
5-14	Roofing Systems on Steel Deck 07 22 00.1	241
5-15	Roofing Systems on Concrete Deck	245
5-16	Built-up Roof at Supported Deck 07 51 00.1	247
5-17	Built-up Roof at Nonsupported Deck 07 51 00.2	251
5-18	Built-up Roofing at Expansion Joint 07 51 00.3	252
5-19	Built-up Roof at Equipment Support 07 51 00.4	254
5-20	Built-up Roof at Stack Flashing 07 51 00.5	255
5-21	Modified Bitumen Roof at Supported Deck 07 52 00.1	256
5-22	Modified Bitumen Roof at Nonsupported Deck 07 52 00.2	260
5-23	Modified Bitumen Roof at Expansion Joint 07 52 00.3	261
5-24	Modified Bitumen Roof at Equipment Support 07 52 00.4	263
5-25	Modified Bitumen Roof at Plumbing Vent 07 52 00.5	264
5-26	EPDM Roof at Supported Deck 07 53 23.1	265
5-27	EPDM Roof at Nonsupported Deck 07 53 23.2	269
5-28	EPDM Roof at Expansion Joint 07 53 23.3	270
5-29	EPDM Roof at Equipment Support 07 53 23.4	272
5-30	EPDM Roof at Pipe Flashing 07 53 23.5	273
5-31	TPO Roof at Supported Deck 07 54 23.1	274
5-32	TPO Roof at Curb Threshold 07 54 23.2	277
5-33	TPO Roof at Expansion Joint 07 54 23.3	279
5-34	TPO Roof at Equipment Support 07 54 23.4	280
5-35	TPO Roof at Pipe Flashing 07 54 23.5	282
5-36	Protected Membrane Roofing 07 55 00	283
5-37	Gravel Stop 07 71 19	284
5-38	Vertical and Horizontal Joint Fillers and Sealants 07 92 00	286
5-39	Roof Drain 22 14 26.13	294

6 DOOR AND WINDOW DETAILS 297

6-1	Steel Door and Frame Jamb, Masonry Wall 08 11 13.1	297
6-2	Steel Door and Head Frame, Masonry Wall 08 11 13.2	300
6-3	Steel Door and Frame, Gypsum Wallboard Wall 08 11 13.3	302
6-4	Aluminum Door Frame Assembly 08 11 16	305
6-5	Wood Door and Frame Assembly 08 14 00	306
6-6	Aluminum Storefront at Sill and Head 08 41 13.1	309
6-7	Aluminum Storefront at Mullion and Jamb 08 41 13.2	311
6-8	All-Glass Entrance Door 08 42 26.1	312
6-9	All-Glass Glazing System 08 42 26.2	314
6-10	All-Glass Glazing System at Mullion and Jamb 08 42 26.3	315
6-11	Aluminum Curtain Wall at Spandrel 08 44 13.1	316
6-12	Aluminum Curtain Wall at Roof 08 44 13.1	320
6-13	Aluminum Curtain Wall at Mullion 08 44 13.2	322

6-14	Four-sided Structural Silicone Glazing at Spandrel 08 44 26.1	324
6-15	Four-sided Structural Silicone Glazing at Mullion 08 44 26.2	328
6-16	Aluminum Window, Masonry Wall 08 51 13.3	329
6-17	Steel Window, Masonry Wall 08 51 23	331
6-18	Wood Window, Masonry Wall 08 52 00.3	333
6-19	Wood Window, Wood Frame Wall 08 52 00.4	335
6-20	Interior, Framed Glazed Opening at Jamb 08 81 00.1	336
6-21	Interior, Framed Glazed Opening at Sill and Head 08 81 00.2	338
6-22	Interior Frameless Glazed Opening at Jamb 08 81 00.3	339
6-23	Interior Frameless Glazed Opening at Sill and Head 08 81 00.4	341
6-24	Interior Fire-Resistant Rated Glazing 08 88 60	342

7 FINISH DETAILS 347

7-1	Gypsum Wallboard Shaft Lining 09 21 16	347
7-2	Gypsum Wallboard, Nonrated Partition 09 29 03.1	350
7-3	Gypsum Wallboard, Slip Joint at Structural Slab 09 29 03.2	353
7-4	Gypsum Wallboard, Proprietary Slip Joint 09 29 03.3	356
7-5	One-Hour Gypsum Wallboard Partition, Wood Framing 09 29 03.4	357
7-6	Sound-Rated One-Hour Gypsum Wallboard Partition 09 29 03.5	359
7-7	One-Hour Gypsum Wallboard Partition, Metal Framing 09 29 03.6	361
7-8	Two-Hour Gypsum Wallboard Partition, Wood Framing 09 29 05.1	363
7-9	Two-Hour Gypsum Wallboard Partition, Metal Framing 09 29 05.2	365
7-10	Three-Hour Gypsum Wallboard Partition 09 29 07.1	367
7-11	Three-Hour Fire-Rated Column Cover 09 29 07.2	369
7-12	Perimeter Relief Joint 09 29 09	370
7-13	One-Hour Gypsum Wallboard Ceiling, Wood Framing 09 29 11.1	372
7-14	Two-Hour Suspended Gypsum Wallboard Ceiling 09 29 11.2	373
7-15	Ceramic Tile Floor, Thin-Set on Wood Framing 09 31 13.1	375
7-16	Ceramic Tile Wall, Thin-Set 09 31 13.2	378
7-17	Movement Joint with Thin-Set Tile 09 31 13.3	380
7-18	Ceramic Tile Floor, Thick-Set on Membrane Over Concrete 09 32 13.1	382
7-19	Ceramic Tile Floor, Full Mortar Bed 09 32 13.2	385
7-20	Ceramic Tile Ceiling 09 32 13.3	387
7-21	Ceramic Tile Wall, Full Mortar Bed 09 32 13.4	388
7-22	Ceramic Tile Expansion Joint 09 32 13.5	390
7-23	One-Hour Acoustical Ceiling Assembly 09 50 13.1	392
7-24	Two-Hour Acoustical Ceiling Assembly 09 50 13.2	394

7-25	Stone Flooring, Thin-Set 09 63 40.1	396
7-26	Stone Flooring, Full Mortar Bed 09 63 40.2	397
7-27	Wood Parquet Flooring 09 64 23	399
7-28	Wood Strip Flooring on Wood Framing 09 64 29.1	401
7-29	Wood Strip Flooring on Concrete Framing 09 64 29.2	402
7-30	Laminate Flooring 09 62 19	404
7-31	Resilient Wood Flooring System 09 64 53	405
7-32	Portland Cement Terrazzo, Sand Cushion 09 66 13.13	407
7-33	Portland Cement Terrazzo, Monolithic 09 66 13.16	409
7-34	Portland Cement Terrazzo, Bonded 09 66 13.19	411

Appendix A: Standards Titles 415

Appendix B: Sources for More Information 423

CSI Six-Digit Number Index 431

Index 437