Handbook of ursing

EDITION I

Lynda Juall Carpenito-Moyet

Nursing Diagnosis Index

Activity Intolerance	29	Contamination, Risk for Family	120
Activity Planning, Ineffective	34	Contamination, Risk for	
Adaptive Capacity, Decreased		Individual	118
. Intracranial	35	Coping, Compromised Family	137
Airway Clearance, Ineffective	368	Coping, Defensive	130
Anxiety	36	Coping, Disabled Family	138
Anxiety, Death	42	Coping, Ineffective	124
Aspiration, Risk for	262	Coping, Ineffective	
Bed Mobility, Impaired	284	Community	134
Bleeding, Risk for	45	Coping, Readiness for	
Blood Glucose, Risk for		Enhanced	541
Unstable	197	Coping, Readiness for	
Body Image, Disturbed	395	Enhanced Family	543
Body Temperature, Risk for		Decisional Conflict	143
Imbalanced	46	Decision-Making, Readiness	
Breastfeeding, Effective	535	for Enhanced	542
Breastfeeding, Ineffective	59	Denial, Ineffective	132
Breastfeeding, Interrupted	63	Dentition, Impaired	301
Breastfeeding, Readiness for		Development, Risk for	
Enhanced	536	Delayed	215
Breathing Patterns, Ineffective	369	Diarrhea	146
Cardiac Output, Decreased	64	Disuse Syndrome	153
Caregiver Role Strain	65	Diversional Activity, Deficient	157
Caregiver Role Strain, Risk for	69	Dysreflexia, Autonomic	160
Childbearing Process, Readiness	i	Dysreflexia, Risk for	
for Enhanced	538	Autonomic	163
Comfort, Impaired	72	Energy Field, Disturbed	164
Comfort, Readiness for		Electrolyte Imbalances,	
Enhanced	539	Risk for	167
Communication, Impaired	86	Enuresis, Maturational	500
Communication, Impaired		Environmental Interpretation	
Verbal	91	Syndrome	168
Communication, Readiness for		Failure to Thrive, Adult	216
Enhanced	540	Falls, Risk for	264
Confusion	93	Family Processes,	
Confusion, Acute	94	Dysfunctional	172
Confusion, Risk for Acute	98	Family Processes, Interrupted	169
Confusion, Chronic	99	Family Processes, Readiness	
Constipation	104	for Enhanced	544
Constipation, Perceived	109	· Fatigue	175
Constipation, Risk for	111	Fear	180
Contamination, Community	120	Fluid Balance, Readiness for	
Contamination, Family	119	Enhanced	545
Contamination, Individual	111	Fluid Volume, Deficient	184
Contamination, Risk for		Fluid Volume, Risk for	
Community	123	Deficient	188

Fluid Volume, Excess	188	Injury, Risk for Perioperative	
Fluid Volume, Risk for		Positioning	266
Imbalanced	192	Insomnia	449
Gas Exchange, Impaired	371	Jaundice, Neonatal	292
Gastrointestinal Motility,	•	Knowledge, Deficient	269
Dysfunctional	193	Knowledge (Specify), Readiness	207
Gastrointestinal Motility,		for Enhanced	552
Risk for Dysfunctional	194	Latex Allergy Response	270
Grieving	198	Latex Allergy Response,	-,0
Grieving, Anticipatory	203	Risk for	272
Grieving, Complicated	205	Lifestyle, Sedentary	374
Grieving, Risk for Complicated	207	Liver Function, Risk for	371
Growth and Development,	207	Impaired	273
-	208	Loneliness, Risk for	273
Delayed	200	Maternal/Fetal Dyad, Risk for	213
Growth, Risk for	215	Disturbed	278
Disproportionate	217		481
Health Behaviors, Risk-Prone	21/	Memory, Impaired Moral Distress	288
Health Maintenance,	220		84
Ineffective	530	Nausea	495
Health-Seeking Behaviors	235	Neglect, Unilateral	
Home Maintenance, Impaired		Noncompliance	293
Hope, Readiness for Enhanced	546	Nutrition, Imbalanced, Less	207
Hopelessness	237	Than Body Requirements	296
Human Dignity, Risk for	150	Nutrition, Imbalanced, More	200
Compromised	150	Than Body Requirements	308
Hyperthermia	48	Nutrition, Imbalanced,	
Hypothermia	50	Potential for More Than	244
Immunization Status, Readiness		Body Requirements	311
for Enhanced	547	Nutrition, Readiness for	
Incontinence, Bowel	55	Enhanced	553
Incontinence, Continuous	510	Oral Mucous Membrane,	
Incontinence, Functional	503	Impaired	346
Incontinence, Overflow	516	Pain, Acute	75
Incontinence, Reflex	505	Pain, Chronic	81
Incontinence, Risk for Urge	515	Parent–Infant–Child	
Incontinence, Stress	507	Attachment, Risk for	
Incontinence, Urge	513	Impaired	316
Infant Behavior, Disorganized	243	Parental Role Conflict	320
Infant Behavior, Readiness for		Parenting, Impaired	312
Enhanced Organized	548	Peripheral Neurovascular	
Infant Behavior, Risk for		Dysfunction, Risk for	324
Disorganized	250	Personal Identity, Disturbed	399
Infant Feeding Pattern,		Physical Mobility, Impaired	279
Ineffective	305	Poisoning, Risk for	265
Infection, Risk for	250	Post-Trauma Syndrome	327
Infection Transmission,		Post-Trauma Syndrome,	
Risk for	255	Risk for	331
Injury, Risk for	257	Power, Readiness for Enhanced	554

Powerlessness	335	Self-Health Management,	
Powerlessness, Risk for	338	Readiness for Enhanced	560
Protection, Ineffective	338	Self-Mutilation	414
Rape-Trauma Syndrome	331	Self-Mutilation, Risk for	414
Relationship, Readiness for		Self-Neglect	751
Enhanced	555	Sensory Perception, Disturbed	432
Religiosity, Impaired	463	Sexual Dysfunction	444
Religiosity, Readiness for		Sexuality Patterns, Ineffective	436
Enhanced	556	Shock, Risk for	445
Religiosity, Risk for Impaired	467	Skin Integrity, Impaired	342
Relocation Stress (Syndrome)	350	Skin Integrity, Risk for	
Relocation Stress (Syndrome),		Impaired	345
Risk for	355	Sleep Deprivation	450
Renal Perfusion, Risk for		Sleep Pattern, Disturbed	446
Ineffective	493	Sleep, Readiness for Enhanced	561
Resilience, Impaired Individual	356	Social Interaction, Impaired	451
Resilience, Readiness for		Social Isolation	455
Enhanced	557	Sorrow, Chronic	457
Resilience, Risk for		Spiritual Distress	459
Compromised	357	Spiritual Distress, Risk for	462
Respiratory Function, Risk for		Spiritual Well-Being, Readiness	
Ineffective	358	for Enhanced	562
Role Performance, Ineffective	373	Spontaneous Ventilation,	
Self-Care Deficit Syndrome	377	Inability to Sustain	372
Self-Care Deficit, Bathing	383	Stress Overload	468
Self-Care Deficit, Dressing	385	Sudden Infant Death Syndrome,	
Self-Care Deficit, Feeding	381	Risk for	472
Self-Care Deficit, Instrumental	390	Suffocation, Risk for	265
Self-Care Deficit, Toileting	387	Suicide, Risk for	415
Self-Care, Readiness for		Surgical Recovery, Delayed	474
Enhanced	558	Swallowing, Impaired	302
Self-Concept, Disturbed	392	Thermoregulation, Ineffective	52
Self-Concept, Readiness for		Thought Processes, Disturbed	475
Enhanced	559	Tissue Integrity, Impaired	340
Self-Esteem, Chronic Low	404	Tissue Perfusion, Ineffective	484
Self-Esteem, Disturbed	400	Tissue Perfusion, Ineffective	
Self-Esteem, Risk for	400	Peripheral	489
Situational Low	409	Tissue Perfusion, Risk for	
Self-Esteem, Situational Low	407	Decreased Cardiac	485
Self-Harm, Risk for	410	Tissue Perfusion, Risk for	
Self-Health Management,	400	Ineffective Cerebral	487
Effective Individual	420	Tissue Perfusion, Risk for	
Self-Health Management,	420'	Ineffective Gastrointestinal	195
Ineffective Community	428	Transfer Ability, Impaired	287
Self Health Management,	437	Trauma, Risk for	266
Ineffective Family	427	Urinary Elimination, Impaired	497
Self-Health Management,	422	Urinary Elimination, Readiness	
Ineffective Individual	423	for Enhanced	563

Vascular Trauma, Risk for	752	Violence, Risk for Self-	
Ventilatory Weaning Response,		Directed	123
Dysfunctional	361	Walking, Impaired	285
Ventilatory Weaning Response,		Wandering	524
Risk for Dysfunctional	366	Wheelchair Mobility, Impaired	286
Violence, Risk for Other-			
Directed	519		