

*Wiley Series in Microwave and Optical Engineering • Kai Chang, Series Editor*

# PARALLEL SOLUTION OF INTEGRAL EQUATION-BASED EM PROBLEMS IN THE FREQUENCY DOMAIN

**YU ZHANG**

**TAPAN K. SARKAR**





# Contents

<b>Preface</b>	<b>xiii</b>
<b>Acknowledgments</b>	<b>xvii</b>
<b>Acronyms</b>	<b>xix</b>
<b>Chapter 1 Introduction</b>	<b>1</b>
1.0 Summary	1
1.1 A Brief Review of Parallel CEM	1
1.1.1 Computational Electromagnetics	1
1.1.2 Parallel Computation in Electromagnetics	3
1.2 Computer Platforms Accessed in This Book	9
1.3 Parallel Libraries Employed for the Computations	12
1.3.1 ScaLAPACK — Scalable Linear Algebra Package	13
1.3.2 PLAPACK — Parallel Linear Algebra Package	16
1.4 Conclusion	19
References	19
<b>Chapter 2 In-Core and Out-of-Core LU Factorization for Solving a Matrix Equation</b>	<b>27</b>
2.0 Summary	27
2.1 Matrix Equation from a MoM Code	28
2.2 An In-Core Matrix Equation Solver	28
2.3 Parallel Implementation of an In-Core Solver	32
2.3.1 Data Distribution for an LU Algorithm	32
2.3.2 ScaLAPACK: Two-Dimensional Block-Cyclic Matrix Distribution	36
2.3.3 PLAPACK: Physically Based Matrix Distribution	38
2.3.4 Data Distribution Comparison between ScaLAPACK and PLAPACK	40
2.4 Data Decomposition for an Out-of-Core Solver	42
2.5 Out-of-Core LU Factorization	43
2.5.1 I/O Analysis of Serial Right-Looking and Left-Looking Out-of-Core LU Algorithms	45
2.5.1.1 <i>Right-Looking Algorithm</i>	45
2.5.1.2 <i>Left-Looking Algorithm</i>	47

2.5.2	Implementation of the Serial Left-Looking Out-of-Core LU Algorithm . . . . .	50
2.5.3	Design of a One-Slab Left-Looking Out-of-Core LU Algorithm . . . . .	55
2.6	Parallel Implementation of an Out-of-Core LU Algorithm . . . . .	61
2.6.1	Parallel Implementation of an Out-of-Core LU Algorithm Using ScaLAPACK . . . . .	61
2.6.2	Parallel Implementation of an Out-of-Core LU Algorithm Using PLAPACK . . . . .	64
2.6.3	Overlapping of the I/O with the Computation . . . . .	65
2.6.4	Checkpointing in an Out-of-Core Solver . . . . .	65
2.7	Solving a Matrix Equation Using the Out-of-Core LU Matrices . . . . .	66
2.8	Conclusion . . . . .	69
	References . . . . .	69

<b>Chapter 3</b>	<b>A Parallel MoM Code Using RWG Basis Functions and ScaLAPACK-Based In-Core and Out-of-Core Solvers . . . . .</b>	<b>71</b>
3.0	Summary . . . . .	71
3.1	Electric Field Integral Equation (EFIE) . . . . .	71
3.2	Use of the Piecewise Triangular Patch (RWG) Basis Functions . . . . .	74
3.3	Testing Procedure . . . . .	76
3.4	Matrix Equation for MoM. . . . .	78
3.5	Calculation of the Various Integrals . . . . .	79
3.5.1	Evaluation of the Fundamental Integrals . . . . .	79
3.5.2	Extraction of the Singularity . . . . .	80
3.6	Calculation of the Fields . . . . .	81
3.7	Parallel Matrix Filling — In-Core Algorithm . . . . .	81
3.8	Parallel Matrix Filling — Out-of-Core Algorithm . . . . .	86
3.9	Numerical Results from a Parallel In-Core MoM Solver . . . . .	88
3.9.1	Numerical Results Compared with other Methods . . . . .	88
3.9.1.1	<i>A PEC Cube.</i> . . . .	88
3.9.1.2	<i>A Combined Cube-and-Sphere PEC Model</i> . . . . .	88
3.9.2	Different Metrics Used to Assess the Degree of Parallel Efficiency . . . . .	88
3.9.3	Efficiency and Portability of a Parallel MoM In-Core Solver . . . . .	92
3.10	Numerical Results from a Parallel Out-of-Core MoM Solver . . . . .	96
3.10.1	Parallel Out-of-Core Solver Can Be as Efficient as a Parallel In-Core Solver. . . . .	96

3.10.2 Scalability and Portability of the Parallel Out-of-Core Solver . . . . .	98
3.11 Conclusion . . . . .	104
References . . . . .	105

<b>Chapter 4 A Parallel MoM Code Using Higher-Order Basis Functions and ScaLAPACK-Based In-Core and Out-of-Core Solvers . . . . .</b>	<b>107</b>
4.0 Summary . . . . .	107
4.1 Formulation of the Integral Equation for Analysis of Dielectric Structures . . . . .	107
4.2 A General Formulation for the Analysis of Composite Metallic and Dielectric Structures . . . . .	110
4.3 Geometric Modeling of the Structures . . . . .	114
4.3.1 Right-Truncated Cone to Model Wire Structures . . . . .	114
4.3.2 Bilinear Surface for Modeling Arbitrarily Shaped Surfaces . . . . .	116
4.4 Higher-Order Basis Functions . . . . .	117
4.4.1 Current Expansion along a Thin PEC Wire . . . . .	117
4.4.2 Current Expansion over a Bilinear Surface . . . . .	119
4.5 Testing Procedure . . . . .	124
4.5.1 Testing Procedure for Thin PEC Wires . . . . .	124
4.5.2 Testing Procedure for Bilinear Surfaces . . . . .	128
4.6 Parallel In-Core and Out-of-Core Matrix Filling Schemes . . . . .	131
4.6.1 Parallel In-Core Matrix Filling Scheme . . . . .	132
4.6.2 Parallel Out-of-Core Matrix Filling Scheme . . . . .	134
4.7 Numerical Results Computed on Different Platforms . . . . .	136
4.7.1 Performance Analysis for the Parallel In-Core Integral Equation Solver . . . . .	136
4.7.1.1 <i>Comparison of Numerical Results Obtained on Single-Core and Multicore Platforms</i> . . . . .	136
4.7.1.2 <i>Numerical Results Obtained on Single-Core Platforms</i> . . . . .	141
4.7.1.2.1 <i>Radiation from a Vivaldi Antenna Array</i> . . . . .	141
4.7.1.2.2 <i>Scattering from a Full-Size Airplane</i> . . . . .	144
4.7.1.3 <i>Numerical Results Obtained on Multicore Platforms</i> . . . . .	146
4.7.2 Performance Analysis for the Parallel Out-of-Core Integral Equation Solver . . . . .	147
4.7.2.1 <i>Vivaldi Antenna Array — a Large Problem Solved on Small Computer Platforms</i> . . . . .	147

	4.7.2.2	<i>Solution for a Full-Size Airplane — Parallel Out-of-Core Solver Can Be as Efficient as the Parallel In-Core</i>	149
	4.7.2.3	<i>Solution for a Full-Size Airplane — Scalability and Portability of the Parallel Out-of-Core Solver</i>	150
	4.7.2.4	<i>Solution for a Full-Size Airplane — a Very Large Problem Solved on Nine Nodes of CEM-4.</i>	153
4.8	Conclusion		155
	References		155
<b>Chapter 5</b>	<b>Tuning the Performance of a Parallel Integral Equation Solver</b>		<b>157</b>
5.0	Summary		157
5.1	Anatomy of a Parallel Out-of-Core Integral Equation Solver		157
	5.1.1	Various Components of a Parallel Out-of-Core Solver that Can Be Observed through Ganglia and Tuned	158
	5.1.2	CPU Times of Parallel In-Core and Out-of-Core Integral Equation Solvers	161
	5.1.3	Performance of a Code Varies with the Amount of Storage Used on the Hard Disk	165
5.2	Block Size		170
5.3	Shape of the Process Grid		173
5.4	Size of the In-Core Buffer Allocated to Each Process		176
	5.4.1	Optimizing IASIZE for a Parallel MoM Code Using Higher-Order Basis Functions	177
		5.4.1.1 Case A: Available 2 GB of RAM/Core	177
		5.4.1.1.1 Overview of Wall Time with Different IASIZE	177
		5.4.1.1.2 Details on Matrix Filling and Matrix Solving	181
		5.4.1.2 Case B: Available 4 GB of RAM/Core	188
	5.4.2	Optimizing IASIZE for a Parallel MoM Code Using RWG Basis Functions	190
	5.4.3	Influence of Physical RAM Size on Performance	194
5.5	Relationship between Shape of the Process Grid and In-Core Buffer Size		197
5.6	Overall Performance of a Parallel Out-of-Core Solver on HPC Clusters		201
5.7	Conclusion		205
	References		205

<b>Chapter 6</b>	<b>Refinement of the Solution Using the Iterative Conjugate Gradient Method . . . . .</b>	<b>207</b>
6.0	Summary . . . . .	207
6.1	Development of the Conjugate Gradient Method . . . . .	207
6.2	The Iterative Solution of a Matrix Equation . . . . .	212
6.3	Parallel Implementation of the CG Algorithm . . . . .	213
6.4	A Parallel Combined LU-CG Scheme to Refine the LU Solution . . . . .	215
6.5	Conclusion . . . . .	216
	References . . . . .	217
<b>Chapter 7</b>	<b>A Parallel MoM Code Using Higher-Order Basis Functions and PLAPACK-Based In-Core and Out-of-Core Solvers . . . . .</b>	<b>219</b>
7.0	Summary . . . . .	219
7.1	Introduction . . . . .	219
7.2	Factors that Affect a Parallel In-Core and Out-of-Core Matrix Filling Algorithm . . . . .	220
7.3	Numerical Results . . . . .	224
	7.3.1 Radiation from an Array of Vivaldi Antennas . . . . .	224
	7.3.2 Scattering from an Electrically Large Aircraft . . . . .	228
	7.3.3 Discussion of the Computational FLOPS Achieved. . . . .	230
7.4	Conclusion . . . . .	231
	References . . . . .	231
<b>Chapter 8</b>	<b>Applications of the Parallel Frequency-Domain Integral Equation Solver — TIDES . . . . .</b>	<b>233</b>
8.0	Summary . . . . .	233
8.1	Performance Comparison between TIDES and a Commercial EM Analysis Software . . . . .	234
	8.1.1 Analysis of a Scattering Problem . . . . .	234
	8.1.2 Analysis of a Radiation Problem . . . . .	237
	8.1.3 Analysis of a Coupling Problem . . . . .	241
8.2	EMC Prediction for Multiple Antennas Mounted on an Electrically Large Platform . . . . .	243
8.3	Analysis of Complex Composite Antenna Array . . . . .	248
8.4	Array Calibration for Direction-of-Arrival Estimation . . . . .	249
8.5	Radar Cross Section (RCS) Calculation of Complex Targets . . . . .	252
	8.5.1 RCS Calculation of a Squadron of Tanks . . . . .	252
	8.5.2 RCS of the Tanks inside a Forest Environment . . . . .	254

8.5.3	RCS from an Aircraft and a Formation of Aircraft	257
8.5.4	RCS Simulation with Million Level Unknowns .	259
8.5.5	RCS of an Aircraft Carrier . . . . .	260
8.6	Analysis of Radiation Patterns of Antennas Operating Inside a Radome Along with the Platform on Which It Is Mounted . . . . .	264
8.7	Electromagnetic Interference (EMI) Analysis of a Communication System . . . . .	268
8.8	Comparison between Computations Using TIDES and Measurement data for Complex Composite Structures.	271
8.9	Conclusion . . . . .	273
	References . . . . .	273
<b>Appendix A</b>	<b>A Summary of the Computer Platforms Used in This Book . . . . .</b>	<b>275</b>
A.0	Summary . . . . .	275
A.1	Description of the Platforms Used in This Book.	275
A.2	Conclusion . . . . .	284
	References . . . . .	285
<b>Appendix B</b>	<b>An Efficient Cross-Platform Compilation of the ScaLAPACK and PLAPACK Routines . . . . .</b>	<b>287</b>
B.0	Summary . . . . .	287
B.1	Tools for Compiling both ScaLAPACK and PLAPACK . . . . .	287
B.2	Generating the ScaLAPACK Library . . . . .	288
B.2.1	Source Codes for Compiling ScaLAPACK . . . . .	288
B.2.2	Steps for Compiling ScaLAPACK . . . . .	288
B.2.3	Script Files for 32-bit Windows Operating System	289
	<i>B.2.3.1 Script Files for BLAS . . . . .</i>	<i>289</i>
	<i>B.2.3.2 Script Files for BLACS . . . . .</i>	<i>293</i>
	<i>B.2.3.3 Script Files for ScaLAPACK . . . . .</i>	<i>296</i>
B.2.4	Script Files for 64-bit Windows Operating System	297
B.3	Generating the PLAPACK Library . . . . .	298
B.3.1	Source Codes for Compiling PLAPACK . . . . .	298
B.3.2	Script Files for PLAPACK . . . . .	298
B.4	Tuning the Performance by Turning on Proper Flags .	300
B.5	Conclusion . . . . .	301
	References . . . . .	301

<b>Appendix C</b>	<b>An Example of a Parallel MoM Source Code for Analysis of 2D EM Scattering</b>	<b>303</b>
C.0	Summary	303
C.1	Introduction of MoM	303
C.2	Solution of a Two-Dimensional Scattering Problem	305
	C.2.1 Development of the Integral Equation and the MoM Solution	305
	C.2.2 Evaluation of the Parameter of Interest	308
C.3	Implementation of a Serial MoM Code	309
	C.3.1 Flowchart and Results of a Serial MoM Code	309
	C.3.2 A Serial MoM Source Code for the 2D Scattering Problem	312
C.4	Implementation of a Parallel MoM Code	313
	C.4.1 Flowchart and Results of a Parallel MoM Code	313
	C.4.2 A Parallel MoM Source Code Using ScaLAPACK for the 2D Scattering Problem	318
C.5	Compilation and Execution of the Parallel Code	331
C.6	Conclusion	333
	References	333
<b>Index</b>		<b>335</b>