

Applied Weed Science

Including the Ecology and Management of Invasive Plants

Merrill A. Ross

Carole A. Lembi

CONTENTS

| Preface | ix | Levels of Complexity | 36 |
|---|--------|---|----|
| Acknowledgments | хi | Succession and Disturbance | 38 |
| Acknowledgments | ΛI | Population and Community Ecology | |
| Chapter 1 | | of Weeds | 39 |
| WEEDS AND THEIR IMPORTANCE | 1 | Competition for Resources | 40 |
| TATIL AA AA AA XAYAA JAM | - | Resource Allocation | 40 |
| What Are Weeds? | 1 | Ecosystem (Landscape) Ecology of Weeds | 43 |
| The Undesirable Effects of Weeds | 2 | Fragmentation and Weed Invasion | 43 |
| Impacts on Crops | 2 5 | Impacts of Invasive Species | 44 |
| Direct Impacts on Humans Impact on Livestock | 7 | Chapter 4 | |
| - | 7 | THE MECHANISMS OF PLANT | |
| The Concept of Invasive Species Impact of Invasive Plants | 8 | INVASIONS | 53 |
| impact of invasive riams | 0 | | |
| Chapter 2 | | Reasons Why Some Plant Species Invade | 54 |
| WHY WEEDS ARE SUCCESSFUL | 12 | Release From Enemies | 54 |
| | | Life History Characteristics | 55 |
| Classification of Weeds | 12 | Traits That Enhance Competitiveness | 56 |
| Interference with Growth of Desirable | | Geographic Range | 62 |
| Plants | 13 | Taxonomic Grouping | 63 |
| Competition | 14 | Characteristics of Habitats Vulnerable | |
| Allelopathy | 18 | to Invasion | 64 |
| Parasitism | 19 | Disturbance | 64 |
| Persistence of Weeds | 21 | Species Richness | 64 |
| Weed Seeds | 22 | Resource Availability | 64 |
| Seed Banks | 25 | Resistance to Invasion | 65 |
| How Long Does It Take to Deplete | | The Stages of Invasion | 65 |
| a Soil of Its Seeds? | 31 | Introduction | 65 |
| Vegetative Reproductive Structures | 32 | Naturalization | 66 |
| Chapter 3 | | Invasion | 67 |
| THE ECOLOGY OF WEEDS | | Time Lags and Bottlenecks | 67 |
| AND INVASIVE PLANTS | 35 | Impact of Global Change on Plant Invasion | |
| | | Carbon Dioxide and Climate Change | 68 |
| What Is Ecology and Why Is It Important? | 35 | Nitrogen Deposition | 69 |
| Some Concepts Relevant to Weed Ecology | 36 | Models for Predicting Invasion | 70 |
| | | | |

| Chapter 5 THE PLANT SYSTEM | 74 | Chapter 8 INTRODUCTION TO HERBICIDES | 132 |
|---------------------------------------|-----|---|-----|
| The Plant System | 74 | History | 132 |
| Plant Structures | 74 | The Early Years (1900–1941) | 132 |
| Plant Growth | 78 | 2,4-D to Glyphosate (1941–1975) | 133 |
| Plant Development | 79 | Selective Postemergence Herbicides | |
| Transport Pathways | 79 | (1975–1995) | 134 |
| Weed Life Cycles | 83 | Herbicide-Resistant Crops and Weed | |
| Annuals | 84 | Populations (1995–2008) | 134 |
| Biennials | 85 | Characteristics of Herbicides | 135 |
| Perennials | 85 | Herbicide Nomenclature | 135 |
| Shoot Regeneration | 86 | Herbicide Classification | 136 |
| Annuals | 86 | Herbicide Chemistry | 137 |
| Biennials | 86 | How Chemistry Affects Herbicidal | |
| Herbaceous Simple Perennials | 87 | Properties | 138 |
| Creeping Perennials | 89 | Concerns Regarding Herbicide Use | 142 |
| Woody Perennials | 89 | Movement Off Target | 142 |
| | | Effects on Human Health and | |
| | | the Environment | 144 |
| Chapter 6 | | Herbicide Registration | 151 |
| THE SOIL SYSTEM | 91 | | |
| The Soil System | 91 | Chapter 9 | |
| The Soil Phases | 92 | PLANT-HERBICIDE | |
| Colloidal Properties | 93 | INTERACTIONS | 154 |
| Living Components | 93 | YT let at day Ty- a alon | 164 |
| Soil as an Open System | 94 | Herbicide Uptake | 154 |
| Soil as a Buffered System | 94 | Soil-Applied Herbicides | 154 |
| Weeds and Soil | 94 | Foliar-Applied Herbicides | 155 |
| Weed Control Practices and the Soil | 95 | Herbicide Movement | 160 |
| General Considerations | 95 | Symplastically Translocated Herbicides | 160 |
| Tillage | 95 | Apoplastically Translocated Herbicides | 162 |
| No-Till Cropping | 96 | Nontranslocated (Contact) Herbicides | 1/2 |
| Surface Conditions | 96 | Herbicide Mode of Action | 163 |
| | | Our Mode-of-Action Scheme | 163 |
| | | Herbicide Families with Significant | 165 |
| Chapter 7 | | Foliar Use | 169 |
| MANAGEMENT METHODS | | Herbicide Families Applied Almost | 109 |
| FOR CROPLAND AND INVASIVE | | Exclusively to the Soil | 179 |
| WEEDS | 98 | Herbicide Fate | 181 |
| New Directions in Weed Management | 98 | Metabolic Transformation | 182 |
| Knowledgeable Practitioners Are | 70 | Conjugation | 182 |
| Required | 99 | Compartmentalization | 182 |
| A Scientific Approach to Solving Weed | ,, | Final Processing | 185 |
| and Invasive Plant Problems | 99 | Plant-Related Selectivity | 185 |
| Objectives of Weed Management | 99 | Plant Age and Stage | 103 |
| Stepwise Procedures for Solving Weed | | of Development | 185 |
| and Invasive Plant Problems | 100 | Plant Height | 185 |
| The Need for Realistic Expectations | 105 | Differential Retention | 185 |
| Management Methods for Cropland | | Differential Penetration | 186 |
| and Invasive Weeds | 106 | Differential Translocation | 186 |
| Preventive Practices | 106 | Differential Metabolism/ | ~~~ |
| Mechanical and Physical Practices | 110 | Conjugation | 187 |
| Cultural Practices (Crop Competition | | Role of Varietal Differences in | |
| and Management) | 118 | Selectivity | 188 |
| Biological Control Practices | 122 | Role of Other Chemicals in Selectivity | |
| Chemical Control Practices | 128 | and Activity | 189 |

| Chapter 10 SOIL-HERBICIDE INTERACTIONS | 192 | Auxin Transport Inhibitors (WSSA-19, HRAC-P) Aromatic Amino Acid (EPSP Synthase) | 236 |
|---|-------------------|---|-------------------|
| Fate of Herbicides in the Soil | 192 | Inhibitor (WSSA-9, HRAC-G) | 237 |
| Adsorption | 192 | Branched-Chain Amino Acid (ALS) | |
| Movement | 197 | Inhibitors (WSSA-2, HRAC-B) | 239 |
| Degradation | 199 | Sulfonylureas | 241 |
| Soil, Herbicides, and Weed Control | 203 | Imidazolinones | 246 |
| Contact with Developing Plant | | Triazolopyrimidine Sulfonanilides | 249 |
| Structures | 204 | Pyrimidinylthiobenzoates | 250 |
| Availability | 205 | Sulfonylaminocarbonyltriazolinones | 250 |
| Presence of Soil Moisture | 207 | Carotenoid Pigment Inhibitors | 261 |
| Soil-Herbicide Interactions in Reduced | | (Bleachers or Whiteners) Grass-Specific Lipid Biosynthesis | 251 |
| Tillage Systems | 207 | (ACCASE) Inhibitors (WSSA-1, HRAC-A) | 254 |
| Chapter 11 | | Aryloxyphenoxypropionates (the Fops) | 254 |
| HERBICIDE RESISTANCE | 209 | Cyclohexanediones (the Dims) | 256 |
| Weed Resistance to Herbicides | 209 | Miscellaneous Herbicides | 258 |
| Tolerance, Susceptibility, and Resistance Time Periods for Appearance | | Organic Arsenicals (WSSA-17 and -27, HRAC-Z and -NC) | 258 |
| of Resistance | 211 | Asulam and Fosamine | 259 |
| Development of Resistant Biotypes | | | |
| within a Species | 213 | Chapter 13 | |
| Factors Determining Rapid Development | | HERBICIDE GROUPS WITH | |
| of Herbicide Resistance | 214 | SIGNIFICANT FOLIAR USE: | |
| Management Practices to Minimize | | APOPLASTICALLY | |
| the Selection of Herbicide-Resistant | | TRANSLOCATED HERBICIDES | |
| Weeds | 218 | SHOWING DELAYED INITIAL | |
| A Socioeconomic Problem | 220 | SYMPTOMS ON OLD GROWTH | 260 |
| Period Required for a Field to Recover | • | Photosystem (PS) II Classical | |
| From Resistant Populations | 220 | Photosynthetic Inhibitors, Site A | |
| Crop Resistance to Herbicides | 220 | (WSSA-5, HRAC-C1) | 262 |
| Herbicide-Resistant Crop Cultivars | | Triazines (s-Triazines and Triazinones) | 262 |
| from Standard Selection Techniques | 221 | Uracils | 265 |
| Herbicide-Resistant Crop Cultivars | | Phenylcarbamates and Pyridazinones | 266 |
| from Genetic Engineering | 221 | PS II Classical Photosynthetic Inhibitors, | |
| Benefits of Herbicide-Resistant Crops | 221 | Different Binding Behavior at Site A | |
| Concerns Regarding the Use | | (WSSA-7, HRAC-C2) | 266 |
| of Herbicide-Resistant Crops | 222 | Ureas | 266 |
| | | Amides | 268 |
| Chapter 12 | | PS II Rapidly Acting Photosynthetic | |
| HERBICIDE GROUPS WITH | | Inhibitors (WSSA-6, HRAC-C3) | 268 |
| SIGNIFICANT FOLIAR USE: | | Bentazon | 269 |
| SYMPLASTICALLY | | | |
| TRANSLOCATED HERBICIDES | | Chapter 14 | |
| SHOWING DELAYED INITIAL SYMPTOMS ON NEW GROWTH | 000 | HERBICIDE GROUPS WITH | |
| STAIL IOMS ON MEM GROWTH | 226 | SIGNIFICANT FOLIAR USE: | |
| Herbicides and Herbicide Groups | | | |
| | 226 | NONTRANSLOCATED | |
| Symplastically Translocated Herbicides | 226 | HERBICIDES SHOWING INITIAL | |
| | 226 | HERBICIDES SHOWING INITIAL | 271 |
| Symplastically Translocated Herbicides | 226 227 | HERBICIDES SHOWING INITIAL LOCALIZED INJURY | 271 |
| Symplastically Translocated Herbicides Showing Delayed Initial Symptoms | | HERBICIDES SHOWING INITIAL | 271 271 |
| Symplastically Translocated Herbicides Showing Delayed Initial Symptoms on New Growth | 227 | HERBICIDES SHOWING INITIAL LOCALIZED INJURY PS I Electron Diverters (WSSA-22, HRAC-D) | |
| Symplastically Translocated Herbicides Showing Delayed Initial Symptoms on New Growth Synthetic Auxins (WSSA-4, HRAC-O) | 227 227 | HERBICIDES SHOWING INITIAL LOCALIZED INJURY PS I Electron Diverters (WSSA-22, | |
| Symplastically Translocated Herbicides Showing Delayed Initial Symptoms on New Growth Synthetic Auxins (WSSA-4, HRAC-O) Phenoxy Acids | 227 227 229 | HERBICIDES SHOWING INITIAL LOCALIZED INJURY PS I Electron Diverters (WSSA-22, HRAC-D) Protoporphyrinogen Oxidase (Protox or | 271 |

| N-phenylphthalimides | 275 | Recognizing and Evaluating Levels | |
|--|------------|---|-----------------|
| Thiadazoles | 276 | of Control | 308 |
| Triazolinones | 276 | Understanding the Probable Impacts | |
| Glutamine Synthesis Inhibitors | | of Individual Control and | |
| (WSSA-10, HRAC-H) | 277 | Management Practices | 308 |
| | | Developing a Multicomponent and | |
| Chapter 15 | | Continuing Management Program | 311 |
| HERBICIDE GROUPS APPLIED | | Control of Creeping Perennial Grasses | |
| ALMOST EXCLUSIVELY TO | | and Other Monocots | 311 |
| THE SOIL: INHIBITORS OF CELL | | Johnsongrass | 312 |
| DIVISION IN GERMINATING SEEDS AND SEEDLINGS | 279 | Quackgrass | 317 |
| | 213 | Yellow and Purple Nutsedges Wild Garlic | 319 |
| Microtubule/Spindle Apparatus (Root) | | Control of Creeping Perennial | 324 |
| Inhibitors (WSSA-3, HRAC-K1) | 279 | Broadleaves | 327 |
| Dinitroanilines | 279 | Canada Thistle | 327 |
| Other Microtubule/Spindle Apparatus | | Field Bindweed | 331 |
| (Root) Inhibitors | 283 | Tiene Buildyreed | JJ1 |
| Shoot Inhibitors | 284 | | |
| Chloroacetamides and Oxyacetamides | 204 | Chapter 18 WEED LIFE CYCLES | |
| (WSSA-15, HRAC-K3) Thiocarbamates (WSSA-8, HRAC-N) | 284 287 | AND MANAGEMENT: | |
| Cell Wall Formation Inhibitors | 288 | WOODY PERENNIALS | 334 |
| Nitriles (WSSA-20, HRAC-L) | 400 | | 55 4 |
| and Others | 289 | Factors That Contribute to the Success | |
| Miscellaneous Cell Division Inhibitors | 290 | of Woody Perennial Weeds | 334 |
| Bensulide | 290 | Approaches to the Control of Woody | 225 |
| | 270 | Perennials Kudzu | 335 |
| Chapter 16 | | Multiflora Rose | 342 |
| WEED LIFE CYCLES AND | | Bush Honeysuckles | 345 346 |
| MANAGEMENT: PLANTS FROM | | Dush Honeysuckies | 240 |
| SEED, BIENNIALS, AND SIMPLE | | | |
| HERBACEOUS PERENNIALS | 292 | Chapter 19 | |
| Controlling Weeds Establishing | | WEED MANAGEMENT IN ANNUAL CROPS | 350 |
| from Seeds | 292 | | 000 |
| Annual Weeds | 293 | Annual Crops and Weed Competition | 350 |
| Biennial Weeds | 294 | Critical Period | 351 |
| Musk and Bull Thistles | 296 | Agronomic and Horticultural Crops | 353 |
| Wild Carrot | 299 | Timing of Weed Control Practices | |
| Garlic Mustard | 300 | to Fit Weed Emergence and Crop | 2-4 |
| Simple Herbaceous Perennial Weeds | 302 | Development Control Programs for Woods Established | 354 |
| Dandelion | 303 | Control Practices for Weeds Established | |
| | | Prior to or at Planting | 354 |
| Chapter 17 | | Selective Control of Germinating Weeds Emerging with the Crop | 354 |
| WEED LIFE CYCLES AND | | Selective Control of Emerged or | JJ 4 |
| MANAGEMENT: CREEPING | | Late-Emerging Weeds in | |
| HERBACEOUS PERENNIALS | 305 | an Emerged Crop | 355 |
| Factors That Contribute to the Success | | Tillage Systems for Annual Crops | 355 |
| of Creeping Perennial Weeds | 306 | Crops Grown Under Conventional | |
| Reproductive and Survival Mechanisms | | Tillage | 357 |
| Cropping and Management Practices | 306 | Conservation Tillage Systems | 358 |
| Approaches to the Control of Creeping | | Weed Control Practices in Annual | |
| Perennial Weeds | 307 | Crops | 361 |
| Adopting a Realistic Approach | 307 | Corn | 362 |
| Being Aware of Susceptible Growth | | Soybeans | 365 |
| Stages | 307 | Tomatoes | 371 |

| Onions | 372 | Conditions for Aquatic Plant Growth | 433 |
|--|------------|---|------------|
| Small Grains | 373 | Light | 433 |
| Ornamentals | 377 | Nutrients | 433 |
| Organically Grown Crops | 379 | Temperature | 435 |
| | | Substrate | 435 |
| Chapter 20 | | Aquatic Plant Management Methods | 435 |
| WEED MANAGEMENT | | Preventive Practices | 435 |
| IN PERENNIAL CROPS AND | | Habitat Alteration | 437 |
| NATURAL ECOSYSTEMS | 383 | Mechanical and Physical Practices | 440 |
| Weeds in Management Systems | | Biological Control Practices | 441 |
| Dominated by Perennial Plants | 383 | Chemical Control Practices | 444 |
| Range of External Inputs versus Return | 384 | Diagnosis and Prevention of Fish-Related Problems | 455 |
| Systems with Extensive External Inputs | 384 | Fish Stunting | 457 |
| Systems with Continuing but Moderate | | Fish Kills | 457 |
| to Minimal External Inputs | 384 | Winter Fish Kills | 457 458 |
| Systems with Infrequent to No | | Diagnosis | 458 |
| External Inputs | 384 | Diagnosis | 470 |
| Establishment of Perennial Crops | | - | |
| and Plant Communities | 385 | Chapter 22 | _ |
| Site Preparation | 385 | HERBICIDE FORMULATIONS AND |) |
| Planting | 386 | PACKAGING, CARRIERS, SPRAY ADDITIVES, AND TANK MIXES | 460 |
| Initial Weed Suppression | 386 | | 460 |
| Propagation Practices for Perennials | 387 | Herbicide Formulations and Packaging | 460 |
| Weed Control Practices in Perennial | | General Considerations | 461 |
| Systems | 387 | Sprayable Formulations | 461 |
| Herbaceous Crops with Limited Tillage | 387 | Dry Application Formulations | 463 |
| Lawn-Quality Turf (A Frequently- | | Trends in Formulation and | |
| Mowed Herbaceous Crop) | 391 | Packaging Technology | 463 |
| Well-Managed Pastures and Haycrops | 20- | Herbicide Carriers | 464 |
| (Forages) | 395 | Liquid Carriers | 464 |
| Roadsides, Waterways, Filter Strips, | 205 | Dry Carriers | 465 |
| and Other Noncropped Sods | 397 | Gas Carriers | 465 |
| Native Prairie Plantings | 399 | Spray Additives | 465 |
| Grazing Lands (Permanent Pastures, | 400 | Surfactants | 466 |
| Rangelands) Woody Plants | 400 402 | Oil-Based Adjuvants | 472 |
| Natural Areas and Ecosystems | 402 | Fertilizer Salts | 473 |
| (Wildlands) | 408 | Tank Mixes Involving Herbicide Tank Mix Interactions | 473 |
| Bare Soil Sites/Total Vegetation Control | 414 | Tallk Witx Interactions | 473 |
| Persistent Herbicides | 414 | | |
| Precautions for Use of Highly Persisten | | Chapter 23 | |
| Herbicides | 415 | HERBICIDE APPLICATION | 476 |
| | 117 | Application Equipment | 477 |
| Chanton 01 | | Conventional Agricultural Sprayers | 477 |
| Chapter 21 AQUATIC PLANT MANAGEMENT | 418 | Devices for Above-Crop Placement | 483 |
| AGOATIO PLANT MANAGEMENT | 410 | Compressed Gas-Powered Sprayers | 485 |
| Problems Caused by Aquatic Weeds | 418 | Keeping Herbicides on Target | 486 |
| Major Aquatic Plant Groups and Habitats | 421 | Reducing Spray Drift | 489 |
| Invasive Species | 422 | Herbicide Incorporation Techniques | |
| Submersed and Free-Floating Invaders | 423 | and Equipment | 493 |
| Effects of Submersed and Free-Floating | | Rain and Irrigation Incorporation | 494 |
| Invaders on Native Submersed | | Advantages of Mechanical Incorporation | 494 |
| Species | 426 | Disadvantages of Mechanical | |
| Emergent Invaders | 427 | Incorporation | 495 |
| Algal and Fern Invaders | 430 | Incorporation Techniques | 495 |
| Goals for Aquatic Plant Managers | 432 | Implements Used for Incorporation | 496 |

| Equipment Calibration and Associated | | Purposes of Tillage | 518 |
|---|-----|--------------------------------------|-----|
| Procedures | 497 | Conservation Tillage Systems | 518 |
| Spray Equipment | 497 | | |
| Granular Application Equipment | 500 | Chapter 25 | |
| Calibrating Granular Applicators | | TROUBLESHOOTING | 522 |
| for Band Application | 503 | | |
| Cleaning the Sprayer | 503 | Your Conduct | 523 |
| | | Your Investigation | 524 |
| Chapter 24 | | Determining Patterns in the Field | |
| TILLAGE EQUIPMENT | 505 | (or Problem Area) | 524 |
| | | Identifying Injury Symptoms | |
| The Conventional Tillage System | 505 | on Individual Plants | 526 |
| Primary Tillage Equipment | 506 | Interpreting Your Findings | 529 |
| Moldboard Plow | 506 | Decisions That Require Quick Action | 530 |
| Disk Plow | 507 | Decontamination | 530 |
| Chisel Plow | 507 | Replanting Annual Crops | 531 |
| Sweep Plow | 508 | When to Reestablish Perennial Plants | 531 |
| Secondary Tillage Equipment | 509 | | |
| Tandem Disk (Tandem Disk Harrow) | 509 | Appendix A | |
| Field Cultivator | 510 | COLLECTING PLANTS | |
| Spring Tooth Harrow | 510 | FOR IDENTIFICATION | 532 |
| Mulch Treader | 510 | | |
| Light Harrows | 510 | A management in D | |
| Rollers and Packers | 511 | Appendix B | |
| Rod Weeder | 511 | USEFUL CONVERSION | ~~~ |
| Multicomponent Tillage Implements | 512 | FACTORS | 534 |
| Power-Driven Tillage Equipment | 512 | | |
| Rototiller | 513 | Appendix C | |
| Vertical Tine Tiller | 513 | WEED SCIENCE JOURNALS, | |
| Equipment for Selective Weeding | 513 | PROCEEDINGS, AND SOCIETIES | 536 |
| Light Harrows | 513 | | |
| Rotary Hoe | 514 | Literature Cited | 537 |
| Within-Row Weeder | 514 | | |
| Row Crop Cultivators | 516 | Index | 552 |