



# Sustainable IT Architecture

*The Progressive Way of Overhauling  
Information Systems with SOA*

**Pierre Bonnet**

**Jean-Michel Detavernier**

**Dominique Vauquier**

*Jérôme Boyer and Erik Steinholtz*

**ISTE**

 **WILEY**

# Table of Contents

|  |       |
|--|-------|
| <b>Acknowledgements</b> . . . . .                                      | xiii  |
| <b>Foreword</b> . . . . .  | xv    |
| <b>Preface</b> . . . . .   | xxi   |
| <b>Guide for the Reader</b> . . . . .                                  | xxvii |
| <b>Introduction to the SOA Project at SMABTP</b> . . . . .             | xxxi  |
| <br>   |       |
| <b>Chapter 1. Initial Perspectives</b> . . . . .                       | 1     |
| 1.1. 50 years of computing – an overview . . . . .                     | 1     |
| 1.2. What remains today? . . . . .                                     | 5     |
| <br>   |       |
| <b>Part I. Why a Sustainable Information System?</b> . . . . .         | 7     |
| <br>   |       |
| <b>Chapter 2. Company-oriented Services</b> . . . . .                  | 9     |
| 2.1. Consequences of the Internet revolution. . . . .                  | 9     |
| 2.2. What do the leading market players say? . . . . .                 | 12    |
| 2.3. What do the chief information officers think? . . . . .           | 14    |
| 2.4. The issues faced at general management level . . . . .            | 14    |
| 2.5. Levels of maturity . . . . .                                      | 16    |
| <br>   |       |
| <b>Chapter 3. SOA Maturity Levels</b> . . . . .                        | 21    |
| 3.1. Towards the creation of a more agile information system . . . . . | 21    |
| 3.2. Cosmetic SOA . . . . .  | 23    |
| 3.3. Extended SOA . . . . .  | 24    |
| 3.4. Overhaul SOA . . . . .  | 26    |
| 3.5. The matrices of SOA maturity. . . . .                             | 28    |

|   |    |
|---|----|
| 3.5.1. The matrix showing the definitions of SOA . . . . .  | 28 |
| 3.5.2. The matrix showing the quality criteria of SOA . . . . .   | 29 |
| 3.5.3. The matrix showing the strengths and weaknesses of SOA . . . . .                                     | 29 |
| <b>Chapter 4. Economic and Social Aspects . . . . .</b>   | 31 |
| 4.1. Removal of obstacles that may slow down the progressive overhaul<br>of an information system . . . . . | 32 |
| 4.2. The future of IT specialists . . . . .   | 33 |
| 4.3. Off-shoring . . . . .  | 33 |
| 4.4. The generation mix . . . . .   | 34 |
| 4.5. The role of software infrastructure editors . . . . .  | 35 |
| <b>Part II. The Principles of SOA . . . . .</b>   | 37 |
| <b>Chapter 5. The Properties of SOA . . . . .</b>   | 39 |
| 5.1. The definition of service for users . . . . .  | 41 |
| 5.1.1. The user of the service . . . . .  | 42 |
| 5.1.2. A business ambiguity . . . . .   | 42 |
| 5.1.3. An example of a business service . . . . .   | 43 |
| 5.2. The definition of service for IT specialists . . . . .   | 44 |
| 5.2.1. The granularity of service . . . . .   | 44 |
| 5.2.2. The separation of concerns . . . . .   | 46 |
| 5.2.3. The service categories . . . . .   | 47 |
| 5.2.4. Batch services . . . . .   | 49 |
| 5.3. The properties of basic SOA . . . . .  | 50 |
| 5.3.1. Loose coupling . . . . .   | 50 |
| 5.3.2. Communication by messages . . . . .  | 51 |
| 5.3.3. Design by contract . . . . .   | 52 |
| 5.3.4. The limits of the basic properties . . . . .   | 56 |
| 5.4. The properties of agility . . . . .  | 56 |
| 5.4.1. The difference between the version and the variant of a service . . . . .                            | 58 |
| 5.4.2. Agility of the data . . . . .  | 60 |
| 5.4.3. Agility of the rules . . . . .   | 65 |
| 5.4.4. Agility of the processes . . . . .   | 66 |
| 5.4.5. Agility of the human-computer interface . . . . .  | 67 |
| <b>Chapter 6. Orchestration (BPM and SOA) . . . . .</b>   | 69 |
| 6.1. Multiple requirements in orchestration . . . . .   | 71 |
| 6.1.1. Orchestration and SOA maturity levels . . . . .  | 71 |
| 6.1.2. Functional requirements . . . . .  | 73 |
| 6.1.3. Technical requirements . . . . .   | 75 |
| 6.1.4. Enterprise architecture requirements . . . . .   | 77 |

|  |            |
|--|------------|
| 6.2. The levels of orchestration . . . . .   | 78         |
| 6.2.1. Orchestration at the process level . . . . .  | 79         |
| 6.2.2. Orchestration at screen level . . . . .   | 80         |
| 6.2.3. Orchestration at the micro-process level (use cases) . . . . .                        | 81         |
| 6.2.4. Orchestration at the business service level . . . . .                                 | 82         |
| 6.2.5. Orchestration between domains through the use of ESB . . . . .                        | 83         |
| 6.2.6. The orchestration of batches . . . . .  | 83         |
| 6.3. The techniques of orchestration . . . . .   | 85         |
| 6.3.1. The BPM engine . . . . .  | 85         |
| 6.3.2. The business rules engine . . . . .   | 86         |
| 6.3.3. Specific programming . . . . .  | 86         |
| 6.4. Towards the homogenization of orchestration . . . . .                                   | 87         |
| 6.4.1. Unified modeling . . . . .  | 87         |
| 6.4.2. Unified standard . . . . .  | 89         |
| 6.5. The benefits of orchestration . . . . .   | 91         |
| 6.5.1. Advantages . . . . .  | 91         |
| 6.5.2. Disadvantages . . . . .   | 91         |
| <b>Part III. The Need for an Enterprise Method . . . . .</b>                                 | <b>93</b>  |
| <b>Chapter 7. The Discovery of Services (Reference Framework and Urbanization) . . . . .</b> | <b>95</b>  |
| 7.1. New needs for the information system . . . . .  | 96         |
| 7.1.1. Expansiveness and progressiveness . . . . .   | 97         |
| 7.1.2. Mobilizing the many different competences . . . . .                                   | 98         |
| 7.2. Why are different methods seldom used within companies? . . . . .                       | 98         |
| 7.3. Reference frameworks . . . . .  | 101        |
| 7.3.1. Zachman's framework . . . . .   | 101        |
| 7.3.2. TOGAF . . . . .   | 102        |
| 7.3.3. Peter Herzum's framework . . . . .  | 103        |
| 7.3.4. Important information to be taken from the reference frameworks . . . . .             | 104        |
| 7.4. Essential tools . . . . .   | 105        |
| 7.4.1. UML (Unified Modeling Language) . . . . .   | 105        |
| 7.4.2. MDA (Model Driven Architecture) . . . . .   | 106        |
| 7.4.3. Urbanization of the information system . . . . .                                      | 107        |
| <b>Chapter 8. The Praxeme Enterprise Method . . . . .</b>                                    | <b>111</b> |
| 8.1. Praxeme: the initiative behind a public method . . . . .                                | 112        |
| 8.2. The Praxeme method . . . . .  | 112        |
| 8.2.1. Product . . . . .   | 113        |
| 8.2.2. Process . . . . .   | 113        |
| 8.2.3. Procedures . . . . .  | 114        |

|  |            |
|--|------------|
| 8.2.4. Combining the three dimensions . . . . .                                      | 114        |
| 8.3. Enterprise system topology according to the Praxeme method . . . . .            | 115        |
| 8.3.1. Upstream models . . . . .   | 115        |
| 8.3.2. Logical (SOA), technical and software architecture models . . . . .           | 117        |
| 8.3.3. Hardware and physical architecture models . . . . .                           | 117        |
| 8.3.4. Enterprise system topology . . . . .  | 118        |
| 8.3.5. Pre-modeling . . . . .  | 119        |
| 8.4. What the Praxeme method means for SOA . . . . .                                 | 120        |
| 8.4.1. How can we find the correct services? . . . . .                               | 120        |
| 8.4.2. The link between urbanization, the object-oriented approach and SOA . . . . . | 121        |
| 8.5. Advantages of the Praxeme method . . . . .                                      | 124        |
| 8.5.1. A method that unites different approaches and integrates SOA . . . . .        | 124        |
| 8.5.2. Risks associated with the Praxeme method. . . . .                             | 126        |
| <b>Chapter 9. Modeling with Praxeme . . . . .</b>                                    | <b>129</b> |
| 9.1. The modeling of requirements. . . . .   | 130        |
| 9.2. Semantic modeling . . . . .   | 130        |
| 9.2.1. The basic principles . . . . .  | 130        |
| 9.2.2. How to obtain a semantic model . . . . .                                      | 133        |
| 9.2.3. How to validate a semantic model . . . . .                                    | 134        |
| 9.2.4. Semantic models and property rights – who owns a semantic model? . . . . .    | 134        |
| 9.2.5. The structure of a semantic model . . . . .                                   | 135        |
| 9.3. Pragmatic modeling . . . . .  | 137        |
| 9.3.1. The basic principles . . . . .  | 137        |
| 9.3.2. A new procedure for designing processes . . . . .                             | 139        |
| 9.3.3. Usage view. . . . .   | 140        |
| 9.4. Pre-modeling . . . . .  | 142        |
| 9.5. Logical modeling . . . . .  | 143        |
| 9.5.1. SOA's style of logical architecture . . . . .                                 | 143        |
| 9.5.2. Service-oriented architecture as logical architecture . . . . .               | 144        |
| 9.5.3. Types of logical components . . . . .   | 145        |
| 9.5.4. The strata of logical architecture . . . . .                                  | 151        |
| 9.5.5. Pivot language. . . . .   | 153        |
| 9.5.6. Service algorithm specification. . . . .                                      | 154        |
| 9.5.7. Specification of the services' pre- and post-conditions. . . . .              | 154        |
| 9.5.8. Logical architecture of data . . . . .  | 156        |
| 9.5.9. Logical architecture of data repositories . . . . .                           | 157        |
| 9.5.10. Logical architecture and user interface . . . . .                            | 158        |
| 9.5.11. Designing a logic for tests . . . . .  | 159        |

|  |            |
|--|------------|
| 9.5.12. Considering ERP . . . . .  | 160        |
| 9.5.13. Considering existent assets . . . . .  | 160        |
| 9.5.14. Federation of systems. . . . .   | 160        |
| 9.5.15. Roles of logical modeling . . . . .  | 161        |
| 9.6. Logical modeling of batch computing . . . . .   | 162        |
| 9.7. Technical modeling . . . . .  | 163        |
| 9.7.1. Required competences . . . . .  | 163        |
| 9.7.2. Technical/logical negotiation . . . . .   | 164        |
| 9.8. Software modeling . . . . .   | 166        |
| 9.8.1. General principles . . . . .  | 166        |
| 9.8.2. Towards the industrialization of programming . . . . .                                    | 169        |
| 9.9. Benefits of the methodology . . . . .   | 169        |
| 9.9.1. Opportunities . . . . .   | 169        |
| 9.9.2. Obstacles . . . . .   | 171        |
| <b>Part IV. Mastering Existing Techniques . . . . .</b>  | <b>173</b> |
| <b>Chapter 10. Tools for Industrializing the Method . . . . .</b>                                | <b>175</b> |
| 10.1. Requirements in the industrialization of procedures . . . . .                              | 176        |
| 10.2. Frameworks and design patterns. . . . .  | 178        |
| 10.2.1. From services framework to virtual machines . . . . .                                    | 179        |
| 10.2.2. Frameworks and human-machine interfaces . . . . .  | 182        |
| 10.2.3. Design patterns . . . . .  | 186        |
| 10.3. Tools for increased agility . . . . .  | 189        |
| 10.3.1. Rules engine . . . . .   | 189        |
| 10.3.2. Reference data management system . . . . .   | 196        |
| 10.4. Representation tools . . . . .   | 203        |
| 10.4.1. Modeling CASE tool . . . . .   | 203        |
| 10.4.2. Formal language (pseudo-language) . . . . .  | 207        |
| 10.4.3. MDA . . . . .  | 209        |
| 10.5. Tools for tests and management . . . . .   | 212        |
| 10.5.1. Non-regression tests . . . . .   | 212        |
| 10.5.2. Designing tests and test data. . . . .   | 213        |
| 10.5.3. Different levels of tests. . . . .   | 214        |
| 10.6. Tools for the management of different versions and the configuration of programs . . . . . | 216        |
| 10.6.1. The level of versions and variants . . . . .   | 216        |
| 10.6.2. The level of delivery packages . . . . .   | 218        |
| 10.7. Benefits of using tools in the method . . . . .  | 219        |
| 10.7.1. Opportunities . . . . .  | 219        |
| 10.7.2. Risks. . . . .   | 220        |

|  |     |
|--|-----|
| <b>Chapter 11. Systems Integration and Common Information Language . . . . .</b>   | 223 |
| 11.1. New requirements in communication. . . . .                                   | 225 |
| 11.1.1. Increase of data flow . . . . .  | 225 |
| 11.1.2. Considering the business. . . . .  | 225 |
| 11.1.3. Take the bus! . . . . .  | 227 |
| 11.2. ESB's functions . . . . .  | 227 |
| 11.2.1. Use perimeter . . . . .  | 227 |
| 11.2.2. ESB's components . . . . .   | 230 |
| 11.3. Integrating ESB into SI . . . . .  | 235 |
| 11.3.1. Towards a common language . . . . .  | 235 |
| 11.4. ESB's benefits . . . . .   | 239 |
| 11.4.1. Opportunities . . . . .  | 239 |
| 11.4.2. Limitations . . . . .  | 240 |
| <b>Chapter 12. SOA Platform . . . . .</b>  | 243 |
| 12.1. Requirements for the global vision of technical architecture . . . . .       | 244 |
| 12.2. New technical components . . . . .   | 245 |
| 12.2.1. The transformation of data. . . . .  | 245 |
| 12.2.2. From a directory to a registry of services . . . . .                       | 248 |
| 12.2.3. Security . . . . .   | 250 |
| 12.2.4. Traceability of services in production . . . . .                           | 252 |
| 12.2.5. BAM and CEP . . . . .  | 254 |
| 12.2.6. Business Intelligence . . . . .  | 255 |
| 12.2.7. Editing . . . . .  | 257 |
| 12.3. Managing performance . . . . .   | 259 |
| 12.3.1. A new order of things? . . . . .   | 259 |
| 12.3.2. Best practice . . . . .  | 260 |
| 12.3.3. Testing performance . . . . .  | 261 |
| 12.4. Managing exploitation . . . . .  | 263 |
| 12.5. Managing maintenance . . . . .   | 269 |
| 12.6. Benefits of SOA platforms . . . . .  | 265 |
| 12.6.1. Opportunities . . . . .  | 265 |
| 12.6.2. Limitations . . . . .  | 266 |
| <b>Chapter 13. Rules Management at the Scale of the Whole Enterprise . . . . .</b> | 267 |
| Jérôme BOYER, ILOG Software  |     |
| 13.1. Overview . . . . .   | 267 |
| 13.2. Deep view . . . . .  | 268 |
| 13.3. When to use a rule engine . . . . .  | 271 |
| 13.4. Logical architecture view . . . . .  | 273 |
| 13.5. BRMS and SOA . . . . .   | 283 |

|   |     |
|---|-----|
| <b>Chapter 14. Semantic Integration . . . . .</b>                     | 287 |
| Erik STEINHOLTZ, Progress Software                                    |     |
| 14.1. Enabling the adaptive enterprise. . . . .                       | 288 |
| 14.2. Inhibitors for change. . . . .                                  | 289 |
| 14.3. Definition of semantic integration. . . . .                     | 290 |
| 14.4. Parallel track information modeling. . . . .                    | 291 |
| 14.5. Change inhibitors addressed with semantic integration . . . . . | 294 |
| 14.6. Putting it to work. . . . .                                     | 295 |
| 14.6.1. Canonicalizing the BIM . . . . .                              | 295 |
| 14.6.2. The quick win: a pilot project . . . . .                      | 296 |
| 14.6.3. Using the CIM for integration. . . . .                        | 296 |
| 14.6.4. Tools used . . . . .  | 297 |
| 14.6.5. Managing change and keeping the models alive . . . . .        | 298 |
| <b>Conclusion. . . . .</b>  | 299 |
| <b>Weblinks . . . . .</b>   | 303 |
| <b>Bibliography . . . . .</b>   | 305 |
| <b>Special Technical Note . . . . .</b>                               | 307 |
| <b>Index . . . . .</b>  | 309 |