

herbivores

*the assessment of intake, digestibility and
the roles of secondary compounds*



edited by CA Sandoval-Castro, FD DeB Hovell,
JFJ Torres-Acosta and A Ayala-Burgos

bsas

publication 34

CONTENTS

1. The possible use of the alkenes (unsaturated hydrocarbons) of plant cuticular wax as diet composition markers in sheep 1
H. Dove¹ and M. Oliván²
¹CSIRO Plant Industry, GPO Box 1600, Canberra, ACT 2601, Australia <hugh.dove@csiro.au>; ²SERIDA, Apartado 13, 33300 Villaviciosa, Asturias, Spain
2. Degradation characteristics of stover of 'criollo' maize varieties used as forage in smallholder maize-livestock production systems of Central Mexico, in different growing periods 9
J. Estrada-Flores, O. Castelán-Ortega, N. Martínez-Silva, A. Vieyra-Santiago, A. Sánchez-Colín, M. González-Ronquillo and C. Arriaga-Jordán
CICA-Universidad Autónoma del Estado de México. Instituto Literario No. 100, colonia Centro. CP.50000, Toluca Estado de México, México
3. The use of alkanes as markers for estimating diet composition in sheep and goats 15
L.M.M. Ferreira¹, M. Oliván², M.A.M. Rodrigues¹, A. Dias-da-Silva¹ and K. Osoro²
¹CCEAV-Departamento de Zootecnia, Universidade de Trás-os-Montes e Alto Douro, Apartado 1013, 5001 Vila Real Codex, Portugal; ²SERIDA- Servicio Regional de Investigación y Desarrollo Agroalimentario, Apartado 13, 33300 Villaviciosa, Asturias, Spain
4. Gas production and dry matter degradability of diets for ruminants 21
F. Bovera, S. Calabò, R. Schettini, M.I. Cutrignelli, F. Infascelli and V. Piccolo
Dipartimento di Scienze Zootecniche e Ispezione degli alimenti, sez. B. Ferrara, University of Naples "Federico II" Via F. Delpino, 1 – 80137, Naples, Italy

Table of contents

5.	Prediction of DMD from gas production for substrates with high and low soluble carbohydrate content	29
	Ú.T. Nogueira ¹ , R. M. Maurício ² , L. C. Gonçalves ¹ , N. M. Rodrigues ¹ , L. G. R. Pereira ¹ , and M. S. Dhanoa ³	
	¹ UFMG-EV Federal University of Minas Gerais - Vet. School (Br); ² FUNED-Ezequiel Dias Foundation (Br); ³ IGER, Plas Gogerddan, Aberystwyth, Ceredigion (UK)	
6.	Diet determination of cattle grazing in the Sanyati communal areas in Zimbabwe	35
	Hanne H. Hansen and Jørgen Madsen	
	Department of Animal Science and Animal Health, The Royal Veterinary and Agricultural University (KVL), Gronnegårdsvej 2, 1870 Frederiksberg C, Denmark	
7.	Limitations in assessment of forage intake and diet composition of steers grazing tropical pastures with short-term intake rate and oesophageal fistulated steers	41
	H. D. Hess ¹ , C.E. Lascano ² and M. Kreuzer ³	
	¹ Institute of Animal Science, ETH Center/LFW, CH-8092 Zurich, Switzerland; ² Tropical Grass and Legume Project, CIAT, Apartado aéreo 6713, Cali, Colombia; ³ Institute of Animal Science, ETH Center/LFW, CH-8092 Zurich, Switzerland	
8.	A new strategy for the <i>in situ</i> technique through the use of one fistulated ruminant	49
	I. B. M. Sampaio and T. R. Tomich	
	Animal Science Dept-UFMG Caixa Postal 567 Belo Horizonte 30123-970 Brazil	
9.	Validation of the n-alkane technique to measure intake and digestibility in Alentejano pigs under "Montanheira"	55
	M. I. Ferraz de Oliveira ¹ , A. P. Trigo ² , J. A. Neves ³ and M. Cancela d'Abreu ⁴	
	¹ ICAM, Universidade de Évora - Polo da Mitra, Apartado 94, 7002-554 Évora Portugal; ^{2,3,4} Departamento de Zootecnia, Universidade de Évora - Polo da Mitra, Apartado 94, 7002-554 Évora Portugal; ³ jneves@uevora.pt; ⁴ abreu@uevora.pt	
10.	Effect of inoculum from suckling rabbits of different ages on fermentation parameters obtained with the <i>in vitro</i> gas production technique	63
	M.P. Gazaneo, F.Bovera, C. Di Meo, G Piccolo and A. Nizza	
	Dipartimento di Scienze Zootecniche e Ispezione degli Alimenti, Università "Federico II", Via F. Delpino 1 – 80137 Napoli, Italy	

11. Comparison between *in vitro* gas production and *in situ* degradation for evaluating rumen dry matter degradation of maize grain and tropical grasses 69
R. M. Mauricio¹, T.R. Tomich², R. A. Filho³, R. B. Reis³, L.C. Gonçalves³, I. Borges³ and M. S. Dhanoa⁴
¹FUNED - Ezequiel Dias Foundation - (Br); ²EMBRAPA- The Brazilian Agricultural Research Corporation - (Br); ³UFMG-EV - Federal University of Minas Gerais - Veterinary School - (Br); ⁴IGER, Plas Gogerddan, Aberystwyth, Ceredigion (UK)
12. Fermentation kinetics of the carbohydrate fraction of fresh forage, 73 silage and hay of *Avena sativa*
S. Calabrò, F. Bovera, F. Zicarelli, R. Tudisco, M.I. Cutrignelli, G. Piccolo and F. Infascelli
Dipartimento di Scienze Zootecniche e Ispezione degli alimenti, University of Naples "Federico II" Via F. Delpino, 1 – 80137, Napoli, Italy
13. Effect of method of conservation on the n-alkane C₃₁ concentration of two legumes and three temperate grasses 79
M.R. Reyes-Reyes¹, S. E. Buntinx^{1§}, F. S. Barajas-Torres², I. C. Gavilán-García², and F.A. Castrejón-Pineda¹
¹Facultad de Medicina Veterinaria y Zootecnia, Depto. de Nutrición Animal y Bioquímica; ²Facultad de Química, Depto. de Química Orgánica, Universidad Nacional Autónoma de México, Cd. Universitaria 04510, Mexico
14. The amount of rumen fluid influences the composition of short chain fatty acids produced *in vitro* 87
S. Muetzel¹, R.M. Mauricio² and K. Becker¹
¹Department of Aquaculture Systems and Animal Nutrition in the Tropics and Subtropics, University of Hohenheim, 70593 Stuttgart, Germany; ²FUNED - Ezequiel Dias Foundation - (Br)
15. A methodological approach in La Reunion Island on the value of faecal Near Infrared Reflectance Spectroscopy (NIRS) to assess grazing intake and diet quality of the dairy cow 93
V. Decruyenaere¹, J.Bony², P. Grimaud⁴ and Ph. Lecomte^{1,3}
¹Farming Systems Section, Centre of Agricultural Researches (CRA), 100 rue du Serpent, B-6800 Libramont, Belgium;
²National Institute for Agricultural research, Herbivores Research Unit (INRA-URH), Clermont-Ferrand Theix; on secondment to CIRAD, Pole Elevage, Saint Pierre, La Réunion Island, France;
³Centre International in Agricultural Research for Development

(CIRAD-EMVT), Animal Productions program, Montpellier, France;

⁴ Centre International in Agricultural Research for Development

(CIRAD-EMVT), Pole Elevage, Saint Pierre, La Réunion Island, France

16. *In vitro* fermentation of four tropical browse legumes: estimation of the effect of tannins by gas production 101

Rafael Rodríguez¹, Mariano Mota, Manuel Fondevila and Gabriel de la Fuente

Departamento de Producción Animal y Ciencia de los Alimentos, Universidad de Zaragoza, Miguel Servet 177, 50013 Zaragoza, Spain; ¹Instituto de Ciencia Animal, Carretera Central km 47,5, Apdo. Postal 24, San José de las Lajas, La Habana, Cuba

17. Predicting the digestibility of Sahelian roughage feeds from the crude protein content in faeces of cattle, sheep and goats using an established first-order exponential function 109

Eva Schlecht¹ and Andreas Sussenbeth²

¹ Institute for Animal Production in the Tropics and Subtropics, University of Hohenheim, D-70593 Stuttgart, Germany;

² Institute for Animal Nutrition and Physiology; University of Kiel, D-24098 Kiel, Germany

18. Effect of rumen emptying on biting rate of cows grazing Brachiaria brizantha at three stocking rates in Yucatán, México 117

R. Grajalez-Zepeda, A.J. Ayala-Burgos, L. Ramírez-Aviléz,

C. Aguilar-Pérez and J.L. Puerto-Nájera

Facultad de Medicina Veterinaria y Zootecnia – UADY, Apartado Postal 4-116 Itzimna, C.P. 97000, Mérida, Yucatan, Mexico

19. Evaluation of a fat protection method (Ca-soap) with an *in vitro* gas production system 125

H Magaña-Sevilla; CA Sandoval-Castro and Capetillo-Leal C.

Facultad de Medicina Veterinaria y Zootecnia, Universidad Autónoma de Yucatán, México, Apdo 4-16 itzimná, Mérida,

Yucatán, 97100, México

20. Mean chewing time in horses fed different forages supplemented with concentrates 131

P. Noergard¹, L. Raff¹, U. Poulsgaard¹, L. Eriksen² and T.M. Soeland²

¹Department of Basic Animal and Veterinary Sciences,

²Department of Large Animal Sciences, The Royal Veterinary and Agricultural University, Denmark

Table of contents

Posters

Combining <i>in vitro</i> data and modelling to predict <i>in vivo</i> animal response	135
Jan Dijkstra ¹ and James France ² ¹ Wageningen Institute of Animal Sciences, Animal Nutrition Group, PO Box 338, 6700 AH Wageningen, the Netherlands; ² Department of Animal and Poultry Science, University of Guelph, Guelph, Ontario N1G 2W1, Canada	
Cumulative gas production: how to measure it, and what it can and cannot tell you	145
Barbara A. Williams Animal Nutrition Group, Wageningen University, The Netherlands	
The use of n-alkanes and other plant-wax compounds as markers for studying the feeding and nutrition of large mammalian herbivores	153
R.W. Mayes ¹ and H. Dove ² ¹ The Macaulay Institute, Carigiebuckler, Aberdeen, AB15 8QH; ² CSIRO Plant Industry, GPO Box 1600, Canberra, ACT 2601, Australia	
Behavioural mechanisms influencing use of plants with secondary metabolites by herbivores	183
Frederick D. Provenza Department of Forest, Range and Wildlife Sciences, Utah State University, Logan, UT USA 84322-5230	
Can plant secondary metabolites have a role in controlling gastrointestinal nematode parasitism in small ruminants?	197
S.Athanasiadou ^{1*} , I.Kyriazakis ¹ , F.Jackson ² ¹ Animal Nutrition and Health Department, Scottish Agricultural College, EH26 0PH, UK; ² Parasitology Division, Moredun Research Institute, EH26 0PZ, UK	
Effects of tannins in goats infected with gastrointestinal nematodes	209
V. Paolini ¹ and H. Hoste Unité Mixte de Recherches 1225 INRA/DGER. Ecole Nationale Vétérinaire de Toulouse. 23, chemin des Capelles F31076, Toulouse, France	
Upgrading tannin-rich forages by supplementing ruminants with Polyéthylene Glycol (PEG)	221
Perevolotsky, A. ¹ , Landau, S. ¹ , Silanikove, N. ² and Provenza, F. ³ ¹ Department of Natural Resources and Agronomy, Institute of Field and Garden Crops, Agricultural Research Organisation-The Volcani	

Table of contents

Center, P.O. Box 6, Bet Dagan 50250, Israel; ² Institute of Animal Science, Agricultural Research Organisation-The Volcani Center, Israel;
³Dept. of Forest, Range and Wildlife Sciences, Utah State University, Logan, USA

Chemical and biological assays for quantification of major plant secondary metabolites	235
Harinder P.S. Makkar <i>Animal Production and Health Section, Joint FAO/IAEA Division, International Atomic Energy Agency, Vienna, Austria</i>	
Nutritional characteristics of browse species from Northeastern Mexico consumed by small ruminants	251
Roque G. Ramírez-Lozano <i>Facultad de Ciencias Biológicas, Universidad Autónoma de Nuevo León. Apartado Postal 142, sucursal F, San Nicolás de los Garza, N.L. 66450. México</i>	
The effect of supplementary feeding in browsing Criollo kids and hair sheep naturally infected with gastrointestinal nematodes	261
Juan Felipe de Jesús Torres-Acosta <i>Facultad de Medicina Veterinaria y Zootecnia, Universidad Autónoma de Yucatán. Km 15.5 carretera Mérida-Xmatkuil, Mérida, Yucatán, México</i>	
Content of secondary metabolites of some indigenous browse-legumes from the Yucatan Peninsula, with particular reference to phenolic compounds	279
I. R. Armendáriz-Yáñez ¹ and J. A. Rivera-Lorca ² ¹ Facultad de Medicina Veterinaria y Zootecnia. Universidad Autónoma de Yucatán. Apdo. Postal 4-116 Itzimná. C.P. 97100 Mérida, Yuc., México; ² Instituto Tecnológico Agropecuario No. 2 Conkal. Km 16.3 Carretera Mérida-Motul C.P. 97100 Mérida, Yucatan, México	
Leguminosae diversity in the Yucatan Peninsula and its importance for sheep and goat feeding	291
José Salvador Flores, Rita M. Vermont-Ricalde and Jesús Martín Kantún-Balam <i>Facultad de Medicina Veterinaria y Zootecnia. Universidad Autónoma de Yucatán. Apdo. Postal 4-116 Itzimná. C.P. 97100, Mérida, Yucatán., México</i>	
Index	301