

FUNDAMENTALS OF STEELMAKING

E. T. TURKDOGAN



THE INSTITUTE OF MATERIALS

Contents

Acknowledgements xi

Chapter 1 Thermochemistry and Thermodynamics 1

- 1.1 Ideal gas laws 1
 - 1.1.1 The gas constant 2
 - 1.1.2 Gas partial pressure 2
 - 1.1.3 Nonideal gases 3
- 1.2 The first law of thermodynamics 3
 - 1.2.1 Energy 3
 - 1.2.2 Enthalpy 3
 - 1.2.3 Heat capacity 4
 - 1.2.4 Standard state 5
 - 1.2.5 Enthalpy of reaction 5
 - 1.2.6 Hess's law 6
 - 1.2.7 Special terms of heat of reaction 6
 - 1.2.8 Adiabatic reactions 6
- 1.3 The second law of thermodynamics 7
 - 1.3.1 Entropy 7
- 1.4 The third law of thermodynamics 7
- 1.5 Gibbs free energy 8
 - 1.5.1 Generalisation of entropy of reaction 8
 - 1.5.2 The standard free energies of formation of compounds 9
- 1.6 Empirical correlations 9
 - 1.6.1 Heat capacities of solid elements and simple compounds 9
 - 1.6.2 Heat capacities of polymeric substances 10
 - 1.6.3 Heat contents at melting points 11
 - 1.6.4 Heat of melting 13
- 1.7 Thermodynamic activity 13
 - 1.7.1 Temperature effect on activity 14
 - 1.7.2 Solutions 15
 - 1.7.3 Molar quantities of solutions 15
 - 1.7.4 Ideal solutions – Raoult's law 16
 - 1.7.5 Nonideal solutions 16
 - 1.7.6 Activity coefficient 16
 - 1.7.6a Henry's law for dilute solutions 17
 - 1.7.6b Interaction coefficients 17
 - 1.7.7 Conversion from one standard state to another 18
- 1.8 Reaction equilibrium constant 19
 - 1.8.1 Effect of temperature 19
- 1.9 Phase rule 20
- 1.10 Phase equilibrium diagrams 20

| | | |
|--------|--|----|
| 1.10.1 | Binary systems | 21 |
| 1.10.2 | Ternary systems | 23 |
| 1.11 | Surface tension | 25 |
| 1.11.1 | Chemisorbed layer | 27 |
| 1.11.2 | Langmuir adsorption isotherm | 27 |
| 1.11.3 | Effect of surface curvature on surface tension | 29 |
| 1.12 | Interfacial tension | 29 |
| 1.12.1 | Contact angle | 29 |
| 1.12.2 | Work of cohesion, work of adhesion and spreading coefficient | 30 |
| 1.13 | Computer-based packages | 31 |

Chapter 2' Rate phenomena 34

| | | |
|--------|---|----|
| 2.1 | Kinetics of interfacial reactions | 34 |
| 2.1.1 | Examples of experiments on rates of interfacial reactions | 38 |
| 2.1.1a | Nitrogen transfer across iron surface | 38 |
| 2.1.1b | Rate of decarburisation of liquid Fe-C alloys by CO ₂ | 39 |
| 2.2 | Fick's diffusion laws | 41 |
| 2.2.1 | First law-steady state diffusion | 41 |
| 2.2.2 | Second law-nonsteady state diffusion | 41 |
| 2.2.3 | Interdiffusion in binary metallic solutions | 43 |
| 2.2.4 | Diffusion in ionic media (slags) | 44 |
| 2.3 | Mass and heat transfer through reaction product layer | 44 |
| 2.3.1 | Parabolic rate of exidation of iron | 44 |
| 2.3.2 | Heat-transfer controlled calcination of limestone | 46 |
| 2.4 | Reaction of gases with porous materials | 48 |
| 2.4.1 | Mathematical analysis of Thiele | 48 |
| 2.4.2 | Oxidation of carbon in CO ₂ -CO mixtures | 51 |
| 2.4.2a | Electrode consumption in EAF steelmaking | 56 |
| 2.4.3 | Reduction of iron oxides | 57 |
| 2.4.4 | Effect of reaction temperature on pore structure of reacted material | 63 |
| 2.5 | Vaporisation in reactive gases | 67 |
| 2.6 | Kinetics of gas bubbles in oxygen steelmaking | 70 |
| 2.6.1 | Bubble nucleation and growth | 70 |
| 2.6.2 | Gas holdup in steel bath | 71 |
| 2.6.3 | Estimation of bubble size for uniformly dispersed bubbles in the steel bath | 74 |
| 2.6.4 | Rate equation for transport controlled gas bubble reactions in liquid steel | 76 |
| 2.6.5 | An example of calculated rate of nitrogen removal | 77 |
| 2.7 | Maximum rate of degassing of liquid steel with argon purging | 78 |
| 2.8 | Computer-based packages | 80 |

Chapter 3 Thermochemical and transport properties of gases 82

| | | |
|-------|---------------------------|----|
| 3.1 | Thermochemical properties | 82 |
| 3.1.1 | Molar heat capacity | 82 |
| 3.1.2 | Heat content | 83 |

| | | |
|---|--|-----|
| 3.1.3 | Equilibrium states in gas mixtures | 83 |
| 3.2 | Transport properties | 86 |
| 3.2.1 | Interrelations between transport properties | 88 |
| 3.2.1a | Viscosity/thermal conductivity | 88 |
| 3.2.1b | Thermal diffusivity/thermal conductivity | 88 |
| 3.2.1c | Temperature and pressure effects | 88 |
| 3.2.1d | Molecular mass effect | 89 |
| 3.3 | Pore diffusion | 89 |
| Chapter 4 Physicochemical properties of steel 91 | | |
| 4.1 | Selected thermodynamic activities | 91 |
| 4.1.1 | Activity coefficients in Fe-X binary melts | 91 |
| 4.1.2 | Activity coefficients in multicomponent melts | 94 |
| 4.1.3 | Free energies of solution in liquid iron | 94 |
| 4.2 | Gas solubilities in solid and liquid iron | 95 |
| 4.2.1 | Sievert's law | 95 |
| 4.2.2 | Solubility of hydrogen | 96 |
| 4.2.3 | Solubility of nitrogen | 97 |
| 4.2.4 | Solubility of carbon monoxide | 98 |
| 4.2.5 | Solubility of water vapour | 98 |
| 4.2.6 | Solubility of sulphur dioxide | 99 |
| 4.2.7 | Solubility of hydrogen sulphide | 99 |
| 4.3 | Selected iron-base phase diagrams | 100 |
| 4.3.1 | Crystallographic forms of iron | 100 |
| 4.3.2 | Iron-carbon system | 101 |
| 4.3.2a | Peritectic reaction | 104 |
| 4.3.2b | Effect of alloying elements on peritectic invariant | 105 |
| 4.3.2c | Liquidus temperatures of low alloy steels | 109 |
| 4.3.3 | Iron-oxygen system | 110 |
| 4.3.4 | Iron-sulphur system | 114 |
| 4.3.5 | Iron oxysulphide | 115 |
| 4.3.6 | Iron-manganese oxysulphide | 117 |
| 4.3.7 | Elements of low solubility in liquid iron | 119 |
| 4.4 | Solubilities of CaO, CaS, MgO and MgS in liquid iron | 123 |
| 4.5 | Solubilities of nitrides and carbides in solid and liquid iron | 125 |
| 4.6 | Surface tension of liquid iron alloys | 126 |
| 4.7 | Density of liquid steel | 129 |
| 4.8 | Viscosity | 130 |
| 4.9 | Mass diffusivities in solid and liquid iron | 132 |
| 4.10 | Electrical conductivity | 133 |
| 4.11 | Thermal conductivity | 134 |
| 4.12 | Thermal diffusivity | 136 |
| Chapter 5 Physicochemical properties of molten slags 138 | | |
| 5.1 | Structural aspects | 138 |
| 5.2 | Slag basicity | 140 |
| 5.3 | Selected phase diagrams of binary and ternary oxide systems | 142 |

viii *Fundamentals of Steelmaking*

| | | |
|--------|---|-----|
| 5.3.1 | Binary oxide systems | 142 |
| 5.3.2 | Ternary and quaternary oxide systems | 145 |
| 5.4 | Thermodynamic activities of oxides in simple and complex slags | 150 |
| 5.4.1 | Activities in CaO–FeO–SiO ₂ system | 150 |
| 5.4.2 | Activities in CaO–Al ₂ O ₃ –SiO ₂ system | 152 |
| 5.4.3 | Activities in MnO–Al ₂ O ₃ –SiO ₂ system | 153 |
| 5.4.4 | Activity coefficient of FeO in slags | 153 |
| 5.4.5 | Activity coefficient of MnO in slags | 156 |
| 5.5 | Oxygen potential diagram | 158 |
| 5.6 | Gas solubilities in slags | 160 |
| 5.6.1 | Solubility of H ₂ O | 160 |
| 5.6.2 | Solubility of N ₂ | 160 |
| 5.6.2a | Slag/metal distribution ratio (N)/[N] | 161 |
| 5.6.3 | Solubility of S ₂ | 163 |
| 5.6.4 | Solubility of O ₂ | 165 |
| 5.7 | Surface tension | 166 |
| 5.7.1 | Slag–metal interfacial tension | 166 |
| 5.7.2 | Solute-induced interfacial turbulence | 167 |
| 5.8 | Density | 170 |
| 5.9 | Viscosity | 172 |
| 5.10 | Mass diffusivity | 176 |
| 5.11 | Electrical conductivity | 177 |
| 5.12 | Thermal conductivity | 178 |

Chapter 6 Equilibrium data on liquid steel–slag reactions 180

| | | |
|-------|----------------------------------|-----|
| 6.1 | Oxidation of iron | 180 |
| 6.2 | Oxidation of manganese | 181 |
| 6.3 | Oxidation of carbon | 182 |
| 6.4 | Oxidation of silicon | 183 |
| 6.5 | Oxidation of chromium | 184 |
| 6.6 | Oxidation of phosphorus | 186 |
| 6.7 | Reduction of sulphur | 189 |
| 6.8 | Deoxidation reaction equilibrium | 193 |
| 6.8.1 | Deoxidation with Fe/Mn | 193 |
| 6.8.2 | Deoxidation with Si/Mn | 193 |
| 6.8.3 | Deoxidation with Si/Mn/Al | 197 |
| 6.8.4 | Deoxidation with Al | 197 |

Chapter 7 Pretreatment of blast furnace iron 200

| | | |
|-----|--|-----|
| 7.1 | Desiliconisation | 200 |
| 7.2 | Dephosphorisation and desulphurisation | 202 |
| 7.3 | Desulphurisation | 205 |
| 7.4 | Benefits of hot metal refining | 208 |

Chapter 8 Oxygen steelmaking 209

| | | |
|-------|-----------------------|-----|
| 8.1 | Introduction | 209 |
| 8.2 | Furnace charge | 209 |
| 8.2.1 | Static charge control | 211 |

| | | |
|--------|--|-----|
| 8.2.1a | Material balance | 211 |
| 8.2.1b | Heat balance | 213 |
| 8.2.1c | Reliability of static charge-control system | 214 |
| 8.3 | Dynamic control of oxygen blowing | 214 |
| 8.3.1 | Automated control of oxygen blowing | 215 |
| 8.4 | Steelmaking slags | 217 |
| 8.4.1 | Slag formation in BOF steelmaking | 217 |
| 8.4.2 | Slag formation in Q-BOP steelmaking | 219 |
| 8.4.3 | Slag composition at turndown | 219 |
| 8.5 | Decarburisation | 220 |
| 8.6 | Combined-blowing in BOF steelmaking | 222 |
| 8.7 | Metal emulsion in foaming slags | 226 |
| 8.8 | Control of slag foaming | 227 |
| 8.9 | States of steelmaking reactions at the end of oxygen blowing | 230 |
| 8.9.1 | Oxygen-carbon relation | 231 |
| 8.9.2 | Iron oxide-carbon relation | 232 |
| 8.9.3 | Manganese oxide-carbon relation | 234 |
| 8.9.4 | FeO–MnO–Mn–O relations | 234 |
| 8.9.5 | State of phosphorus reaction | 236 |
| 8.9.6 | State of sulphur reaction | 237 |
| 8.9.7 | Hydrogen and nitrogen contents in BOF and Q-BOP steelmaking | 238 |
| 8.9.8 | General comments | 239 |
| 8.10 | States of slag-metal reactions in EAF steelmaking | 240 |
| 8.10.1 | Slag composition | 240 |
| 8.10.2 | Iron oxide-carbon relation | 241 |
| 8.10.3 | FeO–MnO–Mn relation | 242 |
| 8.10.4 | State of chromium oxidation | 242 |
| 8.10.5 | State of phosphorus reaction | 242 |
| 8.10.6 | State of sulphur reaction | 242 |
| 8.10.7 | Summary | 243 |

Chapter 9 Steel refining in the ladle 245

| | | |
|-------|--|-----|
| 9.1 | Tap ladle | 245 |
| 9.1.1 | Ladle refractory lining | 245 |
| 9.1.2 | Ladle preheating | 246 |
| 9.1.3 | Porous plug on the ladle bottom | 249 |
| 9.2 | Steel homogenisation with gas stirring | 249 |
| 9.2.1 | Mixing time | 251 |
| 9.2.2 | Rate of slag-metal reaction in gas stirred melts | 252 |
| 9.3 | Ladle slags | 253 |
| 9.4 | Chill factors for ladle additions | 254 |
| 9.5 | Reactions occurring during furnace tapping | 255 |
| 9.5.1 | Nitrogen pickup | 255 |
| 9.5.2 | Hydrogen pickup | 257 |
| 9.5.3 | Furnace slag carry over | 257 |
| 9.6 | Ladle furnace | 259 |

x *Fundamentals of Steelmaking*

| | | |
|---|--|-----|
| 9.6.1 | Arc reheating in the ladle furnace | 259 |
| 9.6.2 | Reheating with oxygen injection | 262 |
| 9.7 | Steel deoxidation | 262 |
| 9.7.1 | Open heat tapping | 263 |
| 9.7.2 | Slag aided deoxidation | 263 |
| 9.7.2a | Partial deoxidation with Fe/Mn | 263 |
| 9.7.2b | Deoxidation with Si/Mn | 266 |
| 9.7.2c | Deoxidation with Al | 266 |
| 9.7.3 | Deoxidation with Ca-Si | 268 |
| 9.7.4 | Argon rinsing for inclusion floatation | 268 |
| 9.8 | Desulphurisation | 269 |
| 9.8.1 | Desulphurisation methods | 270 |
| 9.8.2 | Rate of desulphurisation | 274 |
| 9.9 | Vacuum degassing | 277 |
| 9.9.1 | Vacuum degasser with arc reheating | 277 |
| 9.9.2 | Vacuum ladle degassing | 277 |
| 9.9.3 | Recirculation degassing | 278 |
| 9.9.4 | Carbon deoxidation | 279 |
| 9.9.5 | Decarburisation | 280 |
| 9.9.6 | Rate of decarburisation | 281 |
| 9.9.7 | Dehydrogenation | 283 |
| 9.9.8 | Denitrogenisation | 284 |
| 9.10 | Calcium treatment | 285 |
| 9.10.1 | Objectives of inclusion morphology control | 285 |
| 9.10.2 | Reaction of calcium in liquid steel | 286 |
| 9.10.3 | Efficiency of calcium usage and retention in steel | 288 |
| 9.10.4 | Sulphide morphology (shape) control | 289 |
| 9.11 | Inclusion control in bearing steels | 290 |
| 9.12 | Other references on inclusions in steel | 292 |
| Chapter 10 Reactions during steel solidification 297 | | |
| 10.1 | Solute enrichment in interdendritic liquid | 297 |
| 10.1.1 | Scheil equation | 297 |
| 10.1.2 | Reactions in interdendritic liquid | 298 |
| 10.1.3 | Liquidus temperature and solute activity coefficients in the interdendritic liquid | 302 |
| 10.2 | Subsurface blowhole formation | 302 |
| 10.3 | Castability of resulphurised steel | 305 |
| 10.4 | Critical ratio $(\text{Mn}/\text{S})_c$ to suppress hot shortness of steel | 307 |
| 10.5 | CaS formation during solidification | 307 |
| 10.6 | Causes and effects of nitride precipitation in continuous casting | 310 |
| 10.6.1 | Hot ductility | 310 |
| 10.6.2 | Modes of nitride and carbonitride precipitation | 315 |
| 10.6.3 | Interdendritic precipitation of TiN | 316 |
| 10.6.4 | Critical microalloying elements in HSLA steel | 318 |