








D.S. Hill



Pests of Crops in Warmer Climates and Their Control



Springer

Contents

Preface	v	8 Pesticides in current use	107
1 Introduction	1	Types of pesticides	107
2 Pest ecology	3	Pesticide recommendations	107
Ecology and pest control	3	Pesticide effectiveness	108
Ecology	3	Factors influencing pesticide effectiveness	108
Agroecosystems	4	Considerations in pesticide use	110
Pest populations	5	The more widely used insecticides	
Insect pheromones in relation to pest control	9	and acaricides currently available for	
Insect feeding on plants	12	crop protection	112
Abundance and richness of insect (arthropod)		Pesticides (chemical control)	113
faunas on host plants	14	Some major pesticides in current	
Insect (pest) distributions	15	or recent use	113
Pollination	19	9 Major tropical crop pests	115
3 Principles of pest control	21	Vertebrata	115
Definition of the term 'pest'	21	Order rodentia	117
Development of pest status	23	Rat pests	120
Pest damage	27	Other mammal pests	126
Economics of pest attack and control	28	Class aves (birds)	127
Forecasting pest attack	29	Other vertebrata	132
4 Methods of pest control	33	Mollusca pests	133
Legislative methods	33	Nematoda	135
Physical methods	35	Major nematode pests	135
Cultural control	40	Insecta	138
Crop plant resistance to pest attack	44	Orthoptera	138
Biological control	48	Isoptera	153
Chemical methods	52	Homoptera	162
Integrated control	55	Heteroptera	230
Integrated pest management (IPM) (formerly		Thysanoptera	255
pest management (PM))	56	Coleoptera	267
Eradication	57	Stored produce infestation control	291
The present state of insect pest management	57	Diptera	351
5 Pest damage to crop plants	59	Lepidoptera	380
Pest damage assessment and crop yields	59	Hymenoptera	482
Types of pest damage to crop plants	67	Acarina	497
Damage to stored products	78	10 Major tropical crops and their	
6 Biological control of crop pests	81	pest spectra	511
Natural control	81	ALMOND (<i>Prunus amygdalus</i> – Rosaceae)	512
Biological control	82	APPLE (<i>Pyrus malus</i> – Rosaceae)	513
7 Pesticide application	93	APRICOT (<i>Prunus armeniaca</i> – Rosaceae)	515
Methods of pesticide application	93	AVOCADO (<i>Persea americana</i> – Lauraceae)	516
Equipment for application	102	BAMBOO	
		(<i>Bambusa vulgaris</i> , etc. – Gramineae)	517
		BANANAS	
		(<i>Musa sapientum</i> varieties – Musaceae)	518
		BEANS AND GRAMS	
		(<i>Phaseolus</i> spp. – Leguminosae)	520

BETEL PALM (<i>Areca catechu</i> – Palmae)	523
BETEL-PEPPER (<i>Piper betle</i> – Piperaceae)	524
BRASSICAS (<i>Brassica</i> spp. – Cruciferae) (Cabbage, Kale, Cauliflower, Mustards, Broccoli, Turnip, Brussels Sprout, Rape)	525
BREADFRUIT (<i>Artocarpus altilis</i> – Moraceae)	527
CAPSICUMS (<i>Capsicum</i> spp. – Solanaceae) (= Sweet Peppers and Chilli)	528
CARDAMOM (<i>Elettaria cardamomum</i> – Zingiberaceae)	530
CASHEW (<i>Anacardium occidentale</i> – Anacardiaceae)	531
CASSAVA (<i>Manihot esculenta</i> – Euphorbiaceae) (= Manioc; Tapioca; Yuca)	532
CASTOR (<i>Ricinus communis</i> – Euphorbiaceae)	534
CHICKPEA (<i>Cicer arietinum</i> – Leguminosae) (= Gram; Garbanzo Bean)	536
CINCHONA (<i>Cinchona</i> spp. – Rubiaceae) (= Quinine)	537
CINNAMON (<i>Cinnamomum</i> <i>zeylandicum</i> – Lauraceae)	538
CITRUS (<i>Citrus</i> spp. – Rutaceae) (Orange, Lemon, Lime, Mandarin, Tangerine, Grapefruit, Pomelo)	539
CLOVE (<i>Eugenia caryophyllus</i> – Myrtaceae) (= <i>Syzygium aromaticum</i>)	542
COCOA (<i>Theobroma cacao</i> – Sterculiaceae)	543
COCONUT (<i>Cocos nucifera</i> – Palmae)	545
COCOYAM (<i>Xanthosoma</i> <i>sagittifolium</i> – Araceae) (= Tannia)	547
COFFEE (<i>Coffea arabica</i> & <i>C. robusta</i> – Rubiaceae)	548
COTTON (<i>Gossypium</i> spp. – Malvaceae)	551
COWPEA (<i>Vigna sinensis</i> – Leguminosae)	554
CUCURBITS (Marrow, Pumpkin, Melon, Watermelon, Squash, Cucumber, Loofah, etc – Cucurbitaceae)	556
CUSTARD APPLE (<i>Annona squamosa</i> – Annonaceae) (= Sugar Apple; Sweetsop)	558
DATE PALM (<i>Phoenix dactylifera</i> – Palmae)	559
DECCAN HEMP (<i>Hibiscus cannabinus</i> – Malvaceae) (= Kenaf, etc.)	560
EGGPLANT (<i>Solanum melongena</i> – Solanaceae) (= Brinjal; fruit called Aubergine)	561
FIG (<i>Ficus carica</i> – Moraceae)	563
GINGER (<i>Zingiber officinale</i> – Zingiberaceae)	565
GRAPEVINE (<i>Vitis vinifera</i> – Vitaceae)	566
GRASS (Many species – Gramineae)	568
GROUNDNUT (<i>Arachis hypogaea</i> – Leguminosae)	570
GUAVA (<i>Psidium guajava</i> – Myrtaceae)	572
HEMP (<i>Cannabis sativa</i> – Cannabinaceae) (= Indian Hemp)	574

HYACINTH BEAN (<i>Lablab niger</i> – Leguminosae) (= <i>Dolichos lablab</i>) (= Indian Bean; Bovanist Bean)	575
JACKFRUIT (<i>Artocarpus</i> <i>heterophyllus</i> – Moraceae)	576
JUJUBE (<i>Zizyphus mauritiana</i> – Rhamnaceae) (= <i>Z. jujuba</i> (L.) Lam. non Mill.) (= Indian Jujube; Ber)	577
JUTE (<i>Corchorus</i> spp. – Tiliaceae)	578
KAPOK (<i>Ciba pentandra</i> – Bombacaceae)	579
KOLA (<i>Cola</i> spp. – Sterculiaceae) (= Kola-nut)	580
LENTIL (<i>Lens esculenta</i> – Leguminosae)	581
LETTUCE (<i>Lactuca sativa</i> – Compositae)	582
LITCHI (<i>Litchi chinensis</i> – Sapindaceae) (= Lychee)	583
LONGAN (<i>Euphoria longana</i> – Sapindaceae)	584
LOQUAT (<i>Eriobotrya japonica</i> – Rosaceae)	585
MACADAMIA (<i>Macadamia ternifolia</i> – Proteaceae) (= Queensland Nut)	586
MAIZE (<i>Zea mays</i> – Gramineae) (= Sweet Corn, when unripe; Corn (in USA))	587
MANGO (<i>Mangifera indica</i> – Anacardiaceae)	590
MANILA HEMP (<i>Musa textilis</i> – Musaceae) (= Abaca)	592
MILLETS (Gramineae) (<i>Pennisetum</i> <i>typhoides</i> – Bulrush (Pearl) Millet) (<i>Panicum miliaceum</i> – Common Millet) (<i>Elusine coracana</i> – Finger Millet) (<i>Setaria italica</i> – Foxtail Millet) etc.	593
MULBERRY (<i>Morus</i> spp. – Moraceae)	595
NUTMEG (<i>Myristica fragrans</i> – Myristicaceae)	596
OIL PALM (<i>Elaeis guineensis</i> – Palmae)	597
OKRA (<i>Hibiscus esculentus</i> – Malvaceae) (= Ladies' Fingers)	599
OLIVE (<i>Olea europaea</i> – Oleaceae)	601
ONIONS (<i>Allium</i> spp. – Amaryllidaceae) (Onions, Shallot, Garlic, Chives, Leek)	602
OPIUM POPPY (<i>Papaver somniferum</i> – Papaveraceae)	603
PAPAYA (<i>Carica papaya</i> – Caricaceae) (= Pawpaw; Papita)	604
PASSION FRUIT (<i>Passiflora edulis</i> – Passifloraceae) (<i>P. quadrangularis</i>) (= Grenadilla & Giant Granadilla)	605
PEA (<i>Pisum sativum</i> – Leguminosae) (Garden Pea; Field Pea)	606
PEACH (<i>Prunus persicae</i> – Rosaceae)	607
PECAN (<i>Carya illinoensis</i> – Juglandaceae) (Hickory Nut)	608
PEPPER (<i>Piper nigrum</i> – Piperaceae)	609
PIGEON PEA (<i>Cajanus cajan</i> – Leguminosae) (= Cajan Pea; Red Gram; Dhal; Tur)	610
PINEAPPLE (<i>Ananas cosmosus</i> – Bromeliaceae)	611
PISTACHIO (<i>Pistacia vera</i> – Anacardiaceae) (= Green Almond)	612

PLUM (<i>Prunus domestica</i> – Rosaceae)	613	TAMARIND (<i>Tamarindus</i>	
POMEGRANATE		<i>indica</i> – Caesalpiniaceae)	641
(<i>Punica granatum</i> – Punicaceae)	614	TARO (<i>Colocasia esculenta</i> – Araceae)	
POTATO (<i>Solanum tuberosum</i> – Solanaceae)		(= Cocoyam; Dasheen)	642
(= Irish Potato)	615	TEA (<i>Thea sinensis</i> – Theaceae)	
PYRETHRUM (<i>Chrysanthemum</i>		(= <i>Camellia sinensis</i>)	643
<i>cinerariifolium</i> – Compositae)	617	TOBACCO (<i>Nicotiana</i>	
QUINCE (<i>Cydonia oblonga</i> – Rosaceae)	618	<i>tabacum</i> – Solanaceae)	645
RAMBUTAN (<i>Nephelium lappaceum</i> –		TOMATO (<i>Lycopersicum</i>	
Sapindaceae)	619	<i>esculentum</i> – Solanaceae)	647
RICE (<i>Oryza sativa</i> – Gramineae)	620	TURMERIC (<i>Curcuma domestica</i> –	
ROSE APPLE (<i>Eugenia jambos</i> – Myrtaceae)		Zingiberaceae) (= <i>C. longa</i>)	649
(= <i>Syzygium jambos</i>)	623	VANILLA (<i>Vanilla fragrans</i> – Orchidaceae)	
ROSELLE (<i>Hibiscus sabdariffa</i> – Malvaceae)		(= <i>V. planifolia</i>)	650
(= Jamaican Sorrel; Rama)	624	WALNUT (<i>Juglans regia</i> – Juglandaceae)	
RUBBER (<i>Hevea brasiliensis</i> – Euphorbiaceae)	625	(= English Walnut)	651
SAFFLOWER		WATERCRESS (<i>Nasturtium</i>	
(<i>Carthamus tinctorius</i> – Compositae)	626	<i>officinale</i> – Crucifereae)	652
SANN HEMP (<i>Crotalaria juncea</i> –		WHEAT (<i>Triticum sativum</i> – Gramineae)	
Leguminosae) (= Sunn Hemp)	627	(including Barley and Oats)	653
SAPODILLA (<i>Achras zapota</i> – Sapotaceae)		YAM (<i>Dioscorea esculenta</i> –	
(= Chiku; Chikoo; Sapota)	628	Dioscoreaceae) & <i>D. spp.</i>	655
SESAME (<i>Sesamum indicum</i> – Pedaliaceae)		PEST OF SEEDLINGS AND	
(= Simsim; Til; Beniseed; Gingelly)	629	GENERAL PESTS	656
SISAL (<i>Agave sisalana</i> – Agavaceae)	630	INSECT PESTS OF STORED	
SORGHUM (<i>Sorghum bicolor</i> – Gramineae)		PRODUCTS	658
(= Great Millet; Guinea Corn; Kaffir Corn;			
Durra; Milo; Jola)	631	11 General bibliography	659
SOYBEAN (<i>Glycine max</i> – Leguminosae)		Additional references	670
(= Soya Bean)	633		
SUGARCANE (<i>Saccharum officinarum</i> –		Appendices	671
Gramineae)	635	A Glossary of terms used in applied	
SUNFLOWER (<i>Helianthus annuus</i> –		entomology and crop protection	671
Compositae)	638	B Standard abbreviations	671
SWEET POTATO			
(<i>Ipomoea batatas</i> – Convolvulaceae)	639	Index	679