

ADVENTURES *in* SOCIAL RESEARCH

Data Analysis Using IBM® SPSS® Statistics

7TH EDITION



Earl Babbie ▪ Fred S. Halley
William E. Wagner, III ▪ Jeanne Zaino



DETAILED CONTENTS

Preface xvii

About the Author xxiii

Part I Preparing for Data Analysis 1

Chapter 1 Introduction: The Theory and Practice of Social Research 3

- Overview 3
- Why Use a Computer? 4
- SPSS Statistics (aka PASW Statistics) 4
- Social Research: A Primer 5
- Theories and Concepts: Deprivation Theory 5
- Hypotheses and Variables: Religiosity 6
- Table 1.1: Theories, Concepts, Hypotheses, and Variables 7
- Table 1.2: Variables and Categories 8
- Social Research Strategies:
 - Inductive and Deductive 8
- Theory and Research in Practice 10
 - Example 1: Political Orientations* 10
 - Example 2: Attitudes Toward Abortion* 10
- Conclusion 11
- Main Points 11
- Key Terms 12
- Review Questions 12

Chapter 2 The Logic of Measurement 15

- Validity Problems 15
- Reliability Problems 16
- Distinguishing Between Validity and Reliability 17

- Multiple Indicators 18
- Levels of Measurement 18
 - Nominal Variables* 18
 - Ordinal Variables* 18
 - Ratio Variables* 19
 - Interval Variables* 19
- Measurement and Information 19
- Table 2.1: Levels of Measurement 20
- Measurement Options 20
- Classifying Variables as Discrete or Continuous 21
- Table 2.2: Tips for Distinguishing Between Discrete and Continuous Variables 21
- Conclusion 22
- Main Points 22
- Key Terms 22
- Review Questions 22

Chapter 3 Description of Data Sets: The General Social Survey 25

- Sampling 26
- Data Collection 27
- The Codebook: Appendix A 27
 - Subsample 1: DEMO.SAV* 28
 - Subsample 2: EXER.SAV* 28
- Conclusion 28
- Main Points 28
- Key Terms 29
- Review Questions 29

Part II Univariate Analysis 31

Chapter 4 Using SPSS Statistics: Some Basics 33

- Demonstration 4.1: Starting an SPSS Statistics Session 33
 - SPSS Statistics Command 4.1:
 - Starting an SPSS Statistics Session 33
- Demonstration 4.2: Exploring the Data View Portion of the Data Editor 34
 - Menu Bar* 34
 - Getting Help* 35
 - SPSS Statistics Command 4.2:
 - Accessing the Help Menu 36

- Tool Bar* 36
- Dialog Boxes* 36
 - SPSS Statistics Command 4.3:
 - Getting Help in a Dialog Box 37
 - Scroll Bars: Moving Through the Data Editor* 37
 - SPSS Statistics Command 4.4:
 - Moving Through the Data Screen 38
 - Demonstration 4.3: Entering Data—A Preview* 38
- Demonstration 4.4: Loading a Data Set** 39
 - SPSS Statistics Command 4.5:
 - Opening a Data File 40
- Demonstration 4.5:**
 - Raw Data in Data View 40
- Finding Variable Information:**
 - Values and Labels 41
 - Option 1: “Variables” Dialog Box* 41
 - Option 2: Toggling Between Numeric Values and Value Labels* 42
 - Option 3: Value Labels Tool* 43
 - SPSS Statistics Command 4.6:
 - Finding Information on Variables 43
- Demonstration 4.6:**
 - Variable View Tab 43
 - SPSS Statistics Command 4.7:
 - Finding Information on Variables in Variable View 44
- Demonstration 4.7: Ending Your SPSS Statistics Session** 44
 - SPSS Statistics Command 4.8:
 - Ending Your SPSS Statistics Session 45
- Conclusion** 45
- Main Points** 45
- Key Terms** 45
- SPSS Statistics Commands**
 - Introduced in This Chapter 46
- Review Questions** 46
- SPSS Statistics Lab Exercise 4.1** 47

Chapter 5 Describing Your Data: Religiosity 49

- Demonstration 5.1: Opening Frequently Used Data Files** 49
 - SPSS Statistics Command 5.1:
 - Shortcut for Opening Frequently Used Data Files 50
- Demonstration 5.2: Setting Options—Variable Lists and Output Labels** 50

- SPSS Statistics Command 5.2:
 - Setting Options—
 - Displaying Abbreviated Variable Names Alphabetically 51
- SPSS Statistics Command 5.3:
 - Setting Options—Output Labels 52
- SPSS Statistics Command 5.4:
 - Setting Values and Labels as “Missing” 54
- Demonstration 5.3: Frequency Distributions** 54
 - SPSS Statistics Command 5.5:
 - Running Frequency Distributions 56
- The SPSS (aka PASW) Statistics Viewer: Output* 56
 - SPSS Statistics Command 5.6:
 - Navigating Through the SPSS Statistics Viewer 57
 - SPSS Statistics Command 5.7:
 - Changing the Width of the Outline Pane 57
- Hiding and Displaying Results in the Viewer* 57
 - SPSS Statistics Command 5.8:
 - Hiding and Displaying Results in the Viewer 57
 - SPSS Statistics Command 5.9:
 - Hiding and Displaying All Results From a Procedure 58
- Reading Frequency Distributions* 58
- Demonstration 5.4: Frequency Distributions: Running Two or More Variables at One Time** 59
 - SPSS Statistics Command 5.10:
 - Running Frequency Distributions With Two or More Variables 60

Writing Box 5.1 62

- Descriptive Statistics: Basic Measures of Central Tendency and Dispersion** 63
- Table 5.1: Basic Descriptive Statistics Appropriate for Different Types of Variables** 63
- Table 5.2: Basic Descriptive Statistics Appropriate for Different Levels of Measurement** 64

Demonstration 5.5: The Frequencies
 Procedure 64
 SPSS Statistics Command 5.11:
 The Frequencies
 Procedure—
 Descriptive Statistics
 (Discrete Variables) 65

Demonstration 5.6: The Descriptives
 Procedure—Calculating Descriptive
 Statistics for Continuous
 Variables 66
 SPSS Statistics Command 5.12:
 The Descriptives
 Procedure—
 Descriptive Statistics
 (Continuous
 Variables) 67

Demonstration 5.7: Printing Your
 Output (Viewer) 67
 SPSS Statistics Command 5.13:
 Printing Your Output
 (Viewer) 68
 SPSS Statistics Command 5.14:
 Print Preview 68

Demonstration 5.8: Adding Headers/
 Footers and Titles/Text 68
 SPSS Statistics Command 5.15:
 Adding Headers and
 Footers 68
 SPSS Statistics Command 5.16:
 Adding Titles/
 Text 68

Demonstration 5.9: Saving
 Your Output (Viewer) 69
 SPSS Statistics Command 5.17:
 Saving Your Output
 (Viewer) 69

Demonstration 5.10: Saving Changes
 to Your Data Set 69
 SPSS Statistics Command 5.18:
 Saving Changes
 Made to an Existing
 Data Set 70

Conclusion 70
 Main Points 70
 Key Terms 71
 SPSS Statistics Commands
 Introduced in This Chapter 71
 Review Questions 72
 SPSS Statistics Lab Exercise 5.1 73

Chapter 6 Presenting Your Data in Graphic Form: Political Orientations 77

Graphing Data With
 Legacy Dialogs 77

Demonstration 6.1: Frequency
 Table—POLVIEWS 78
 Bar Chart: POLVIEWS 78
 SPSS Statistics Command 6.1:
 Simple Bar Chart 81

Demonstration 6.2: SPSS Statistics
 Chart Editor 81
 SPSS Statistics Command 6.2:
 SPSS Statistics Chart
 Editor 82

Demonstration 6.3: Frequency Table—
 PARTYID 83
 Pie Chart: PARTYID 84
 SPSS Statistics Command 6.3: Pie
 Chart 85
 SPSS Statistics Command 6.4:
 Accessing Pie Options
 (SPSS Statistics
 Chart Editor) 86

Demonstration 6.4: Political
 Attitudes 88

Writing Box 6.1 88

Demonstration 6.5: Histogram—
 AGE 88
 SPSS Command 6.5:
 Histogram 90

Demonstration 6.6: Line Chart—
 INCOME 90
 SPSS Command 6.6: Simple
 Line Chart 93
 *Some Guidelines for Choosing a
 Chart or Graph* 93

Table 6.1: Charts Appropriate for Variables of
 Different Types 93

Table 6.2: Charts Appropriate for Variables
 at Different Levels of Measurement 94

Saving and Printing Your Charts 94
 Conclusion 94
 Main Points 94
 Key Terms 95
 SPSS Statistics Commands Introduced
 in This Chapter 95
 Review Questions 95
 SPSS Statistics Lab Exercise 6.1 97

Chapter 7 Recoding Your Data: Religiosity and Political Orientations 101

Demonstration 7.1: Modifying Variables
 With Recode: ATTEND →
 CHATT 101
 *Summary of Steps Involved in
 Recoding* 109

Demonstration 7.2: Recoding AGE → AGECAT 110

Writing Box 7.1 113

SPSS Statistics Command 7.1:
Recoding a Variable 113

Demonstration 7.3: Recoding
POLVIEWS → POLREC 113

Demonstration 7.4: Recoding PARTYID
→ PARTY 115

Writing Box 7.2 116

Demonstration 7.5: Saving Changes to
Your Data Set 116

SPSS Statistics Command 7.2:
Saving Changes Made
to an Existing Data Set 117

Conclusion 117

Main Points 117

Key Terms 118

SPSS Statistics Commands Introduced
in This Chapter 118

Review Questions 118

SPSS Statistics Lab Exercise 7.1 119

**Chapter 8 Creating Composite
Measures: Exploring Attitudes
Toward Abortion in More Depth 125**

Demonstration 8.1: Identifying the Seven
Abortion Variables—File Info 125

SPSS Statistics Command 8.1:
Identifying Variables—
File Info 126

Demonstration 8.2: Running
Frequencies for Several Variables at
Once 126

SPSS Statistics Command 8.2:
Running Frequencies for
Several Variables (Not
Clustered) 127

*Items With the Highest Levels of
Support 127*

Items With Less Support 128

*Unconditional Support for
Abortion 129*

Support for Abortion: An Overview 129

Table 8.1: Variations in Levels of Support
for Abortion 130

Index: A Form of Composite
Measure 130

ABORT Index 130

Value/Code Value Label 131

ABORT Index Scores 131

Demonstration 8.3: ABORT Index 131

Demonstration 8.4: Defining
ABORT 135

Demonstration 8.5: Checking New
Index—Comparing Scores on Old and
New Variables 135

Demonstration 8.6: Running
Frequencies for ABORT 136

SPSS Statistics Command 8.3:
Creating a Simple Index Using
Count 136

*ABINDEX: Index Based on Six
Abortion Variables 137*

Demonstration 8.7:

ABINDEX 137

Demonstration 8.8: Running
Frequencies 137

**Writing Box 8.1 : Description of
ABINDEX 138**

Conclusion 139

Main Points 139

Key Terms 139

SPSS Statistics Commands Introduced
in This Chapter 139

Review Questions 140

SPSS Statistics Lab Exercise 8.1 141

**Chapter 9 Suggestions for
Further Analysis 145**

Desired Family Size 145

Demonstration 9.1: Respondents' Ideal
Family Size (CHLDIDEL) 146

Writing Box 9.1 147

Child Training 147

Demonstration 9.2: Important Qualities
for Children 147

Writing Box 9.2 149

Attitudes About Sexual Behavior 149

Demonstration 9.3: Index of Sexual
Permissiveness 150

SPSS Statistics Command 9.1:
Setting Values and Labels as
"Missing" Using Range Plus
One Option 150

**Writing Box 9.3: Description of
SEXPERM Index 151**

Prejudice 151

Writing Box 9.4 152

Conclusion 153

Main Points 153

Key Term 153

SPSS Statistics Commands
Introduced in This Chapter 153

Review Questions 153

SPSS Statistics Lab Exercise 9.1 155

Chapter 10 Examining the Sources of Religiosity 159

- The Deprivation Theory of Religiosity 159
- Testing Our Hypothesis: Correlating Religiosity and Gender 160
- Demonstration 10.1: Running Crosstabs to Test Our Hypothesis 160

Table 10.1: Tips for Identifying Independent and Dependent Variables 161

Examining Your Output 164

- SPSS Statistics Command 10.1: Running Crosstabs—Specifying the Dependent and Independent Variables 164

Interpreting Crosstabs 164

Interpreting Crosstabs: Association, Strength, and Direction 165

- Demonstration 10.2: Interpreting a Crosstab With Limited Categories 165

First Question: Is There an Association? 165

Second Question: How Strong Is the Association? 166

- Demonstration 10.3: Correlating Another Measure of Religiosity and Gender 167

Writing Box 10.1 168

- Drawing Conclusions Carefully: Reassessing

Our Original Hypothesis 168

- Demonstration 10.4: Interpreting a Crosstab With Ordinal Variables—Religiosity and Age 168

- Interpreting Crosstabs With Ordinal Variables 169

Table 10.2: Hypothetical Example of a Positive Association 169

Table 10.3: Hypothetical Example of a Negative Association 170

Examining Your Output 170

- Demonstration 10.5: Correlating Other Measures of Religiosity and Age 170

Writing Box 10.2 171

Epsilon 172

- Conclusion 172

Main Points 172

Key Terms 173

SPSS Statistics Command Introduced in This Chapter 173

Review Questions 173

SPSS Statistics

Lab Exercise 10.1 175

Chapter 11 Political Orientations as Cause and Effect 181

The Relationship Between POLVIEWS and PARTYID 181

Demonstration 11.1: POLREC by PARTY 182

Demonstration 11.2: PARTY by POLREC 182

Age and Politics 183

Demonstration 11.3: POLREC by AGE CAT 183

Demonstration 11.4: PARTY by AGE CAT 184

Interpreting Your Table: The Relationship Between

Age and Party Identification 184

Religion and Politics 184

Demonstration 11.5: POLREC

by RELIG 185

Demonstration 11.6: PARTY by RELIG 185

Gender and Politics 186

Demonstration 11.7: PARTY and POLREC by SEX 186

Race and Politics 187

Demonstration 11.8: POLREC

by RACE 187

Demonstration 11.9: PARTY

by RACE 188

Education and Politics 188

Demonstration 11.10: Recoding EDUC → EDCAT 188

Demonstration 11.11: POLREC by EDCAT 189

Demonstration 11.12: PARTY by EDCAT 190

Some Surprises: Class, Marital Status, and Politics 190

Social Class 190

Marital Status 191

The Impact of Party and Political Philosophy 191

Saving Recoded Variable: EDCAT 191

Conclusion 191

Main Points 192

Key Terms 192
SPSS Statistics Commands Introduced in
This Chapter 192
Review Questions 192
SPSS Statistics Lab Exercise 11.1 193

Chapter 12 What Causes Different Attitudes Toward Abortion? 197

Demonstration 12.1: Gender and Abortion 197
Demonstration 12.2: Age and Abortion 198
Demonstration 12.3: Religion and Abortion 200

Writing Box 12.1 202

Demonstration 12.4: Politics and Abortion 202

Writing Box 12.2 203

Demonstration 12.5: Sexual Attitudes and Abortion 203
Other Factors You Can Explore on Your Own 205
Conclusion 205
Main Points 205
Key Terms 205
SPSS Statistics Commands Introduced in This Chapter 206
Review Questions 206
SPSS Statistics Lab Exercise 12.1 207

Chapter 13 Measures of Association 213

The Logic of Statistical Association: Proportionate Reduction of Error (PRE) 213
Lambda (λ): A Measure Appropriate for Nominal Variables 214
An Indication of Strength of Association 214
Example 1: The Logic of Lambda (λ) 215
Example 2: The Logic of Lambda (λ) 215
Demonstration 13.1: Instructing SPSS Statistics to Calculate Lambda (λ) 216
Interpreting Lambda and Other Measures 218

Table 13.1: Some General Guidelines for Interpreting Strength of Association (Lambda, Gamma, Pearson's r) 219

Caveat: Interpreting Lambdas of 0.00 220

Writing Box 13.1 220

SPSS Statistics Command 13.1:
Running Crosstabs With
Lambda (λ) 220

Gamma (γ): A Measure Appropriate for Ordinal Variables 220

An Indication of Strength and Direction (With a Caveat) of Association 221

Table 13.2: Direction of Association: Using Class and Prejudice as an Example 221

Example 1: The Logic of Gamma (γ) 222

Example 2: The Logic of Gamma (γ) 225

Demonstration 13.2: Instructing SPSS Statistics to Calculate Gamma (γ)—Example 1 226

Writing Box 13.2 228

Demonstration 13.3: Running Gamma (γ)—Example 2 (Reverse Scoring Case) 228

SPSS Statistics Command 13.2:
Running Crosstabs With
Gamma 230

Pearson's r : A Measure Appropriate for I/R Variables 230

An Indication of Strength and Direction of Association 230

Example 1: The Logic of Pearson's r 230

Demonstration 13.4: Instructing SPSS Statistics to Calculate Pearson's r 234

Demonstration 13.5: Recoding RINCOME→RECRINC 234

Demonstration 13.6: Using SPSS Statistics to Compute Pearson's r 236

SPSS Statistics Command 13.3:
Producing a
Correlation Matrix With
Pearson's r 237

Demonstration 13.7: Requesting Several Correlation Coefficients 238

Writing Box 13.3 238

A Note of Caution 239

Regression 239
Example 1: The Logic of Regression 240

Demonstration 13.8: Regression 241
SPSS Statistics Command 13.4:
Regression 244

Demonstration 13.9: Presenting
Data Graphically:
Producing a Scatterplot With
a Regression Line 244
An Indication of Direction and Strength
of Association 247

Writing Box 13.4 247

SPSS Statistics Command 13.5:
Producing a
Scatterplot With a Regression
Line 247

Additional Measures of
Association 248

Table 13.3: Measures of Association
Reviewed in This Chapter 248

Table 13.4: Additional Measures
of Association 248

Analyzing the Association Between
Variables at Different
Levels of Measurement 248

Conclusion 249

Main Points 249

Key Terms 250

SPSS Statistics Commands Introduced in
This Chapter 250

Review Questions 250

SPSS Statistics Lab Exercise 13.1 253

Chapter 14 Tests of Significance 259

Statistical Significance 259

Significance Tests: Part of the
Larger Body of Inferential
Statistics 260

Statistical Significance Versus Measures
of Association 260

Chi-Square (χ^2) 260

The Logic of Statistical Significance:
Chi-Square 261

Demonstration 14.1: Instructing SPSS
Statistics to Calculate Chi-Square 264
Reading Your Output 264

SPSS Statistics Command 14.1:
Producing Crosstabs
With Chi-Square 264

Practice Running Chi-Square 265

Writing Box 14.1 265

Significance and Association 265

Table 14.1: A Guide to Interpreting
Tests of Association
and Significance 266

t-Tests 266

Demonstration 14.2: Instructing SPSS
Statistics to Run Independent-
Samples *t*-Test 268

Reading Your Output 269

SPSS Statistics Command 14.2:
Running *t*-Test
(Independent-Samples
t-Test) 269

Demonstration 14.3: *t*-Test—
EDUC by SEX 270

Demonstration 14.4: *t*-Test—
SEI by SEX 270

Writing Box 14.2 271

Analysis of Variance 271

Demonstration 14.5: Instructing SPSS
Statistics to Run ANOVA 271

Reading Your Output 273

SPSS Statistics
Command 14.3: ANOVA
(GLM Univariate) 274

Writing Box 14.3 274

A Statistical Toolbox: A Summary 275

Table 14.2: A Statistical Toolbox 275

Conclusion 275

Main Points 276

Key Terms 276

SPSS Statistics Commands Introduced in
This Chapter 276

Review Questions 277

SPSS Statistics Lab Exercise 14.1 279

**Chapter 15 Suggestions for Further
Bivariate Analyses 283**

Demonstration 15.1: Desired
Family Size 283

Writing Box 15.1 284

Child Training 284

*Attitudes About Sexual
Behavior 285*

Demonstration 15.2: Investigating
Sexual Permissiveness
Further 285

Writing Box 15.2 286

Prejudice 286

Additional Resources 286

Conclusion 287

Main Points 287

Key Terms 288

SPSS Statistics Commands
Introduced in
This Chapter 288

Review Questions 288
SPSS Statistics Lab
Exercise 15.1 289

Part IV Multivariate Analysis 293

Chapter 16 Multiple Causation: Examining Religiosity in Greater Depth 295

Multiple Causation 295
Demonstration 16.1: The Impact of Age
and Sex on Religiosity 296
 SPSS Statistics Command 16.1:
 Running Crosstabs
 With a Control or Third
 Variable 298
Demonstration 16.2: Family Status and
Religiosity 298
Demonstration 16.3: Family Status and
Religiosity, Controlling for Age 299
Demonstration 16.4: Social Class and
Religiosity 299

Writing Box 16.1 300

Other Variables to Explore 300
Chi-Square and Measures of
Association 301
 Chi-Square (χ^2) 301
 Measures of Association 301
 Multiple Regression 301
 Dummy Variables 301
Recoding SEX to Create a Dummy
Variable: MALE 302
Recoding RACE to Create a Dummy
Variable: WHITE 303
 SPSS Statistics Command 16.2:
 Recoding to Create a
 Dummy Variable 303
Multiple Regression 304
 SPSS Command 16.3: Multiple
 Regression 306
Conclusion 306
Main Points 306
Key Terms 307
SPSS Statistics Commands Introduced in
This Chapter 307
Review Questions 307
SPSS Statistics Lab Exercise 16.1 309

Chapter 17 Dissecting the Political Factor 315

Political Philosophy and Party
Identification 315

Demonstration 17.1: Controlling for
Education 316
Demonstration 17.2: The Mystery
of Politics and Marital Status 317
 Recoding MARITAL 317
 POLREC by MARITAL2 317
 POLREC by MARITAL2 by
 AGECAT 318
 POLREC by MARITAL2 by
 SEX 318
 POLREC by MARITAL2 by
 EDCAT 319
 POLREC by MARITAL2 by
 RACE 319
 POLREC as Independent
 Variable 319

Writing Box 17.1 320

Political Issues 320
Conclusion 321
Main Points 321
Key Terms 321
SPSS Statistics Commands
 Introduced in This
 Chapter 321
Review Questions 322
SPSS Statistics Lab
 Exercise 17.1 323

Chapter 18 A Powerful Prediction of Attitudes Toward Abortion 327

Religion and Abortion 327
Demonstration 18.1: Religious
Affiliation and Church
Attendance 327
Demonstration 18.2: Religious
Affiliation, Church Attendance, and
Abortion 328
 Recoding RELIG and
 ATTEND Into Same
 Variables 328
 SPSS Statistics Command 18.1:
 Recoding Into Same
 Variables 329
 Crosstab Recoded Variables 329
 Relationship Between ABORT and
 Recoded Items 330

- Politics (POLREC, PARTY) and Abortion (ABORT) 331
- Demonstration 18.3: The Interaction of Religion and Politics on Abortion Attitudes 331
- Demonstration 18.4: Constructing an Index of Ideological Traditionalism 332
 - Step 1: Create IND* 332
 - Step 2: Assign Points—If Liberal*
 - (1) on POLREC, Get Two Points on IND 333
 - Step 3: Assign Points—If Moderate*
 - (2) on POLREC, Get One Point on IND 334
 - Step 4: Assign Points—If “None”*
 - (2) on RELIG, Get One Point on IND 335
 - Step 5: Assign Points—*
 - If Seldom* (2) on ATTEND, Get One Point on IND 335
 - Step 6: Missing Data* 335
 - Step 7: Define IND* 337
 - SPSS Statistics Command 18.2: Creating an Index Using Compute 337
 - Run Frequencies to Check IND* 337
- Does IND Predict Attitudes Toward Abortion? 338
- Sexual Attitudes and Abortion 338
- Demonstration 18.5: Recode PREMARSX and HOMOSEX 338

- Demonstration 18.6: The Relationship Between Sexual Permissiveness and IND 339

- Writing Box 18.1* 339

- Conclusion 340
- Main Points 340
- Key Term 340
- SPSS Statistics Commands Introduced in This Chapter 340
- Review Questions 340
- SPSS Statistics Lab Exercise 18.1 343

Chapter 19 Suggestions for Further Multivariate Analyses 347

- Ideal Family Size and Abortion 347

- Writing Box 19.1* 348

- Child Training 348
- The Protestant Ethic 348
- Capital Punishment, Gender, and Race 349
- Demonstration 19.1: CAPPUN by SEX 350
- Demonstration 19.2: CAPPUN by SEX, Controlling for RACE 350
- Conclusion 351
- Main Points 352
- Key Terms 352
- SPSS Statistics Commands Introduced in This Chapter 352
- Review Questions 352
- SPSS Statistics Lab Exercise 19.1 353

Part V The Adventure Continues 357

Chapter 20 Designing and Executing Your Own Survey 359

- The Social Research Process and Proposal 359
- Designing and Executing Your Own Survey 360
 - Sample Questionnaire* 360
- Getting Ready for Data Analysis Using SPSS Statistics 361
 - Step 1: Defining Your Data* 361
- Demonstration 20.1: Example 1: Defining ID 361
 - Variable Names* 362
 - Type* 362
 - Decimal* 363
 - Width* 363

- Label* 364
- Values* 364
- Missing* 364
- Columns and Align* 365
- Measure* 365

- Demonstration 20.2: Example 2: Defining CHLDIDEL 366
 - SPSS Statistics Command 20.1: Defining a Variable 367
 - Copying Variables With Shared Attributes: Abortion Variables* 367
- Demonstration 20.3: Copying a Variable 367
 - SPSS Statistics Command 20.2: Copying a Variable 370
- Demonstration 20.4: Saving Your New File 370

SPSS Statistics Command 20.3:	
Saving a New	
Data File	370
LOCAL.SAV	370
Step 2: <i>Editing and Coding</i>	
Your Data	371
Unique ID Number	371
Coding Open-Ended	
Questions	371
Ensuring That Codes Are Easy to	
Read	371
Editing Questionnaires	371
Demonstration 20.5: Accessing	
File Information for Coding	
and Editing	372
SPSS Statistics Command 20.4:	
Accessing File	
Information for Coding and	
Editing	372
Step 3: <i>Entering Your Data</i>	373
Demonstration 20.6: Moving Through	
Data View	373
SPSS Statistics Command 20.5:	
Some Tips for Moving	
Through Data View	373
Demonstration 20.7:	
Entering Data	373
SPSS Statistics Command 20.6:	
Entering Numeric	
Data	374
Demonstration 20.8: Revising or	
Deleting Data	374

SPSS Statistics Command 20.7:	
Deleting an Entire Case	374
Demonstration 20.9: Saving	
Your Data File	374
Writing a Research Report	375
Conclusion	375
Main Points	375
Key Terms	376
SPSS Statistics Commands Introduced	
in This Chapter	376
Review Questions	376
SPSS Statistics Lab Exercise 20.1	377

Chapter 21 Further Opportunities for Social Research 379

The Unabridged GSS	379
Codebook Table of Contents	380
Other Data Sets	380
Other Computer Programs	382
Conclusion	383
Main Points	383
Key Terms	384
SPSS Statistics Commands Introduced	
in This Chapter	384
Review Questions	384

Appendix A: The Codebook 387

Appendix B: Questionnaire for Class Survey 399

Index/Glossary 415