


THIRD EDITION

# POWER-SWITCHING CONVERTERS



SIMON ANG  
ALEJANDRO OLIVA



CRC Press  
Taylor & Francis Group

# *Contents*

<b>List of Figures</b>	<b>xiii</b>
<b>List of Tables</b>	<b>xxxii</b>
<b>Preface</b>	<b>xxxiii</b>
<b>1 Introduction to Switching Converters</b>	<b>1</b>
1.1 Introduction . . . . .	1
1.1.1 Industry trends . . . . .	1
1.2 Linear converter . . . . .	3
1.2.1 Linear series-pass regulator . . . . .	3
1.2.2 Linear shunt regulator . . . . .	5
1.3 Switching converters . . . . .	6
1.3.1 Basic switching converter with resistive load . . . . .	7
1.3.2 Basic switching converter with RL load . . . . .	9
1.4 Principles of steady-state converter analysis . . . . .	12
1.4.1 Inductor volt-second balance . . . . .	12
1.4.2 Capacitor charge balance . . . . .	13
1.5 Problems . . . . .	14
<b>2 Basic Switching Converter Topologies</b>	<b>15</b>
2.1 Introduction . . . . .	15
2.2 Buck converter . . . . .	16
2.2.1 Continuous mode . . . . .	16
2.2.2 Discontinuous mode . . . . .	21
2.3 Synchronous rectifier . . . . .	28
2.4 Ripple steering . . . . .	29
2.5 Boost converter . . . . .	31
2.5.1 Continuous mode . . . . .	32
2.5.2 Discontinuous mode . . . . .	39
2.6 Buck-boost converter . . . . .	44
2.6.1 Continuous mode . . . . .	46
2.6.2 Discontinuous mode . . . . .	49
2.7 Cuk converter . . . . .	53
2.8 SEPIC converter . . . . .	60
2.8.1 Continuous conduction mode . . . . .	61
2.8.2 Design considerations . . . . .	63

2.9	Zeta converter . . . . .	64
2.10	Converter realization with nonideal components . . . . .	66
2.10.1	Inductor model . . . . .	67
2.10.2	Capacitor model . . . . .	67
2.10.3	Semiconductor losses . . . . .	69
2.10.4	Effect of semiconductor losses on the output voltage . . . . .	70
2.11	Problems . . . . .	72
<b>3</b>	<b>Resonant Converters</b>	<b>75</b>
3.1	Introduction . . . . .	75
3.2	Parallel resonant circuit — A review . . . . .	76
3.3	Series resonant circuit — A review . . . . .	77
3.4	Classification of quasi-resonant switches . . . . .	80
3.5	Zero-current-switching quasi-resonant buck converter . . . . .	83
3.6	Zero-current-switching quasi-resonant boost converter . . . . .	93
3.7	Zero-voltage-switching quasi-resonant buck converter . . . . .	100
3.8	Zero-voltage-switching quasi-resonant boost converter . . . . .	106
3.9	Series-loaded resonant converter . . . . .	113
3.9.1	Discontinuous mode ( $0 < f_s < 0.5f_n$ ) . . . . .	114
3.9.2	Continuous mode ( $f_s > f_n$ or above-resonant mode) . . . . .	117
3.9.3	Continuous mode ( $0.5f_n < f_s < f_n$ or below-resonant mode) . . . . .	118
3.10	Parallel-loaded resonant converter . . . . .	122
3.10.1	Discontinuous mode ( $0 < f < 0.5f_n$ ) . . . . .	123
3.10.2	Continuous mode ( $f_s > f_2$ or above-resonant mode) . . . . .	127
3.10.3	Continuous mode ( $0.5f_n < f_s < f_n$ or below-resonant mode) . . . . .	129
3.11	Problems . . . . .	132
<b>4</b>	<b>Isolated Switching Converters</b>	<b>135</b>
4.1	Introduction . . . . .	135
4.2	Forward converter . . . . .	136
4.3	Two-switch forward converter . . . . .	141
4.4	Push-pull converter . . . . .	144
4.5	Half-bridge switching converter . . . . .	148
4.6	Full-bridge switching converter . . . . .	151
4.7	Flyback converter . . . . .	153
4.8	Two-switch flyback converter . . . . .	158
4.9	Dual active bridge converter . . . . .	159
4.9.1	Power flow control . . . . .	172
4.10	Zero-current-switching quasi-resonant half-bridge converter . . . . .	175
4.11	Problems . . . . .	181

<b>5 Control Schemes of Switching Converters</b>	<b>183</b>
5.1 Introduction . . . . .	183
5.2 Pulse-width modulation . . . . .	183
5.2.1 Voltage-mode PWM scheme . . . . .	184
5.2.2 Current-mode PWM scheme . . . . .	191
5.2.2.1 Instability for $D > 50\%$ . . . . .	191
5.2.2.2 Compensation with external ramp . . . . .	193
5.3 Hysteresis control: switching current source . . . . .	194
5.3.1 Steady-state analysis during $t_{on}$ . . . . .	196
5.4 Commercial integrated circuit controllers . . . . .	199
5.4.1 Fixed-frequency voltage-mode SG3524 controller . . . . .	199
5.4.2 Variable-frequency voltage-mode TL497 controller . . . . .	202
5.4.3 Fixed-frequency current-mode UC3842 PWM controller . . . . .	203
5.4.4 TinySwitch-II family of low power off-line switchers . . . . .	208
5.5 Control schemes for resonant converters . . . . .	211
5.5.1 Off-line controllers for resonant converters . . . . .	213
5.5.2 L6598 operation . . . . .	213
5.6 Problems . . . . .	227
<b>6 Continuous-Time Modeling of Switching Converters</b>	<b>229</b>
6.1 Introduction . . . . .	229
6.2 Switching converter analysis using classical control techniques . . . . .	230
6.2.1 Basic linear model of the open-loop switching converter . . . . .	230
6.2.2 PWM modulator model . . . . .	231
6.2.3 Averaged switching converter models . . . . .	237
6.2.4 Output filter model . . . . .	241
6.3 Summary of small-signal models of switching converters . . . . .	253
6.4 Linear model of the voltage regulator including external perturbances . . . . .	258
6.4.1 Output impedance and stability . . . . .	259
6.5 State-space representation of switching converters . . . . .	260
6.5.1 Review of linear system analysis . . . . .	260
6.5.2 State-space averaging . . . . .	264
6.6 Switching converter transfer functions . . . . .	285
6.6.1 Source-to-state transfer functions . . . . .	285
6.7 Input EMI filters . . . . .	289
6.7.1 Stability considerations . . . . .	290
6.8 Problems . . . . .	299
<b>7 Analog Control of Switching Converters</b>	<b>301</b>
7.1 Introduction . . . . .	301
7.2 Review of negative feedback using classical-control techniques . . . . .	301
7.2.1 Closed-loop gain . . . . .	301
7.2.2 Stability analysis . . . . .	302

7.2.3	Relative stability . . . . .	302
7.3	Linear model of the closed-loop switching converter . . . . .	304
7.3.1	Feedback network . . . . .	304
7.3.2	Error amplifier compensation networks . . . . .	304
7.3.3	PI compensation network . . . . .	306
7.3.4	PID compensation network . . . . .	309
7.3.5	Proportional control . . . . .	314
7.4	Feedback compensation in a buck converter with output capacitor ESR . . . . .	314
7.5	Feedback compensation in a buck converter with no output capacitor ESR . . . . .	318
7.6	Complete state feedback . . . . .	320
7.6.1	Design of a control system with complete state feedback . . . . .	320
7.6.2	Pole selection . . . . .	322
7.6.3	Feedback gains . . . . .	322
7.7	Problems . . . . .	327
<b>8</b>	<b>Discrete-Time Modeling of Switching Converters</b>	<b>329</b>
8.1	Introduction . . . . .	329
8.2	Continuous-time systems . . . . .	329
8.3	Direct discrete model . . . . .	330
8.4	Linear direct discrete model . . . . .	331
8.5	Continuous-time averaged state-space model . . . . .	332
8.6	Averaged discrete-time model of the switching converter . . . . .	335
8.7	Problems . . . . .	338
<b>9</b>	<b>Digital Control of Switching Converters</b>	<b>339</b>
9.1	Introduction . . . . .	339
9.2	Proportional controller . . . . .	340
9.3	Digital redesign of a PID controller . . . . .	340
9.4	Design of a discrete control system with complete state feedback . . . . .	342
9.4.1	Pole selection . . . . .	343
9.4.2	Feedback gains . . . . .	344
9.4.3	Voltage mode control . . . . .	344
9.4.4	Current mode control . . . . .	347
9.5	Problems . . . . .	351
<b>10</b>	<b>Interleaved Converters</b>	<b>353</b>
10.1	Introduction . . . . .	353
10.2	Interleaved buck converter . . . . .	353
10.2.1	State-space averaged model . . . . .	354
10.3	Interleaved boost converter . . . . .	356
10.3.1	State-space averaged model . . . . .	358
10.4	Interleaved converter operation based on current mode . . . . .	363

10.4.1	Ripple calculations . . . . .	363
10.4.2	Number of converters . . . . .	366
10.5	Power factor correction . . . . .	366
10.6	Problems . . . . .	369
<b>11</b>	<b>Switched Capacitor Converters</b>	<b>371</b>
11.1	Introduction . . . . .	371
11.2	Unidirectional power flow SCC . . . . .	371
11.2.1	Basic step-up converter . . . . .	371
11.2.2	Basic step-down converter . . . . .	372
11.2.3	Basic inverting converter . . . . .	375
11.3	Alternative switched capacitor converter topologies . . . . .	378
11.3.1	Step-down converter . . . . .	378
11.3.2	Step-up converter . . . . .	382
11.3.3	n-Stage step-down SCC . . . . .	384
11.3.4	n-Stage step-up SCC . . . . .	385
11.4	Bi-directional power flow SCC . . . . .	386
11.4.1	Step-up step-down converter . . . . .	387
11.4.2	Luo converter . . . . .	390
11.5	Resonant converters . . . . .	395
11.5.1	Zero-current switching . . . . .	396
11.6	Losses on switched-capacitor power converters . . . . .	398
11.7	Problems . . . . .	401
<b>12</b>	<b>Simulation of Switching Converters</b>	<b>403</b>
12.1	Introduction . . . . .	403
12.2	SPICE® circuit representation . . . . .	403
12.2.1	PSPICE simulations using .CIR . . . . .	405
12.2.2	PSPICE simulations using schematics entry . . . . .	417
12.2.3	Small-signal analysis of switching converters . . . . .	432
12.2.4	Creating capture symbols for PSPICE simulation . . . . .	452
12.2.5	Solving convergence problems . . . . .	452
12.3	Switching converter simulation using MATLAB® . . . . .	457
12.3.1	Working with transfer functions . . . . .	458
12.3.2	Working with matrices . . . . .	461
12.4	Switching converter simulation using Simulink® . . . . .	463
12.4.1	Transfer function example using Simulink® . . . . .	463
12.4.2	State-space example using Simulink® . . . . .	466
12.5	Problems . . . . .	466
<b>13</b>	<b>Applications of Switching Converters</b>	<b>469</b>
13.1	Power factor correction . . . . .	469
13.1.1	Introduction . . . . .	469
13.1.2	Review of basic concepts . . . . .	469
13.1.3	Principle of power factor correction . . . . .	471

13.1.4	Self-power factor correction properties of switching converters . . . . .	472
13.1.4.1	Buck converter . . . . .	472
13.1.4.2	Boost converter . . . . .	474
13.1.4.3	Buck-boost converter . . . . .	474
13.1.4.4	Flyback converter . . . . .	477
13.1.5	Control techniques for power factor correctors . . . . .	477
13.1.5.1	Peak current mode control (PCM) . . . . .	477
13.1.5.2	Average current mode control . . . . .	479
13.1.5.3	Hysteresis control . . . . .	479
13.1.5.4	Borderline or boundary control . . . . .	481
13.1.5.5	Discontinuous current PWM control . . . . .	482
13.1.6	Power factor correction circuits . . . . .	484
13.2	Low noise DC-DC converters . . . . .	487
13.2.1	Introduction . . . . .	487
13.2.2	Techniques to reduce EMI . . . . .	489
13.2.2.1	Capacitive coupling . . . . .	489
13.2.2.2	Inductive coupling . . . . .	489
13.2.2.3	Input filtering . . . . .	489
13.2.2.4	Output Filtering . . . . .	489
13.2.2.5	Slew rate limiting . . . . .	490
13.3	Switching converters for solar cells . . . . .	492
13.3.1	Introduction . . . . .	492
13.3.2	Solar cell model . . . . .	493
13.3.3	Maximum-power point tracking . . . . .	495
13.3.4	Switching converters for solar cells . . . . .	495
13.4	Switching converters for fuel cells . . . . .	497
13.5	Switching converters for LED drivers . . . . .	501
13.5.1	Buck-based LED drivers . . . . .	502
13.5.2	Boost-based LED drivers . . . . .	502
13.5.3	Cuk-based LED drivers . . . . .	503
13.5.4	SEPIC-based LED drivers . . . . .	504
13.5.5	LED drivers for AC input . . . . .	504
<b>14</b>	<b>Switching Converter Design Case Studies</b>	<b>505</b>
14.1	Introduction . . . . .	505
14.2	Voltage-mode discontinuous-conduction-mode buck converter design . . . . .	506
14.2.1	Controller design . . . . .	508
14.2.2	Small-signal model . . . . .	511
14.2.3	Design of the compensation network and error amplifier	511
14.2.4	The closed-loop buck converter . . . . .	516
14.2.5	Simulation results . . . . .	517
14.2.6	Experimental results . . . . .	517
14.3	Digital control of a voltage-mode synchronous buck converter	527

14.3.1	Circuit parameters . . . . .	528
14.3.2	Closed-loop pole selection . . . . .	528
14.3.3	Discrete-time model . . . . .	530
14.3.4	Feedback gains . . . . .	531
14.3.5	Control strategy . . . . .	533
14.3.6	Analog model for PSPICE simulations . . . . .	533
14.3.7	Simulation results . . . . .	536
14.3.8	Sensitivity of the closed-loop poles . . . . .	536
14.3.9	Experimental results . . . . .	538
14.4	Digital control of a current-mode synchronous buck converter	540
14.4.1	Continuous-time state model . . . . .	540
14.4.2	Obtaining the discrete-time model . . . . .	541
14.4.3	Current-mode instability . . . . .	542
14.4.4	Extended-state model for a tracking regulator . . . . .	542
14.4.5	Feedback gains . . . . .	543
14.4.6	Control strategy . . . . .	545
14.4.7	Simulation results . . . . .	546
14.4.8	Sensitivity of the closed-loop poles . . . . .	546
14.4.9	Experimental results . . . . .	546
14.4.10	DSP program . . . . .	549
14.5	UC3842-based flyback design . . . . .	556
14.5.1	Design specifications . . . . .	557
14.5.2	Discontinuous conduction mode . . . . .	557
14.5.3	Preliminary calculations . . . . .	558
14.5.4	Open-loop simulations . . . . .	559
14.5.5	Current-loop . . . . .	561
14.5.6	Voltage loop . . . . .	561
14.5.7	Small-signal model . . . . .	565
14.5.8	Frequency compensation . . . . .	566
14.5.9	EMI filter design . . . . .	569
14.5.10	Printed circuit board design . . . . .	573
14.5.11	Experimental results . . . . .	575
14.6	TOPSwitch-based flyback design . . . . .	576
14.6.1	Design specifications . . . . .	576
14.6.2	Preliminary calculations . . . . .	578
14.6.3	Experimental results . . . . .	579
14.7	TinySwitch-based flyback design . . . . .	581
14.7.1	Experimental results . . . . .	581
14.8	Switching audio amplifier . . . . .	585
14.8.1	Case study . . . . .	589
<b>Bibliography</b>		<b>599</b>
<b>Index</b>		<b>613</b>