

Preface	ix
About the Editors	xiii
Contributors	xv

1. Particle Deposition onto Enclosure Surfaces

De-Ling Liu

1. Introduction	2
2. Background	3
2.1. Relevance to Contamination Control in Space Applications	3
2.2. Nature of Airflow and its Near-Surface Characteristics	4
2.3. Evaluating Particle Deposition: Deposition Flux	6
3. Mechanisms of Particle Transport	7
3.1. Brownian Diffusion	7
3.2. Turbulent Diffusion	8
3.3. Drag Force	9
3.4. Gravitational Settling	10
3.5. Thermophoresis	11
3.6. Electrostatic Force	12
3.7. Turbophoresis	13
4. Parameters for Particle Deposition Characterization	14
4.1. Deposition Velocity, v_d	14
4.2. Particle Deposition Rate, β	15
4.3. Comparison of v_d and β	16
5. Methods for Measurement of Particle Deposition	17
5.1. Measuring Particle Deposition Rate, β	17
5.2. Measuring Particle Deposition Velocity, v_d	18
6. Review of Experimental Studies	19
6.1. Particle Characteristics Affecting Particle Deposition	19
6.2. Airflow Characteristics Affecting Particle Deposition	21
6.3. Surface Characteristics Affecting Particle Deposition	23
7. Modeling Particle Deposition and the Experimental Validations	32
7.1. Homogeneous Turbulence Model	33
7.2. Three-Layer Model	38
7.3. Mass Transfer Model	42
8. Summary	43
Acknowledgements	44
References	44
Appendix	48

2. Contamination Control: A Systems Approach

Jacques C.J. van der Donck

1. Introduction	57
2. A Systems Approach	59
2.1. Step 1: Define the System and the Effect of Contamination	60
2.2. Step 2: Setting Priorities for the Contaminating Steps	61
2.3. Step 3: Reduce RPN Numbers by Working on Severity, Occurrence and Detection	62
3. Effect of Contamination Control Measures on RPN Scores	66
3.1. Particle Contamination of Lithographic Reticles: Working on Severity or Occurrence?	66
3.2. Carbon Contamination of EUV Optics: Working on Occurrence	73
4. Pitfalls	75
5. Conclusions	75
Acknowledgements	76
References	76

3. Particles in Semiconductor Processing

D. Martin Knotter and Faisal Wali

1. Introduction	81
1.1. Impact of Particles in IC Manufacturing	81
1.2. Yield Calculation Models	84
1.3. Origin of Particles	89
1.4. Determination of Particle Removal Efficiency (PRE)	91
1.5. Methods to Remove Particles	93
2. Theory	95
2.1. Particle Removal Mechanisms	95
2.2. Model of Particle Removal	96
2.3. Liquid Particle Counter (LPC) Measurements	98
2.4. Metal Ion Core Particles	101
3. Particle Removal Study	101
3.1. Tank Dynamics, Impact of Particle Counter, and Particle Composition	101
3.2. Particle Diffusion Out of the Boundary Layer	104
3.3. Particle Detachment	112
4. Conclusions	117
Acknowledgements	117
References	118

4. Continuous Contamination Monitoring Systems	
<i>Roger Welker</i>	
1. Introduction	122
1.1. Background	122
1.2. Justifying a Continuous Monitoring System	123
1.3. Traditional Airborne Particle Measurements	124
1.4. Why 100% Sampling?	125
1.5. Critical and Busy Sampling	127
1.6. Modified Data Collection Protocol	128
1.7. Ongoing Use of Critical and Busy Sampling	128
2. Case Studies of Traditional Versus Critical and Busy Sampling for Airborne Particle Counts	129
2.1. Case Study 1. Workstations in an ISO Class 7 Cleanroom	129
2.2. Case Study 2. ISO Class 5 Unidirectional Flow Benches in an ISO Class 7 Cleanroom	130
2.3. Case Study 3. ISO Class 5 Vertical Laminar Flow Hoods in an ISO Class 6 Room	133
2.4. Case Study 4. Trend, Cyclic, and Burst Patterns of Particle Generation	134
2.5. Case Study 5. Extended Duration Manual Monitoring	137
2.6. Case Study 6. Diagnosing Problems Using Continuous Monitoring	137
2.7. Case Study 7. Continuous Electrostatic Charge Monitoring	140
2.8. Case Study 8. Continuous Air Flow Monitoring	141
3. In Situ Particle Monitoring of Cleaning Equipment	142
3.1. Background	142
3.2. ISPM for Monitoring Cleaning of a Wide Variety of Parts	145
4. What to Continuously Monitor in High-Technology Manufacturing	158
4.1. Air Quality	158
4.2. Process Fluid Purity	164
4.3. Cleanliness of Surfaces and Electrostatic Charge	167
4.4. A Discussion of Antennas for Electrostatic Charge Monitoring	171
References	172

5. Strippable Coatings for Removal of Surface Contaminants

Rajiv Kohli

1. Introduction	177
2. Coating Description	178
2.1. Coating Ingredients	178
2.2. Coating Properties	180
3. Types of Strippable Coatings	180
3.1. Solvent-Based Coatings	180
3.2. Water-Based Coatings	183
3.3. UV-Curable Coatings	195

4. Issues with Strippable Coatings	197
5. Precision Cleaning Applications	198
5.1. Optical Surfaces	198
5.2. Other Applications	207
5.3. Non-Optical Cleaning Applications	208
6. Summary	215
Acknowledgements	215
Disclaimer	216
References	216
6. Ultrasonic Cleaning	
<i>Sami B. Awad and Ramamurthy Nagarajan</i>	
1. Introduction	226
1.1. Particulate Contamination Effects in Microelectronic Manufacturing	226
2. Ultrasonic Cleaning	228
2.1. Ultrasonic Cleaning Equipment	232
2.2. Process Equipment Design	238
3. Principles of Ultrasonic Cleaning	240
3.1. Mechanism of Cavitation Erosion	247
3.2. Need for Measuring Surface Roughness	248
3.3. Structural Changes of Metallic Surfaces Induced by Ultrasound	248
4. Surface Cleanliness Measurement	249
4.1. Liquid Particle Counters	249
4.2. Precision Turbidity Meter	250
4.3. Microbalance	252
4.4. Cavitation Meter	254
5. Theory of Ultrasonic Cleaning	254
5.1. Theory of Ultrasonic Fields and their Effects on Immersed Surfaces	254
5.2. Contribution of Acoustic Streaming to Particle Removal from Immersed Surfaces	258
6. Experiments in Sonic Cleaning	261
6.1. Study of Ultrasonic Cleaning with Dual Frequencies	264
7. Cleaning Optimization	266
7.1. Effect of Substrate Material on Ultrasonic Cleanability and Erodibility	266
7.2. Erodibility Measurements Using a Microbalance	274
7.3. Cleanability and Erodibility Measurements Using an LPC	276
7.4. Effect of Frequency on Size of Particle Removed	277
7.5. Frequency Ranges	278
Acknowledgements	278
References	278
Index	281
Colour Plate Section	I