

# CONTENTS

*Preface*

*xvii*

## **Part I. General Concept and Historical Review**

### ***General Concept of Active Geophysical Monitoring***

<b>1</b>	<b>Seismicity Precursors for Active Monitoring of Earthquakes</b>	<b>5</b>
1.	Introduction	5
2.	Seismicity Precursors	7
2.1.	Parkfield M6, 2004	7
2.2.	Loma Prieta M7.0 1989	11
2.3.	Seismic noise	14
3.	Discussion	16
3.1.	Similarity of precursor patterns	16
3.2.	Precursor mechanism	17
3.3.	Probability and earthquakes	22
3.4.	Active monitoring and earthquake prediction	22
3.5.	Short-term predictions and earthquake triggering	24
4.	Conclusions	25
	Acknowledgments	25
	References	26
<b>2</b>	<b>Large-scale Geophysical Surveys of the Earth's Crust Using High-power Electromagnetic Pulses</b>	<b>29</b>
1.	Introduction	29
2.	General Concept of the Application of High-power Electromagnetic Pulses in Geophysical Surveys	31
3.	Analysis of the Geoelectrical Structure of the Earth's Crust and Upper Mantle	34
3.1.	Study of the geoelectrical structure of the earth's crust in the Ural Mountains	34
3.2.	Analysis of a deep geoelectrical structure of the eastern part of the Baltic shield	35
3.3.	Deep geoelectrical structure of the Northern Tien Shan region	39
4.	EM Soundings with a Powerful Source in Seismically Active Regions	40
4.1.	EM soundings for earthquake prediction	40
4.2.	Influence of a high-power electromagnetic pulse on the spatial-temporal structure of seismicity	43

5. EM Exploration for Oil and Gas with the Use of Geophysical MHD Facilities	45
5.1. EM sounding for oil and gas on land	45
5.2. EM exploration for oil and gas on a shelf	48
6. Deep Electromagnetic Studies in Ore-prospective Regions	49
7. Conclusions	52
References	52
<b>3 Elements of Active Geophysical Monitoring Theory</b>	<b>55</b>
1. Introduction	55
2. Main Properties of the Integral Precursor	56
3. Multidisciplinary Model of Integral Precursor and Combined Inverse Problems	61
4. Methods for Vibroseismic Monitoring of Seismic Prone Zones	64
5. Conclusions	68
Acknowledgments	68
References	69
<b>4 Seismic Active Monitoring System Concept</b>	<b>73</b>
1. Introduction	73
2. System Concept	74
3. Force Signal Signatures	74
3.1. Pseudo-random sequence signal	76
3.2. Pseudo-random sequence modulation	80
4. Quadrature Signal Processing	82
4.1. Parameter definition	83
4.2. Waveform modulation/demodulation	84
4.3. Matched filtering	85
4.4. Signal detection and timing algorithm	86
5. Conclusions	89
References	90
<b><i>Active Monitoring Targets</i></b>	
<b>5 Detection of Transient Phenomena Due to Active Scatterers</b>	<b>93</b>
1. Introduction	93
2. Structure Sensitivity of a Medium	94
2.1. Examples of structure sensitive property	95
2.2. Active scatterers in the earth's interior	95
3. Observables of Active Scatterers	97
3.1. Scattering characteristics of active scatterers	98
3.2. Anisotropy and dispersion of active scatterers	99
3.3. Temporal variations of reflectors at subducting boundary	100

4. Discussions and Conclusions	100
Acknowledgments	101
References	101
<b>6 Active Vibromonitoring: Experimental Systems and Fieldwork Results</b>	<b>105</b>
1. Introduction	105
2. Active Vibromonitoring Experiments	108
3. Data Processing and Results	110
4. Vibromonitoring Experimental Systems	115
5. Conclusions	118
Acknowledgments	119
References	119
<b>7 Reliable Measurement Method to Reveal a Peculiar Dielectric Dispersion in Wet Rocks by Means of ACROSS</b>	<b>121</b>
1. Introduction	121
2. Measurement System	123
2.1. Bias caused by stray capacitance	124
2.2. Bias due to electrochemical reaction at the electrodes	126
2.3. Noise and uncertainty in measurement	127
3. Measurement of Moist Grains	128
3.1. Sample and measurement condition	128
3.2. Result of measurement	129
4. Discussion	131
4.1. Short summary on measurement technology	131
4.2. The $1/f$ type dielectric dispersion and its physical mechanism	131
5. Conclusion	132
References	132
<b>8 Active Geophysical Monitoring of Hydrocarbon Reservoirs Using EM Methods</b>	<b>135</b>
1. Introduction	135
2. Principles of Reservoir Production Monitoring using Marine EM Methods	136
3. Overview of the Numerical Modeling Technique	137
4. Computer Simulation of HC Reservoir Monitoring using EM Methods	140
4.1. Model 1: HC reservoir and a salt dome structure	140
4.2. Model 1: Forward modeling results	141
4.3. Model 2: HC reservoir and a salt dome in an area with a rough sea-bottom bathymetry	145
4.4. Model 2: Forward modeling results	146
5. Conclusions	149
Acknowledgments	158
References	159

## Part II. Theory and Technology of Active Monitoring

### *Technology of Active Monitoring*

<b>9 Acquisition of Crosswell Seismic Monitoring Data</b>	<b>165</b>
1. Introduction	165
2. Optimal Acquisition Parameters	167
3. Acquisition Hardware	167
4. Field Tests	168
5. Conclusions	175
Acknowledgments	176
References	176
<b>10 EM-ACROSS System and Corresponding Tensor Transfer Functions in Diffusion Field Region</b>	<b>177</b>
1. Introduction	177
2. Basic Equations for the Electromagnetic Field and the Transfer Function in EM-ACROSS	178
3. The EM-ACROSS Observation System	180
4. Results of the Trial Observation	181
5. Properties of the Transfer Function	185
5.1. Static tensor properties of the transfer function and the information on the underground conditions	185
5.2. Temporal variations	187
6. Conclusions	190
References	190
<b>11 Design and Workout of ACROSS Transmitters Using Air Bearings</b>	<b>193</b>
1. Introduction	193
2. Construction of an ACROSS Transmitter Using Air Bearings	195
3. Working Mechanism of a Hydrostatic Air Bearing	195
4. Preliminary Test	196
5. Test Trial of Air Bearings for Generation of 2000 N	198
6. Workout of the Trial Air Bearings	200
7. Conceptual Design of a $2 \times 10^5$ N Class ACROSS Transmitter Using Air Bearings	205
8. Conclusion	208
Acknowledgments	208
References	209

## ***Signal Processing and Accuracy Control in Active Monitoring***

<b>12 Stacking Strategy for Acquisition of an ACROSS Transfer Function</b>	<b>213</b>
1. Introduction	213
2. Methodology	214
2.1. Properties of signals and noise in ACROSS data	214
2.2. Derivation of optimum weight	216
2.3. Successive stacking for larger SNR	218
3. Application of optimum weighted stacking method	218
4. Conclusions	225
Acknowledgments	225
References	227
<b>13 Secondary Calibration Method of Seismometers by Utilizing ACROSS Signal</b>	<b>229</b>
1. Introduction	229
2. Basic Concept and Method of Analysis	230
2.1. Basic concept of the current method	230
2.2. Major features	231
2.3. Model for the motion of the vibration table and the frequency response model of the seismometer	231
3. Experimental Measurements	234
4. Results and Interpretation	235
5. Discussion	240
6. Conclusions	241
Acknowledgments	241
References	242
<b>14 Signal Discrimination of External Geomagnetic Effects Using the Transfer Function Approach with Continuous Wavelet Transform</b>	<b>243</b>
1. Introduction	243
2. Formulation of Signal Discrimination	244
2.1. Interstation transfer function (ISTF)	244
2.2. ISTF approach to the magnetotelluric (MT) response function	245
2.3. Elimination of the external geomagnetic effects	246
3. Application of the Wavelet Transform	246
3.1. Continuous wavelet transform	246
3.2. Auto- and cross-correlation functions based on the wavelet transform	248
3.3. Wavelet-based transfer function and correlation function	249
4. Application to Observed Data	250
5. Verification of the Detectability of Artificial Signals	252
6. Conclusion	256
References	257

<b>15 Development of Simulation Algorithm for Analyzing Temporal Stability of ACROSS Seismic Source</b>	<b>259</b>
1. Introduction	259
2. Brief Review of Observed Temporal Variations of Near Field Responses	261
2.1. Temporal variations observed at Awaji Island	261
2.2. Relatively stable responses in a large tunnel at the Kazunogawa site	262
2.3. Discussions about the observed results	263
3. Development of Simulation Algorithm of ACROSS Seismic Waves	265
3.1. Simulation model	265
3.2. Displacements excited by a horizontally forced rigid circular disk deployed on a multilayered elastic half space	268
3.3. Compliance function	270
4. Numerical Simulation	272
4.1. Effect of the thickness of the surface layer on the source's rigid motion	273
4.2. Effect of the thickness of the surface layer on the waves excited by the ACROSS seismic source	274
5. Summary	275
References	276

<b>16 Nonlinear Processes in Seismic Active Monitoring</b>	<b>279</b>
1. Introduction	279
2. Nonlinear Phenomena	280
3. Nonlinear Processing of Vibrational Seismograms	283
4. Nonlinear Phenomena in Seismic Monitoring	285
5. Experimental Results	290
6. Discussion	293
7. Conclusions	295
Acknowledgments	295
References	295

### *Theory of Data Analysis and Interpretation*

<b>17 Maxwell's Equations and Numerical Electromagnetic Modeling in the Context of the Theory of Differential Forms</b>	<b>299</b>
1. Introduction	300
2. Differential Forms in Vector Field Theory	301
2.1. Concept of the differential form	301
2.2. Exterior (wedge) product of the differential forms	302
2.3. Canonical representations of the differential forms in three-dimensional Euclidean space	304
2.4. The exterior derivative operation	305

3.	Nonstationary Field Equations and Differential Forms	306
3.1.	Nonstationary vector fields and differential forms in four-dimensional space $E_4$	307
3.2.	Differential form equations	307
3.3.	Exterior derivative of a scalar field and a generalized source 1-form	308
3.4.	Exterior derivative of a four-potential and a generalized source 2-form	308
3.5.	Exterior derivative of a 2-form and a four-current	309
3.6.	Exterior derivatives of a 3-form and a 4-form	309
4.	Ampere-type Differential Forms and a Continuity Equation	310
5.	Faraday-type Differential Forms and Four-potential	311
6.	Maxwell's Equations	313
6.1.	Basic equations in the theory of electromagnetic fields	313
7.	Integral Formulations of the Differential form Equations for Maxwell's Field and Force field	316
7.1.	Faraday's electromagnetic induction law	316
7.2.	Integral formulation of Ampere's law	318
7.3.	Integral equations for Maxwell's field and force field in the frequency domain	320
8.	Numerical Modeling Using Differential Forms	320
9.	Conclusions	323
	Acknowledgments	323
	References	324

## **18 3D Electromagnetic Holographic Imaging in Active Monitoring of Sea-Bottom Geoelectrical Structures** **325**

1.	Introduction	325
2.	Marine Controlled-Source Electromagnetic (MCSEM) Method	327
3.	Frequency Domain Electromagnetic (FDEM) Migration of MCSEM Data	328
4.	Electromagnetic Imaging Using Joint Migration of Electric and Magnetic Fields	331
5.	Regularized Iterative Migration	333
6.	Migration of Synthetic MCSEM Data	334
6.1.	Model 1	334
6.2.	Model 2	337
7.	Inversion of Troll Gas Province MCSEM Data	341
8.	Conclusion	347
	Acknowledgments	348
	References	349

## **19 Foundations of the Method of EM Field Separation into Upgoing and Downgoing Parts and its Application to MCSEM Data** **351**

1.	Introduction	351
----	--------------	-----

2. Integral Transforms of Electromagnetic Fields Using Stratton-Chu Type Integrals	353
2.1. Basic equations of upgoing and downgoing fields	353
2.2. Application of the Stratton-Chu type integrals for field separation	355
3. Spatial Fourier Transform Method of EM Field Separation into Upgoing and Downgoing Parts	359
3.1. Electromagnetic field in the $(k, \omega)$ domain	360
3.2. Separation of the observed EM field into upgoing and downgoing components	361
3.3. Convolution form of decomposition operators	364
4. Electromagnetic Field Separation into Upgoing and Downgoing Parts Using Horizontal Gradients	366
5. Numerical Examples of Marine EM Data Decomposition	369
5.1. Model 1	369
5.2. Model 2	372
6. Conclusions	372
Acknowledgments	374
7. Stratton-Chu Integral Formulas	376
8. Stratton-Chu Type Integrals and Their Properties	377
References	379

## **20 Automatic Travel Time Determination from a Frequency-domain Transfer Function: The Sompi Event Analysis** **381**

1. Introduction	381
2. Theory	382
2.1. Concept of the model	382
2.2. Model of pulse sequence	382
2.3. Modeling dispersive waves	385
2.4. Modeling observed data	386
2.5. Determination of the complex travel times	387
2.6. Determination of the complex amplitudes	388
2.7. Maximum likelihood approach using linearized model	388
2.8. Determination of the model order	389
2.9. Error estimation by bootstrap method	391
3. Numerical Experiment	392
4. Discussion and Conclusion	393
References	395

## **21 Effect of Spatial Sampling on Time-lapse Seismic Monitoring in Random Heterogeneous Media** **397**

1. Introduction	397
2. Proper Spatial Sampling Interval in Seismic Reflection	399
3. Numerical Simulations	400
3.1. Random heterogeneous model	400



3.2. Wave field calculation	401
4. Results	404
4.1. Stacked and migrated sections	404
4.2. Difference sections	408
5. Discussion	417
5.1. Independent time series noise and induced scattered wave noise	417
5.2. Spatial sampling interval and the truncation artifact	417
6. Conclusions	418
References	419
<b>22 Singular Value Decomposition in Active Monitoring Data Analysis</b>	<b>421</b>
1. Introduction	421
2. SVD	422
3. Algorithm	422
4. Numerical Test	425
5. Field Test	426
6. Location of Source and Sites	427
7. Experiment and Data Process	427
8. Discussion	428
References	430
<b>Part III. Case Histories</b>	
<b><i>Regional Active Monitoring Experiments</i></b>	
<b>23 Detection and Continuous Monitoring of Strong Seismic Reflectors at the Subducting Philippine Sea Plate Using ACROSS Methodology</b>	<b>435</b>
1. Introduction	435
2. Evaluation of the Seismic Across for Detection of Reflected Phases	438
3. Results	439
4. Discussion	440
5. Conclusions	445
Acknowledgments	446
References	446
<b>24 Active Seismic Monitoring of the San Andreas Fault at Parkfield</b>	<b>449</b>
1. Introduction	449
2. HRSN	450
3. Vibroseis Monitoring	450
4. Origin of Changes	452
5. Guided-Wave Imaging of SAF Core	453
6. Fault Continuity Testing	456

7. Discussion and Conclusions	459
Acknowledgments	460
References	460
<b>25 Characteristics of ACROSS Signals Transmitted from the Tono Transmitting Station and Observed by Hi-net</b>	<b>463</b>
1. Introduction	463
2. Data and Methods	465
3. Results	466
4. Discussion	468
5. Conclusion and Future Plan	470
Acknowledgments	471
References	472
<b>26 Active Monitoring Using Submarine Cables—Leveraging Offshore Cabled Observatory for Passive Monitoring</b>	<b>473</b>
1. Introduction	473
2. Japanese Cabled Observatories	475
3. Scientific Advances brought by the Cabled Observatories	476
3.1. Earthquake Studies	476
3.2. Tsunami Studies	476
3.3. Geodetic Studies	480
4. Advances in Asperity Study	482
5. Exertion of Earthquake Monitoring Capability	485
6. Discussions	486
6.1. Passive Monitoring of Seismogenic Processes	486
6.2. Active Monitoring	487
6.3. The inclusion of Space-Time Axes in Observations	487
7. Conclusions	488
References	489
<b>27 Seasonal Changes in Vibroseismic Monitoring Experiments in Siberia</b>	<b>493</b>
1. Introduction	493
2. Experiment Using Vibroseismic Monitoring	494
3. Areal Vibroseismic Monitoring	506
4. Discussion	509
5. Conclusions	510
References	510

<b>28 Estimates of Crustal Stress Sensitivity in the Lake Baikal Region, from Active Vibroseismic Monitoring and Solid Earth Tide Data</b>	<b>513</b>
1. Introduction	513
2. Data Processing and Interpretation	518
3. Measurements and Correction of Travel Time and Amplitude Variations	521
4. Statistical Analysis of Wave Arrival and Amplitude Series: Boundary Estimates	522
4.1. Visual examination	522
4.2. Analysis of random-scatter in travel times	523
4.3. Revealing latent relationships using the correlation method	524
4.4. Boundary estimate of velocity sensitivity to stresses	526
4.5. Analysis of amplitude variations	527
5. Boundary Estimate of Wave Amplitude Sensitivity to Crust Stresses	530
6. Conclusions	531
References	531
<i>Author Index</i>	<i>533</i>
<i>Subject Index</i>	<i>545</i>