

Checklist of

MOLLUSCA FAUNA IN THAILAND

Compiled by
Jarujin Nabhitabhata *et al.*



Pseudosimnia (Diminovula) punctata (Duclos, 1831)



Office of Natural Resources and
Environmental Policy and Planning



2010 International Year of Biodiversity

2009



| | |
|---|-----|
| Class Gastropoda | 24 |
| Subclass Prosobranchia | 24 |
| Order Archaeogastropoda | 24 |
| Family Haliotidae | 24 |
| Family Fissurellidae | 25 |
| Family Acmaeidae (Lottidae) | 26 |
| Family Patellidae | 27 |
| Family Trochidae | 28 |
| Family Turbinidae | 32 |
| Family Angariidae | 34 |
| Family Neritidae | 34 |
| Superfamily Hydrocenoidea | 39 |
| Family Hydrocenidae | 39 |
| Order Mesogastropoda | 39 |
| Superfamily Cyclophoroidea | 39 |
| Family Cyclophoridae | 39 |
| Family Diplommatinidae | 47 |
| Family Pupinidae | 51 |
| Superfamily Rissoidea | 53 |
| Family Truncatellidae | 53 |
| Family Viviparidae | 53 |
| Family Ampullaridae (Pilidae) | 61 |
| Family Littorinidae | 63 |
| Family Hydrobiidae | 66 |
| Family Bithyniidae | 74 |
| Family Stenothyridae | 76 |
| Family Iravadiidae | 80 |
| Family Assimineidae | 81 |
| Family Vitrinellidae (Circulidae) | 84 |
| Family Tornidae | 84 |
| Family Thiaridae | 85 |
| Family Planaxidae | 89 |
| Family Modulidae | 90 |
| Family Cerithiidae | 90 |
| Family Potamididae | 95 |
| Family Pleuroceridae | 97 |
| Family Turritellidae | 98 |
| Family Vermitidae | 99 |
| Family Siliquaridae | 99 |
| Family Strombidae | 100 |
| Family Hipponicidae (Calyptraeidae) | 107 |
| Family Vanikoridae | 107 |
| Family Crepidulidae (Calyptraeidae) | 108 |
| Family Calyptraeidae | 108 |
| Family Capulidae | 109 |
| Family Xenophoridae | 109 |
| Family Cypraeidae | 110 |
| Family Ovulidae | 119 |
| Family Velutinoidae | 122 |
| Family Triviidae | 122 |
| Family Naticidae | 122 |
| Family Tonnidae | 129 |
| Family Ficidae | 131 |
| Family Cassidae | 131 |
| Family Ranellidae (Cymatiidae) | 133 |
| Family Bursidae | 136 |
| Family Epitoniidae | 138 |
| Family Janthinidae | 139 |

| | |
|---|-----|
| Family Eulimidae (Melanellidae) | 139 |
| Family Thycida | 140 |
| Order Neogastropoda | 140 |
| Family Muricidae | 140 |
| Family Corallophilidae (Magillidae) | 152 |
| Family Buccinidae | 152 |
| Family Columbellidae (Pyrenidae) | 156 |
| Family Nassariidae | 158 |
| Family Melongenidae | 162 |
| Family Fasciolaridae | 163 |
| Family Volutidae | 164 |
| Family Harpidae | 165 |
| Family Vasidae (Turbinellidae) | 165 |
| Family Ollividae | 166 |
| Family Marginellidae | 168 |
| Family Mitridae | 169 |
| Family Costellariidae (Vexillidae) | 173 |
| Family Cancellariidae | 174 |
| Family Conidae | 174 |
| Family Turridae | 195 |
| Family Terebridae | 197 |
| Subclass Heterobranchia | 200 |
| Family Architectonicidae | 200 |
| Family Pyramidellidae | 201 |
| Family Amathinidae | 202 |
| Subclass Opisthobranchia | 202 |
| Order Cephalaspidea | 202 |
| Family Acteonidae | 202 |
| Family Hydatinidae | 203 |
| Family Philinidae | 203 |
| Family Aglajidae | 203 |
| Family Bullidae | 204 |
| Family Haminoeidae (Atyidae) | 204 |
| Order Sacoglossa | 205 |
| Family Elysiidae | 205 |
| Family Plakobranchidae | 206 |
| Order Notaspidae | 206 |
| Family Umbraculidae | 206 |
| Family Pleurobranchidae | 206 |
| Order Nudibranchia | 207 |
| Suborder Dondoidea | 207 |
| Family Discodorididae | 207 |
| Family Okeniidae | 207 |
| Family Aegiretidae | 207 |
| Family Polyceridae | 207 |
| Family Gymnodorididae | 207 |
| Family Hexabranchidae | 209 |
| Family Dorididae | 209 |
| Family Chromodorididae | 211 |
| Family Dendrodorididae | 218 |
| Family Phyllidiidae | 219 |
| Suborder Dendronotoidea | 222 |
| Family Tritoniidae | 222 |
| Family Lomanotidae | 222 |
| Family Bornellidae | 223 |
| Family Tethyidae | 223 |
| Suborder Arminoidea | 223 |
| Family Arminidae | 223 |
| Suborder Aeolidioidea | 224 |
| Family Flabellinidae | 224 |
| Family Glaucidae | 224 |
| Family Tergipedidae | 225 |
| Subclass Gymnomorpha | 226 |
| Order Soleolifera | 226 |
| Family Veronicellidae (Vaginulidae) | 226 |
| Family Rathousiidae | 226 |

| | |
|---|-----|
| Subclass Pulmonata | 226 |
| Order Archaeopulmonata | 226 |
| Family Ellobiidae | 227 |
| Family Carcychiidae | 228 |
| Order Basommatophora | 229 |
| Family Siphonariidae | 229 |
| Family Lymnaeidae | 230 |
| Family Planorbidae | 231 |
| Family Bulinidae | 232 |
| Family Ancyliidae | 233 |
| Order Stylommatophora | 233 |
| Suborder Orthurethra | 233 |
| Superfamily Pupilloidea | 233 |
| Family Pupillidae | 234 |
| Superfamily Buliminoidea | 243 |
| Family Buliminidae | 243 |
| Family Cerastidae | 244 |
| Suborder Mesurethra | 244 |
| Superfamily Clausiliidea | 244 |
| Family Clausiliidae | 244 |
| Suborder Sigmurethra | 245 |
| Superfamily Achatinoidea | 245 |
| Family Subulinidae | 245 |
| Family Achatinidae | 245 |
| Superfamily Streptaxoidea | 246 |
| Family Streptaxidae | 246 |
| Family Diapheridae | 246 |
| Superfamily Plectopylidoidea | 246 |
| Family Plectopytididae (<i>Carillidae</i>) | 246 |
| Suborder Elasmognatha | 247 |
| Superfamily Succineoidea | 247 |
| Family Succineidae | 247 |
| Superfamily Helixarionoidea | 247 |
| Family Helixarionidae (<i>Helicarionidae</i>) | 247 |
| Family Ariophantidae | 248 |
| Family Trochomorphidae | 252 |
| Superfamily Camaenoidea | 252 |
| Family Camaenidae | 252 |
| Superfamily Helicoidea | 256 |
| Family Bradybaenidae | 256 |
| Class Cephalopoda Cuvier, 1797 | 256 |
| Subclass Nautiloidea Agassiz, 1847 | 256 |
| Order Nautiloidea Agassiz, 1847 | 257 |
| Family Nautilidae Blainville, 1825 | 257 |
| Subclass Coleoidea Bather, 1888 | 257 |
| Superorder DECABRANCHIA Boettger, 1952 | 257 |
| Order Spirulida Stolley, 1919 | 257 |
| Family Spirulidae Owen, 1836 | 257 |
| Order Sepiida Zittel, 1895 | 258 |
| Family Sepiidae Keferstein, 1866 | 258 |
| Order Sepiolida (Fioroni, 1981) | 260 |
| Family Sepiadariidae Fischer, 1882 | 260 |
| Family Sepiolidae Leach, 1817 | 261 |
| Order Idiosepiida Boletzky, 1999 | 262 |
| Family Idiosepiidae Appellöf, 1898 | 262 |
| Order Teuthida Naef, 1916 | 263 |
| Suborder Myopsida Orbigny, 1841 | 263 |
| Family Loliginidae Lesueur, 1821 | 263 |
| Suborder Oegopsida Orbigny, 1845 | 266 |
| Family Enoplateuthidae Pfeffer, 1900 | 266 |
| Family Pyroteuthidae Clarke, 1988 | 267 |
| Family Octopoteuthidae Berry, 1912 | 267 |
| Family Onychoteuthidae | 268 |
| Family Architeuthidae Pfeffer, 1900 | 268 |
| Family Histioteuthidae Verrill, 1881 | 268 |
| Family Ctenopterygidae Grimpe, 1922 | 268 |

| | |
|---|-----|
| Family Ommastrephidae Steenstrup, 1857 ... | 269 |
| Family Thysanoteuthidae Keferstein, 1866 ... | 270 |
| Family Chiroteuthidae Gray, 1849 | 270 |
| Family Mastigoteuthidae Verrill, 1881 | 270 |
| Family Cranchiidae Prosch, 1849 | 271 |
| Superorder Octobranchia Fioroni, 1981 | 271 |
| Order Octopoda Leach, 1818 | 271 |
| Suborder Incirrata Grimpe, 1916 | 271 |
| Family Octopodidae Orbigny, 1845 | 272 |
| Family Tremoctopodidae Tyron, 1879 | 275 |
| Family Argonautidae Naef, 1912 | 276 |
| Family Alloposidae Verrill, 1862 | 276 |
| Class Bivalvia | 277 |
| Subclass Protobranchia | 277 |
| Order Nuculoida | 277 |
| Family Nuculidae | 277 |
| Family Nuculanidae | 279 |
| Order Solymyoida | 280 |
| Family Solymyidae | 280 |
| Subclass Pteriomorphia | 281 |
| Order Arcoida | 281 |
| Family Arcidae | 281 |
| Family Noetiidae | 296 |
| Family Cucullaeidae | 300 |
| Family Limopsidae | 300 |
| Family Glycymerididae | 301 |
| Order Mytiloida | 303 |
| Family Mytilidae | 303 |
| Order Limoida | 314 |
| Family Limidae | 314 |
| Order Ostreoida | 318 |
| Family Gryphaeidae | 318 |
| Family Ostreidae | 319 |
| Order Pterioida | 322 |
| Family Pteriidae | 322 |
| Family Malleidae | 326 |
| Family Vulsellidae | 326 |
| Family Isognomonidae | 327 |
| Family Pinnidae | 328 |
| Family Gryphaeidae | 330 |
| Family Plicatulidae | 330 |
| Family Pectinidae | 332 |
| Family Spondylidae | 343 |
| Family Anomiidae | 346 |
| Family Placunidae | 346 |
| Subclass Plaeoheterodonta (Schizodontida) | 348 |
| Order Unionoida | 348 |
| Family Margaritiferidae | 348 |
| Family Unionidae | 348 |
| Subclass Heterodonta | 380 |
| Order Hippuritoida | 380 |
| Family Chamidae | 380 |
| Order Veneroida | 383 |
| Family Lucinidae | 383 |
| Family Fimbriidae | 389 |
| Family Ungulinidae | 389 |
| Family Galaeommatidae | 391 |
| Family Kelliidae | 393 |
| Family Lasaeidae | 393 |
| Family Montacutidae | 395 |
| Family Carditidae | 396 |
| Family Crassatellidae | 397 |
| Family Cardiidae | 398 |
| Family Tridacnidae | 411 |
| Family Mactridae | 412 |
| Family Mesodesmatidae | 419 |

| | |
|-------------------------------|-----|
| Family Solenidae | 420 |
| Family Cultellidae | 422 |
| Family Tellinidae | 424 |
| Family Semelidae | 444 |
| Family Psammobiidae | 445 |
| Family Solecurtidae | 451 |
| Family Donacidae | 453 |
| Family Trapeziidae | 455 |
| Family Glossidae | 456 |
| Family Kelliellidae | 457 |
| Family Dreissenidae | 458 |
| Family Corbiculidae | 458 |
| Family Pisidiidae | 472 |
| Family Veneridae | 473 |
| Family Glauconomidae | 501 |
| Family Petricolidae | 502 |
| Order Myoida | 502 |
| Family Myidae | 502 |
| Family Corbulidae | 503 |
| Family Gastrochaenidae | 507 |
| Family Pholadidae | 508 |
| Family Teredinidae | 511 |
| Family Pandoridae | 512 |
| Subclass Anomalodesmata | 513 |
| Order Pholadomyoida | 513 |
| Family Laternulidae | 513 |
| Family Clavagellidae | 513 |
| Family Periplomatidae | 514 |
| Family Lyonsiidae | 514 |
| Family Cuspidariidae | 514 |
| Family Verticordiidae | 516 |
| Class Scaphopoda | 517 |
| Order Dentaliida | 517 |
| Family Dentaliidae | 517 |
| References | 518 |
| Index | 533 |
| Sources | 571 |