


Edited by Keiji Morokuma and
Djamaladdin G. Musaev

 WILEY-VCH

Computational Modeling for Homogeneous and Enzymatic Catalysis

A Knowledge-Base for Designing Efficient Catalysis



Contents

Preface XV

List of Contributors XVII

1	Computational Insights into the Structural Properties and Catalytic Functions of Selenoprotein Glutathione Peroxidase (GPx)	1
	<i>Rajeev Prabhakar, Keiji Morokuma, and Djamaladdin G. Musaev</i>	
1.1	Introduction	1
1.2	Catalytic Functions	3
1.2.1	Peroxidase Activity	3
1.2.2	Reductase Activity	3
1.3	Computational Details	5
1.3.1	Computational Methods	5
1.3.2	Computational Models	5
1.4	Results and Discussion	6
1.4.1	Refinement of the Active Site	6
1.4.2	Catalytic Functions: Peroxidase Activity	8
1.4.3	Catalytic Functions: Effect of the Surrounding Protein on the Peroxidase Activity	12
1.4.3.1	Hydrogen Peroxide Coordination	12
1.4.3.2	Formation of Selenenic Acid [E–Se–OH]	14
1.4.4	Catalytic Functions: Reductase Activity	16
1.4.4.1	Peroxynitrite/Peroxynitrous Acid (ONOO ⁻ /ONOOH) Coordination	17
1.4.4.2	Oxidation Pathway	17
1.4.4.3	Nitration Pathways	20
1.5	Summary	23
	<i>References</i>	24

- 2 A Comparison of Tetrapyrrole Cofactors in Nature and their Tuning by Axial Ligands** 27
Kasper P. Jensen, Patrik Rydberg, Jimmy Heimdal, and Ulf Ryde
- 2.1 Introduction 27
- 2.2 Methodology 29
- 2.3 Comparison of the Intrinsic Chemical Properties of the Tetrapyrroles 31
- 2.3.1 Introduction 31
- 2.3.2 Spin States 32
- 2.3.3 Tetrapyrroles Prefer Their Native Ions 33
- 2.3.4 Cavity Size and Flexibility of the Tetrapyrroles 33
- 2.3.5 Cytochrome-like Electron Transfer 35
- 2.3.6 Stability of a Metal–Carbon Bond 36
- 2.3.7 Metallation Reaction 37
- 2.4 Tuning of Tetrapyrrole Structure and Function by Axial Ligands 38
- 2.4.1 Introduction 38
- 2.4.2 Importance of the Lower Axial Ligand for B₁₂ Chemistry 38
- 2.4.3 Lower Axial Ligand in Cofactor F430 41
- 2.4.4 Importance of Axial Ligands for the Globins 42
- 2.4.5 Role of Axial Ligands for the Cytochromes 42
- 2.4.6 Role of the Axial Ligand in Heme Enzymes 44
- 2.4.7 Tuning the His Ligand by Hydrogen Bonds in Heme Proteins 47
- 2.4.8 Axial Ligand in Chlorophylls 50
- 2.5 Concluding Remarks 51
- References* 53
- 3 Modeling of Mechanisms for Metalloenzymes where Protons and Electrons Enter or Leave** 57
Per E. M. Siegbahn and Margareta R. A. Blomberg
- 3.1 Introduction 57
- 3.2 Energy Diagrams 59
- 3.2.1 Photosystem II 59
- 3.2.2 Cytochrome *c* Oxidase 64
- 3.2.3 Nitric Oxide Reduction 70
- 3.2.4 NiFe-hydrogenase 72
- 3.2.5 Molybdenum CO Dehydrogenase 76
- 3.3 Conclusions 79
- References* 80
- 4 Principles of Dinitrogen Hydrogenation: Computational Insights** 83
Djamaladdin G. Musaev, Petia Bobadova-Parvanova, and Keiji Morokuma
- 4.1 Introduction 83
- 4.2 Reaction Mechanism of the Coordinated Dinitrogen Molecule in Di-zirconocene-N₂ Complexes with a Hydrogen Molecule 87

- 4.2.1 Mechanism of the Reaction (3) 87
- 4.2.2 Mechanisms of the Reactions (4) and (5) 89
- 4.3 Factors Controlling the N₂ Coordination Modes in the Di-zirconocene-N₂ Complexes 91
- 4.4 Why the $[(\eta^5\text{-C}_5\text{Me}_n\text{H}_{5-n})_2\text{Ti}]_2(\mu_2, \eta^2, \eta^2\text{-N}_2)$ Complex Cannot Add a H₂ Molecule to the Side-on Coordinated N₂, while its Zr- and Hf-analogs Can 95
- 4.4.1 Relative Stability of the Lowest Singlet (S) and Triplet (T) Electronic States of the Complexes $[(\eta^5\text{-C}_5\text{Me}_n\text{H}_{5-n})_2\text{M}]_2(\mu_2, \eta^2, \eta^2\text{-N}_2)$, II_M (for M = Ti, Zr, and Hf, and $n = 0$ and 4) 96
- 4.4.2 Reactivity of the Lowest Singlet and Triplet States of the Complexes $[(\eta^5\text{-C}_5\text{Me}_n\text{H}_{5-n})_2\text{M}]_2(\mu_2, \eta^2, \eta^2\text{-N}_2)$, II_M, (for M = Ti, Zr, and Hf, and $n = 0$ and 4) towards H₂ Molecules 99
- 4.5 Why Dizirconium-dinitrogen Complexes with bis(Amidophosphine) (P₂N₂) and Cyclopentadienyl (Cp) Ligands React differently with the Hydrogen Molecule: Role of Ligand Environment of the Zr Centers 101
- 4.6 Several Necessary Conditions for Successful Hydrogenation of a Coordinated Dinitrogen Molecule 103
- Appendix: Computational Details 105
- References 106

5 Mechanism of Palladium-catalyzed Cross-coupling Reactions 109

Ataulpa A. C. Braga, Gregori Ujaque, and Feliu Maseras

- 5.1 Introduction 109
- 5.2 Oxidative Addition 112
- 5.3 Transmetalation 114
- 5.3.1 Suzuki–Miyaura Reaction 114
- 5.3.1.1 Role of the Base 115
- 5.3.1.2 Cis versus Trans Species in bis(Phosphine) Systems 118
- 5.3.1.3 Monophosphine Systems 120
- 5.3.2 Stille Reaction 122
- 5.4 Reductive Elimination 125
- 5.5 Isomerization 126
- 5.6 Concluding Remarks 128
- References 129

6 Transition Metal Catalyzed Carbon–Carbon Bond Formation: The Key of Homogeneous Catalysis 131

Valentine P. Ananikov, Djameladdin G. Musaev, and Keiji Morokuma

- 6.1 Introduction 131
- 6.1.1 Catalytic C–C Bond Formation via the Reductive Elimination Pathway 131
- 6.1.2 Reductive Elimination of Alkyl Groups (Alkyl–Alkyl Coupling) 133

- 6.2 C–C Coupling of Unsaturated Ligands 133
 - 6.2.1 Reductive Elimination from the Symmetrical $R_2M(PH_3)_2$ Complexes 134
 - 6.2.2 Reductive Elimination from the Asymmetrical $RR'M(PH_3)_2$ Complexes 137
 - 6.2.3 Homocoupling versus Heterocoupling Pathways via C–C Reductive Elimination 140
 - 6.2.4 Metal Effect on C–C Reductive Elimination Reaction 141
 - 6.2.5 Ligand Effect on C–C Reductive Elimination Reaction 142
 - 6.2.6 Dissociative Mechanism of C–C Bond Formation 142
 - 6.2.7 Solvent Effect on C–C Reductive Elimination Reaction 144
 - 6.2.8 Reductive Elimination of Unsaturated Organic Molecules Involving Cyano and Carbonyl Groups 144
- 6.3 Conclusions 145
 - References* 145

- 7 Olefin Polymerization Using Homogeneous Group IV Metallocenes 149**
Robert D. J. Froese
 - 7.1 Introduction 149
 - 7.2 Computational Details 152
 - 7.3 Results and Discussion 152
 - 7.3.1 Chain Propagation 152
 - 7.3.2 β -Hydride Elimination 164
 - 7.3.3 Chain-transfer-to-monomer 166
 - 7.3.4 Chain-transfer-to-hydrogen 168
 - 7.3.5 Absolute Rates of Reactions 170
 - 7.3.6 Kinetic Considerations 173
 - 7.4 Conclusions 176
 - References* 177

- 8 Group Transfer Polymerization of Acrylates with Mono Nuclear Early d- and f-block Metallocenes. A DFT Study 181**
Simone Tomasi and Tom Ziegler
 - 8.1 Introduction 181
 - 8.2 Computational Details 182
 - 8.3 Discussion 184
 - 8.3.1 Polymerization Mechanism 184
 - 8.3.1.1 Initiation: Formation of a Metallocene-enolate Complex 184
 - 8.3.1.2 Conformations of the Metallocene-acrylate-enolate Complexes 185
 - 8.3.1.3 Transition States of the Coupling Reaction 188
 - 8.3.1.4 Ring-opening Reactions 190
 - 8.3.2 Kinetic Scheme for the Prediction of Stereoregularity 195
 - 8.3.3 Side Reactions Involving Metallacycles 198
 - 8.3.3.1 Backbiting Reaction in Zr- and Sm-eight-membered Metallacycles 200

- 8.3.3.2 Proton Transfer in Zr- and Sm-eight-membered Metallacycles 201
- 8.3.3.3 Backbiting in Ten-membered Metallocenes 201
- 8.3.4 Polymer Chain Transfer Reactions 204
- 8.3.5 Minimization of Side Reactions 207
- 8.4 Conclusions 211
- References* 212
- 9 Insights into the Mechanism of H₂O₂-based Olefin Epoxidation Catalyzed by the Lacunary $[\gamma\text{-}(\text{SiO}_4)\text{W}_{10}\text{O}_{32}\text{H}_4]^{4-}$ and di-V-substituted- γ -Keggin $[\gamma\text{-}1,2\text{-H}_2\text{SiV}_2\text{W}_{10}\text{O}_{40}]^{4-}$ Polyoxometalates. A Computational Study 215**
- Rajeev Prabhakar, Keiji Morokuma, Yurii V. Geletii, Craig L. Hill, and Djameladdin G. Musaev*
- 9.1 Introduction 215
- 9.2 Computational Details 217
- 9.2.1 Methods 217
- 9.2.2 Models 217
- 9.3 Results and Discussion 218
- 9.3.1 Mechanism of the Olefin Epoxidation Catalyzed by the Lacunary POM, $[\gamma\text{-}(\text{SiO}_4)\text{W}_{10}\text{O}_{32}\text{H}_4]^{4-}$ (1) 218
- 9.3.1.1 Formation of W-hydroperoxy (W-OOH) Species 218
- 9.3.1.2 Formation of Epoxide 220
- 9.3.1.3 Counter Cation Effect 221
- 9.3.2 Mechanism of the Olefin Epoxidation Catalyzed by the di-V-substituted γ -Keggin POM $[\gamma\text{-}1,2\text{-H}_2\text{SiV}_2\text{W}_{10}\text{O}_{40}]^{4-}$ (2) 223
- 9.3.2.1 Mechanism of Reaction (3a) 224
- 9.3.2.2 Mechanism of the Epoxidation Reaction (4a) 225
- 9.3.2.3 Counter Cation Effect 226
- 9.4 Polyoxometalate-catalyzed Ethylene Epoxidation by Hydrogen Peroxide. Comparison of the Hydroxyl Mechanism involving Complexes 1 and 2 228
- References* 229
- 10 C-H Bond Activation by Transition Metal Oxides 231**
- Joachim Sauer*
- 10.1 Introduction 231
- 10.2 Gas Phase and Surface Species Considered 232
- 10.3 Oxidation of Methanol to Formaldehyde 233
- 10.4 Oxidative Dehydrogenation of Alkanes on Supported Transition Metal Oxide Catalysts 235
- 10.5 C-H Activation of Alkanes by Transition Metal Oxide Species in the Gas Phase 238
- 10.6 Conclusions 241
- References* 243

- 11 Mechanism of Ru- and Mo-catalyzed Olefin Metathesis** 245
Andrea Correa, Chiara Costabile, Simona Giudice, and Luigi Cavallo
- 11.1 Introduction 245
- 11.2 Models and Computational Details 247
- 11.2.1 Models 247
- 11.3 Results and Discussion 250
- 11.3.1 Nomenclature 250
- 11.3.2 Ru-based Catalysts 251
- 11.3.3 Mo-based Catalysts 257
- 11.4 Conclusions 260
References 261
- 12 Heterolytic σ -Bond Activation by Transition Metal Complexes** 265
Shigeyoshi Sakaki, Noriaki Ochi, and Yu-ya Ohnishi
- 12.1 Introduction 265
- 12.2 Characteristic Features of Heterolytic σ -Bond Activation 266
- 12.2.1 Theoretical Study of the Shilov Reaction 266
- 12.2.2 Fujiwara–Moritani Reaction: Driving Force and Orbital Interaction 267
- 12.3 Heterolytic C–H σ -Bond Activation of Methane 270
- 12.3.1 Methane C–H Bond Activation by Pt(II) Complexes 270
- 12.3.2 Methane C–H bond Activation by Late Transition Metal Catalysts 273
- 12.3.3 Heterolytic Methane C–H Bond Activation by Early Transition Metal Systems 274
- 12.4 Heterolytic σ -Bond Activation of Dihydrogen and Alcohol Molecules 277
- 12.4.1 Heterolytic H–H Bond Activation 277
- 12.4.2 Heterolytic σ -Bond Activation in Hydrogen Transfer Reactions 280
- 12.5 Summary 282
References 282
- 13 Hydrosilylation Reactions Discovered in the Last Decade: Combined Experimental and Computational Studies on the New Mechanisms** 285
Yun-Dong Wu, Lung Wa Chung, and Xin-Hao Zhang
- 13.1 Introduction 285
- 13.2 General Mechanistic Pathways in the 20th Century 286
- 13.2.1 Chalk–Harrod and Modified Chalk–Harrod Mechanisms 286
- 13.2.2 Stereochemistry 289
- 13.2.3 Carbonyl Compounds 291
- 13.3 New Mechanistic Pathways Discovered at the Beginning of the 21st Century 292
- 13.3.1 Main Group Metal Complexes (K, Ca, Sr and B) 292
- 13.3.2 Early Transition Metal Complexes (Zr and Ta) 294

13.3.2.1	Alkenes	294
13.3.2.2	Dinitrogen	296
13.3.3	Middle Transition Metal Complexes (Mo, W and Re)	298
13.3.4	Late Transition Metal Complexes (Ru and Os)	303
13.3.4.1	Alkynes	303
13.3.4.2	Alkenes	309
13.4	Conclusions	312
	<i>References</i>	313
14	Methane Hydroxylation by First Row Transition Metal Oxides	317
	<i>Kazunari Yoshizawa</i>	
14.1	Introduction	317
14.2	Reactivity of the MO ⁺ Species	319
14.3	Energy Profile for Methane Hydroxylation	320
14.4	Intrinsic Reaction Coordinate (IRC) Analysis	324
14.5	Spin–Orbit Coupling (SOC) in Methane Hydroxylation	326
14.6	Kinetic Isotope Effect (KIE) for H-atom Abstraction	329
14.7	Regioselectivity in Alkane Hydroxylation	331
14.8	Concluding Remarks	334
	<i>References</i>	335
15	Two State Reactivity Paradigm in Catalysis. The Example of X–H (X = O, N, C) and C–C Bonds Activation Mediated by Transition Metal Compounds	337
	<i>Maria del Carmen Michelini, Ivan Rivalta, Nino Russo, and Emilia Sicilia</i>	
15.1	Introduction	337
15.2	General Methods	338
15.3	Activation of X–H (X = O, N, C) Bonds by First-row Transition Metal Cations	339
15.3.1	Reaction of the First-row Transition Metal Ions with a Water Molecule	340
15.3.2	Insertion of First-row Transition Metal Ions into the N–H bond of Ammonia	343
15.3.3	Bond Activation of CH ₄ by bare First-row Transition Metal Cations	347
15.4	Activation of C–C Bond: Cyclotrimerization of Acetylene by Second-row Transition Metal Atoms	351
15.5	Use of the Electron Localization Function to Characterize the Bonding Evolution in Reactions involving Transition Metals	355
15.5.1	Reaction of Mn ⁺ (in its ⁷ S and ⁵ S States) with H ₂ O, NH ₃ and CH ₄ Molecules	356
	<i>References</i>	361
	Subject Index	367