


Edited by Peter Comba

WILEY-VCH

# Modeling of Molecular Properties



# Contents

Preface XVII

List of Contributors XIX

## Part One Theory and Concepts 1

### 1 Accurate Dispersion-Corrected Density Functionals for General Chemistry Applications 3

*Lars Goerigk and Stefan Grimme*

- 1.1 Introduction 3
- 1.2 Theoretical Background 4
- 1.2.1 Double-Hybrid Density Functionals 4
- 1.2.2 London-Dispersion-Corrected DFT 6
- 1.3 Examples 8
  - 1.3.1 GMTKN30 8
  - 1.3.2 A Mechanistic Study with B2PLYP-D 10
  - 1.3.3 Double-Hybrids for Excited States 11
- 1.4 Summary and Conclusions 12
- References 14

### 2 Free-Energy Surfaces and Chemical Reaction Mechanisms and Kinetics 17

*Jeremy N. Harvey*

- 2.1 Introduction 17
- 2.2 Elementary Reactions 19
- 2.3 Two Consecutive Steps 20
- 2.4 Multiple Consecutive Steps 23
- 2.5 Competing Reactions 24
- 2.6 Catalysis 25
- 2.7 Conclusions 28
- References 28

|          |  |           |
|----------|--|-----------|
| <b>3</b> | <b>The Art of Choosing the Right Quantum Chemical Excited-State Method for Large Molecular Systems</b> | <b>29</b> |
|          | <i>Philipp H.P Harbach and Andreas Dreuw</i>   |           |
| 3.1      | Introduction   | 29        |
| 3.2      | Existing Excited-State Methods for Medium-Sized and Large Molecules                                    | 30        |
| 3.2.1    | Wavefunction-Based <i>ab initio</i> Methods  | 31        |
| 3.2.2    | Density-Based Methods  | 33        |
| 3.3      | Analysis of Electronic Transitions   | 34        |
| 3.4      | Calculation of Static Absorption and Fluorescence Spectra  | 37        |
| 3.5      | Dark States  | 40        |
| 3.5.1    | Excited Electronic States with Large Double Excitation Character                                       | 40        |
| 3.5.2    | Charge-Transfer Excited States   | 42        |
| 3.6      | Summary and Conclusions  | 44        |
|          | References   | 45        |
| <b>4</b> | <b>Assigning and Understanding NMR Shifts of Paramagnetic Metal Complexes</b>                          | <b>49</b> |
|          | <i>Markus Enders</i>   |           |
| 4.1      | The Aim and Scope of the Chapter   | 49        |
| 4.2      | Basic Theory of Paramagnetic NMR   | 50        |
| 4.2.1    | The Origin of the Hyperfine Shift  | 50        |
| 4.2.1.1  | The Contact Shift  | 51        |
| 4.2.1.2  | The Pseudocontact Shift  | 53        |
| 4.2.2    | Relaxation and Line Widths   | 54        |
| 4.2.2.1  | Electronic Relaxation  | 55        |
| 4.2.2.2  | Dipolar Relaxation   | 55        |
| 4.2.2.3  | Contact Relaxation   | 56        |
| 4.2.2.4  | Curie Relaxation   | 56        |
| 4.2.3    | Advice for Recording Paramagnetic NMR Spectra  | 56        |
| 4.3      | Signal Assignments   | 58        |
| 4.3.1    | Comparison of Similar Compounds  | 58        |
| 4.3.2    | Separation of Contact and Pseudocontact Shift  | 58        |
| 4.3.3    | Estimating the Dipolar Contributions   | 59        |
| 4.3.4    | DFT-Calculations of Spin-Densities   | 59        |
| 4.4      | Case Studies   | 60        |
| 4.4.1    | Organochromium Complexes   | 61        |
| 4.4.2    | Nickel Complexes   | 62        |
|          | References   | 63        |
| <b>5</b> | <b>Tracing Ultrafast Electron Dynamics by Modern Propagator Approaches</b>                             | <b>65</b> |
|          | <i>Markus Pernpointner, Alexander I. Kuleff, and Lorenz S. Cederbaum</i>                               |           |
| 5.1      | Charge Migration Processes   | 65        |

|          |  |            |
|----------|--|------------|
| 5.1.1    | Theoretical Considerations of Charge Migration   | 68         |
| 5.2      | Interatomic Coulombic Decay in Noble Gas Clusters  | 70         |
| 5.2.1    | Theoretical Considerations of ICD  | 73         |
|          | References   | 74         |
| <b>6</b> | <b>Natural Bond Orbitals and Lewis-Like Structures<br/>of Copper Blue Proteins</b>                   | <b>77</b>  |
|          | <i>Clark R. Landis and Frank Weinhold</i>  |            |
| 6.1      | Introduction: Localized Bonding Concepts in Copper Chemistry   | 77         |
| 6.2      | Localized Bonds and Molecular Geometries in Polyatomic Cu Complexes                                  | 83         |
| 6.3      | Copper Blue Proteins and Localized Bonds   | 86         |
| 6.4      | Summary  | 88         |
|          | References   | 88         |
| <b>7</b> | <b>Predictive Modeling of Molecular Properties:<br/>Can We Go Beyond Interpretation?</b>             | <b>91</b>  |
|          | <i>Timothy Clark</i>   |            |
| 7.1      | Introduction   | 91         |
| 7.2      | Models and Modeling  | 91         |
| 7.3      | Parameterized Classical and Quantum Mechanical Theories  | 93         |
| 7.4      | Predictive Energies and Structures   | 94         |
| 7.5      | Other Gas-Phase Properties   | 94         |
| 7.6      | Solvent Effects: The Major Problem   | 95         |
| 7.7      | Reaction Selectivity   | 96         |
| 7.8      | Biological and Pharmaceutical Modeling   | 97         |
| 7.8.1    | SAR Modeling   | 98         |
| 7.8.2    | Force Fields, Docking, and Scoring   | 99         |
| 7.9      | Conclusions  | 100        |
|          | References   | 102        |
| <b>8</b> | <b>Interpretation and Prediction of Properties<br/>of Transition Metal Coordination Compounds</b>    | <b>107</b> |
|          | <i>Peter Comba</i>   |            |
| 8.1      | Introduction   | 107        |
| 8.2      | Molecular Structure Optimization   | 108        |
| 8.3      | Correlation of Molecular Structures and Properties   | 110        |
| 8.4      | Computation of Molecular Properties  | 111        |
| 8.5      | A Case Study: Electronic and Magnetic Properties of Cyano-Bridged Homodinuclear Copper(II) Complexes | 112        |
| 8.6      | Conclusions  | 116        |
|          | References   | 117        |

|                 |  |            |
|-----------------|--|------------|
| <b>9</b>        | <b>How to Realize the Full Potential of DFT: Build a Force Field Out of It</b>   | <b>123</b> |
|                 | <i>Robert James Deeth</i>  |            |
| 9.1             | Introduction   | 123        |
| 9.2             | Spin-Crossover in Fe(II) Complexes   | 124        |
| 9.3             | Ligand Field Molecular Mechanics   | 126        |
| 9.3.1           | Training Data: Fe(II)–Amine Complexes  | 127        |
| 9.3.2           | LFMM Parameter Fitting   | 128        |
| 9.4             | Molecular Discovery for New SCO Complexes  | 129        |
| 9.5             | Dynamic Behavior of SCO Complexes  | 131        |
| 9.6             | Light-Induced Excited Spin-State Trapping  | 132        |
| 9.7             | Summary and Future Prospects   | 135        |
|                 | References   | 136        |
| <b>Part Two</b> | <b>Applications in Homogeneous Catalysis</b>   | <b>137</b> |
| <b>10</b>       | <b>Density Functional Theory for Transition Metal Chemistry: The Case of a Water-Splitting Ruthenium Cluster</b>           | <b>139</b> |
|                 | <i>Maren Podewitz, Thomas Weymuth, and Markus Reiher</i>   |            |
| 10.1            | Introduction   | 139        |
| 10.2            | Shortcomings of Present-Day Density Functionals  | 139        |
| 10.2.1          | Delocalization Error/Self-Interaction Error  | 140        |
| 10.2.2          | Spin-Polarization/Static-Correlation Error   | 141        |
| 10.3            | Strategies for Constructing Density Functionals  | 142        |
| 10.4            | A Practical Example: Catalytic Water Splitting   | 144        |
| 10.4.1          | A Binuclear Ruthenium Water-Splitting Catalyst   | 144        |
| 10.4.2          | Comparison of Different Density Functionals  | 147        |
| 10.4.3          | Comparison with Experimental Data  | 148        |
| 10.4.4          | The Oxo and the Superoxo Structure of the Reactive $[Ru_2O_2]^{3+}$ Species  | 149        |
| 10.4.5          | Interaction with the Environment: Explicit Solvation of $[Ru_2O_2]^{3+}$   | 153        |
| 10.4.6          | Formation and Structure of the $[Ru_2(OH_2)O_2]^{3+}$ Intermediate   | 154        |
| 10.5            | Conclusions  | 158        |
|                 | References   | 159        |
| <b>11</b>       | <b>Rational and Efficient Development of a New Class of Highly Active Ring-Opening Metathesis Polymerization Catalysts</b> | <b>165</b> |
|                 | <i>Martin August Otfried Volland, Thomas Schnetz, and Peter Hofmann</i>  |            |
| 11.1            | Introduction   | 165        |
| 11.2            | A New Lead Structure: Introduction of Chelating, Bulky, Electron-Rich Bisphosphines with Small Bite Angles                 | 168        |
| 11.3            | ROMP Activity of the Neutral Systems   | 170        |
| 11.4            | Cationic Carbene Complexes: Synthesis and Structure  | 170        |

|          |   |     |
|----------|---|-----|
| 11.4.1   | A Comparison of Carbene versus Carbyne Hydride Isomers: $\text{L}_2\text{Cl}\text{Ru}=\text{CH}_2^+$ versus $\text{L}_2\text{Cl}(\text{H})\text{Ru}\equiv\text{CH}^+$ | 171 |
| 11.4.2   | DFT Calculations  | 171 |
| 11.5     | Olefin Metathesis with Cationic Carbene Complexes: Mechanistic Considerations   | 175 |
| 11.5.1   | A Gas-Phase Study of Cationic Carbene Complexes   | 176 |
| 11.5.2   | Screening Results   | 179 |
| 11.5.3   | Mechanistic Results   | 180 |
| 11.5.3.1 | Isotope Effects   | 180 |
| 11.5.3.2 | Olefin $\pi$ -Complex Pre-Equilibrium   | 181 |
| 11.5.3.3 | Backbiting  | 181 |
| 11.5.4   | Direct Comparison of Active Species   | 182 |
| 11.6     | ROMP Kinetics in Solution   | 183 |
| 11.6.1   | Bite Angle Influence on ROMP Activity   | 183 |
| 11.6.2   | ROMP Activity: A comparison with First- and Second-Generation Grubbs Systems in Solution  | 184 |
| 11.7     | Summary and Outlook   | 186 |
|          | References  | 187 |
| 12       | <b>Effects of Substituents on the Regioselectivity of Palladium-Catalyzed Allylic Substitutions: A DFT Study</b>  | 191 |
|          | <i>Jevgenij A. Raskatov and Guenter Helmchen</i>  |     |
| 12.1     | Introduction  | 191 |
| 12.2     | Computational Details   | 195 |
| 12.3     | Results and Discussion  | 195 |
| 12.3.1   | Calculations of the $\pi$ -Allyl Complexes  | 195 |
| 12.3.1.1 | Geometries of the $\pi$ -Allyl Complexes  | 195 |
| 12.3.1.2 | Charge Analysis of the $\pi$ -Allyl Complexes   | 196 |
| 12.3.1.3 | Frontier Orbital Analysis   | 197 |
| 12.3.2   | Calculations of Transition States and Product Olefin Complexes  | 198 |
| 12.3.3   | Transition State Analysis   | 199 |
| 12.3.4   | Olefin Complexes  | 202 |
| 12.4     | Conclusions   | 203 |
|          | References  | 204 |
| 13       | <b>Dicopper Catalysts for the Azide Alkyne Cycloaddition: A Mechanistic DFT Study</b>   | 207 |
|          | <i>Bernd F. Straub, Michael Bessel, and Regina Berg</i>   |     |
| 13.1     | Introduction  | 207 |
| 13.2     | Theoretical Methods   | 209 |
| 13.3     | Discussion of the CuAAC Mechanism   | 209 |
| 13.4     | Conclusion and Summary  | 212 |
|          | References  | 214 |

|        |  |     |
|--------|--|-----|
| 14     | <b>From Dynamics to Kinetics: Investigation of Interconverting Stereoisomers and Catalyzed Reactions</b>   | 215 |
|        | <i>Oliver Trapp</i>  |     |
| 14.1   | Investigation of Interconversions by Gas Chromatography  | 215 |
| 14.2   | Evaluation Tools   | 216 |
| 14.3   | Investigation of Catalyzed Reactions   | 218 |
| 14.3.1 | Catalytic Studies with On-Column Reaction Chromatography   | 220 |
| 14.4   | Perspectives   | 224 |
|        | References   | 225 |
| 15     | <b>Mechanistic Dichotomies in Coupling–Isomerization–Claisen Pericyclic Domino Reactions in Experiment and Theory</b>  | 227 |
|        | <i>Thomas J.J. Müller, Daniel M. D’Souza, and Bernhard Mayer</i>   |     |
| 15.1   | Introduction   | 227 |
| 15.2   | Computation of the Concluding Intramolecular Diels–Alder Reaction in the Domino Formation of (Tetrahydroisobenzofuran) <i>spiro</i> -Benzofuranones or <i>spiro</i> -Indolones | 230 |
| 15.3   | Computation of the Pericyclic Dichotomies of Propargyl Tritylethers  | 231 |
| 15.4   | Conclusions  | 238 |
|        | References   | 239 |
|        | <b>Part Three Applications in Pharmaceutical and Biological Chemistry</b>  | 241 |
| 16     | <b>Computational Design of New Protein Catalysts</b>   | 243 |
|        | <i>Gert Kiss, Scott A. Johnson, Geoffrey Nosrati, Nihan Çelebi-Ölçüm, Seonah Kim, Robert Paton, and Kendal N. Houk</i>   |     |
| 16.1   | Introduction   | 243 |
| 16.2   | The Inside-Out Approach  | 244 |
| 16.3   | Catalyst Selection and the Catalytic Unit  | 244 |
| 16.4   | Theozymes  | 246 |
| 16.4.1 | Background   | 246 |
| 16.4.2 | Definition   | 247 |
| 16.4.3 | Selection of Catalytic Groups  | 247 |
| 16.4.4 | Theozyme Diversity   | 248 |
| 16.4.5 | Applications of Theozymes  | 248 |
| 16.5   | Scaffold Selection and Theozyme Incorporation  | 249 |
| 16.5.1 | Overview and Background  | 249 |
| 16.5.2 | RosettaMatch   | 249 |
| 16.5.3 | Gess   | 250 |
| 16.6   | Design   | 252 |
| 16.6.1 | Overview   | 252 |
| 16.6.2 | RosettaDesign  | 252 |
| 16.7   | Evaluating Matches and Designs   | 253 |
| 16.7.1 | Filtering and Ranking Matches  | 253 |

|           |   |            |
|-----------|---|------------|
| 16.7.1.1  | EDGE  | 253        |
| 16.7.1.2  | SASA  | 253        |
| 16.7.2    | Ranking and Evaluating Designs  | 254        |
| 16.7.2.1  | Empirical Criteria  | 254        |
| 16.7.2.2  | Reverting Unnecessary Mutations   | 254        |
| 16.7.2.3  | Molecular Dynamics Evaluation   | 255        |
| 16.8      | Experiments   | 257        |
| 16.9      | Successful Enzyme Designs   | 257        |
| 16.9.1    | Retro-Aldol Reaction  | 257        |
| 16.9.2    | Kemp Elimination  | 259        |
| 16.9.3    | Diels–Alder Cycloaddition   | 259        |
| 16.10     | Rational Redesign and Directed Evolution of Designed Enzymes with Low Activities              | 260        |
| 16.10.1   | Iterative Approach to <i>de novo</i> Enzyme Design: Rational Redesign                         | 260        |
| 16.10.2   | Directed Evolution of KE70  | 262        |
| 16.11     | Summary   | 263        |
|           | References  | 263        |
| <b>17</b> | <b>Computer-Assisted Drug Design</b>  | <b>267</b> |
|           | <i>Hans-Dieter Höltje</i>   |            |
| 17.1      | Neuraminidase Inhibitors  | 267        |
| 17.1.1    | Physiological Function of Neuraminidase   | 267        |
| 17.1.2    | The Substrate: Sialic Acid  | 268        |
| 17.1.3    | The Development of Zanamivir  | 269        |
| 17.1.4    | Development of the Orally Active Agent Oseltamivir  | 270        |
| 17.2      | Cyclooxygenase Inhibitors   | 273        |
| 17.2.1    | Cyclooxygenase (Cox)  | 273        |
| 17.2.1.1  | Physiological Functions of Cox-1 and Cox-2  | 274        |
| 17.2.1.2  | Structural Comparison of Cox-1 and Cox-2  | 275        |
| 17.2.2    | Molecular Structures of Typical Cox-1 Selective Inhibitors                                    | 277        |
| 17.2.3    | Molecular Structure of Typical Cox-2 Selective Inhibitors                                     | 277        |
| 17.3      | Concluding Remarks  | 279        |
|           | References  | 279        |
| <b>18</b> | <b>Statics of Biomacromolecules</b>   | <b>281</b> |
|           | <i>Prakash C. Rathi, Christopher Pfleger, Simone Fulle, Doris L. Klein, and Holger Gohlke</i> |            |
| 18.1      | Introduction  | 281        |
| 18.2      | Rigidity Theory and Analysis  | 282        |
| 18.2.1    | Introduction to Rigidity Theory   | 282        |
| 18.2.2    | Modeling Biomacromolecules as Constraint Networks   | 284        |
| 18.2.3    | Simulating Folded–Unfolded Transitions in Biomacromolecules                                   | 284        |
| 18.2.4    | Constraint Network Analysis   | 285        |

|           |   |  |
|-----------|---|--|
| 18.2.5    | Indices to Characterize Flexibility and Rigidity  | 287  |
| 18.2.5.1  | Global Indices  | 287  |
| 18.2.5.2  | Local Indices   | 287  |
| 18.3      | Application of Rigidity Analysis to Biomacromolecules   | 289  |
| 18.3.1    | Coarse-Graining for Simulating Conformational Transitions in Proteins   | 289  |
| 18.3.2    | Thermostabilization of Proteins   | 290  |
| 18.3.3    | Flexibility of Antibiotics Binding Sites and Allosteric Signal Transmission in Ribosomal Structures                 | 291  |
| 18.3.3.1  | Deriving a New Constraint Network Parameterization for RNA Structures   | 291  |
| 18.3.3.2  | Analyzing the Ribosomal Exit Tunnel   | 292  |
| 18.4      | Conclusions   | 294  |
|           | References  | 294  |
| <b>19</b> | <b>Strained Molecules: Insights from Force Distribution Analysis</b>  | <i>Frauke Gräter</i>   |
| 19.1      | Strain in Molecules   | 301  |
| 19.1.1    | Strained Rings: Structure and Reactivity  | 302  |
| 19.1.2    | Molecules Under Tensile Forces  | 303  |
| 19.2      | Force Distribution Analysis   | 303  |
| 19.2.1    | Concept   | 304  |
| 19.2.2    | Applications  | 306  |
| 19.2.2.1  | Muscle: Titin Immunoglobulin  | 307  |
| 19.2.2.2  | Materials: Silk   | 308  |
| 19.2.2.3  | Blood: von Willebrand Factor  | 308  |
| 19.2.2.4  | Gene Expression: MetJ Repressor   | 308  |
| 19.3      | Outlook   | 309  |
|           | References  | 309  |
| <b>20</b> | <b>Mercury Detoxification by Bacteria: Simulations of Transcription Activation and Mercury–Carbon Bond Cleavage</b> | <i>Hao-Bo Guo, Jerry M. Parks, Alexander Johs, and Jeremy C. Smith</i> |
| 20.1      | Introduction  | 311  |
| 20.2      | Transcription Activation of MerOP by MerR upon Hg(II)-Binding   | 312  |
| 20.2.1    | Comparisons between MD and SAXS   | 314  |
| 20.2.2    | Global Dynamics of Hg(II)-MerR in Solution  | 314  |
| 20.2.3    | Opening-and-Closing Dynamics of Hg(II)-MerR   | 315  |
| 20.2.4    | Discussion and Implications of MD Simulations   | 317  |
| 20.3      | Hg–C Bond Cleavage Catalyzed by the MerB  | 318  |
| 20.3.1    | Background  | 318  |
| 20.3.2    | Methods for DFT Calculations  | 320  |
| 20.3.3    | Results of the DFT Calculations   | 320  |

|                  |   |            |
|------------------|---|------------|
| 20.4             | Summary and Conclusions   | 322        |
|                  | References  | 323        |
| <b>21</b>        | <b>Elucidation of the Conformational Freedom of Ferrocene Amino Acid (Bio)Conjugates: A Complementary Theoretical and Experimental Approach</b> | <b>325</b> |
|                  | <i>Katja Heinze, Kristina Hüttlinger, and Daniel Siebler</i>  |            |
| 21.1             | Introduction  | 325        |
| 21.2             | Simple Ferrocene Amino Acid (Bio)Conjugates   | 328        |
| 21.3             | Systems with Amide-Bridged Fca Units  | 336        |
| 21.4             | Modeling Responses to External Stimuli  | 341        |
| 21.5             | Conclusions   | 344        |
|                  | References  | 345        |
| <b>Part Four</b> | <b>Applications in Main Group, Organic, and Organometallic Chemistry</b>  | <b>347</b> |
| <b>22</b>        | <b>Theoretical Investigation of the <math>^{13}\text{C}</math> NMR Chemical Shift–NCN Angle Correlation in N-Heterocyclic Carbenes</b>          | <b>349</b> |
|                  | <i>Michael Nonnenmacher and Doris Kunz</i>  |            |
| 22.1             | Introduction  | 349        |
| 22.2             | Method Validation   | 350        |
| 22.3             | $^{13}\text{C}$ -NMR Chemical Shift –N–C–N Angle Correlation Within Various Carbene Types   | 351        |
| 22.4             | N–C–N Angle-Shielding Tensor Correlations: Carbene A  | 353        |
| 22.5             | Correlation Between N–C–N Angle and HOMO-LUMO Gap $\Delta E$ : Carbene A  | 356        |
| 22.6             | Correlations in N-Heterocyclic Carbenes   | 359        |
|                  | References  | 362        |
| <b>23</b>        | <b>Structures of Azole-Containing Macro cyclic Peptides</b>   | <b>365</b> |
|                  | <i>Áron Pintér and Gebhard Haberhauer</i>   |            |
| 23.1             | Azoles in Nature and Civilization   | 365        |
| 23.2             | Azole-Containing Macro cyclic Peptides in Nature: Opening New Boundaries in Science   | 366        |
| 23.3             | Achiral Applications of <i>Lissoclinum</i> -Related Macro cyclic Peptides   | 386        |
| 23.4             | Applications of <i>Lissoclinum</i> -Related Macro cyclic Peptides as Chiral Tools   | 387        |
|                  | References  | 393        |
| <b>24</b>        | <b>Modeling of Complex Polyketides: Stereochemical Determination by a Combination of Computational and NMR Methods</b>                          | <b>397</b> |
|                  | <i>Dirk Menche and Sandra Dreisigacker</i>  |            |
| 24.1             | Myxobacterial Polyketides   | 397        |

|           |  |            |
|-----------|--|------------|
| 24.2      | Development of Computational and NMR Methods for Stereochemical Determination: Case Studies with the Archazolidoids              | 399        |
| 24.2.1    | <i>J</i> -Based Configurational Methods and Molecular Mechanics Studies  | 399        |
| 24.2.2    | Restrained Molecular Modeling  | 403        |
| 24.2.3    | Calculation and Determination of Residual Dipolar Couplings  | 403        |
| 24.3      | Selected Applications of Combined Computational and NMR Methods for Stereochemical Determination                                 | 406        |
| 24.3.1    | Etnangien  | 406        |
| 24.3.2    | Rhizopodin   | 408        |
| 24.4      | Conclusion and Perspectives  | 410        |
|           | References   | 410        |
| <b>25</b> | <b>Quantifying Building Principles of Borane Clusters</b>  | <b>413</b> |
|           | <i>Matthias Hofmann</i>  |            |
| 25.1      | Introduction   | 413        |
| 25.2      | Structural Features and Energy Penalties   | 414        |
| 25.2.1    | Six-Vertex Nido-Cluster  | 414        |
| 25.2.2    | Ten-Vertex Nido-Cluster  | 416        |
| 25.2.3    | Eleven-Vertex Nido-Cluster   | 416        |
| 25.2.4    | Twelve-Vertex Closو-Cluster  | 418        |
| 25.3      | Macropolyhedral Boranes  | 419        |
| 25.3.1    | When is a Macropolyhedron Preferred?   | 420        |
| 25.3.2    | What is the "Best" Cluster Fragment for Macropolyhedra?  | 421        |
| 25.3.3    | What is the Most Stable Macropolyhedron for a Given Formula?   | 421        |
| 25.4      | Conclusions  | 423        |
|           | References   | 423        |
| <b>26</b> | <b>Hydrogenation and Dehydrogenation of Dinuclear Boron- and Gallium Hydrides: Quantum Chemical Calculations and Experiments</b> | <b>425</b> |
|           | <i>Hans-Jörg Himmel</i>  |            |
| 26.1      | Dihydrogen Activation with Main-Group Element Compounds  | 425        |
| 26.2      | Preliminary Quantum Chemical Calculations  | 426        |
| 26.3      | Experimental Studies in Concert with Quantum Chemical Calculations   | 430        |
| 26.3.1    | Step 1: Adducts of Boranes and Gallanes to Bicyclic Guanidines   | 430        |
| 26.3.2    | Step 2: Dehydrogenation to Give the Dinuclear Hydrides $[H_2E(\mu\text{-guanidinate})_2]$  | 434        |

|           |  |     |
|-----------|--|-----|
| 26.3.3    | Step3: Repeated Dehydrogenation Leading to Double-Base-Stabilized Diborane(4) or Digallane(4) Molecules [HE( $\mu$ -guanidinate)] <sub>2</sub> | 437 |
| 26.3.4    | Quantum Chemical Calculations on the Possible Reaction Mechanism   | 440 |
| 26.3.5    | Oxidative Insertion Reactions Into the B–B Bond of Double-Base-Stabilized Diborane(4) Molecules  | 443 |
| 26.3.5.1  | Sulfuration and Reaction with Disulfides   | 443 |
| 26.3.5.2  | B–B Bond Protonation   | 446 |
| 26.3.6    | Alternative Access Routes to Double-Base-Stabilized Diborane(4) Molecules  | 450 |
|           | References   | 452 |
| <b>27</b> | <b>Cages and Clusters of Indium: Spherical Aromaticity?</b>  | 455 |
|           | <i>Gerald Linti, Martina Bühler, Kirill Monakhov, and Thomas Zessin</i>  |     |
| 27.1      | Introduction   | 455 |
| 27.2      | Synthesis of Polyhedral Indium Clusters  | 456 |
| 27.3      | Quantum Chemical Calculations  | 459 |
| 27.3.1    | Methods  | 459 |
| 27.3.2    | DFT-Calculations on [E <sub>8</sub> H <sub>8</sub> ] <sup>n-</sup> Clusters  | 459 |
| 27.3.3    | Aromaticity of [E <sub>n</sub> H <sub>n</sub> ] <sup>2-</sup> Clusters   | 460 |
| 27.4      | Summery  | 462 |
|           | References   | 466 |
| <b>28</b> | <b>Lipophilic Anions</b>   | 469 |
|           | <i>Bernd F. Straub and Michael Wrede</i>   |     |
|           | References   | 472 |
|           | <b>Index</b>   | 473 |