



Tofael Ahamed

# Navigation of Autonomous Tractor

Positioning and Sensors



**LAMBERT**  
Academic Publishing

# List of Contents

List of Contents	ii
Nomenclature	vii
List of Tables	xi
List of Figures	xii
<b>Chapter 1 Introduction</b>	<b>1</b>
1.1 Navigation and Sensors for Operation	1
1.1.1 Concerns for Navigation	1
1.1.2 Sensors for Navigation	2
1.2 Motivations	3
1.3 Objectives	4
1.4 The Structure of this Thesis	4
1.5 Contribution of this Research	6
<b>Chapter 2 Contemporary Navigation Systems and Motion Planning</b>	<b>8</b>
2.1 Navigation Reference	8
2.2 Sensors for Navigation	9
2.2.1 Satellite based GPS Sensors	9
2.2.1.1 Difference between DGPS and RTK	11
2.2.2 Dead Reckoning Sensors	12
2.2.2.1 Encoders	12
2.2.2.2 Potentiometers	13
2.2.2.3 Doppler Sensors	14
2.2.3 Inertial Sensors	15
2.2.3.1 Accelerometers	16
2.2.3.2 Gyroscopes	17
2.2.4 Vision-based Sensors	20
2.2.5 Environment Ranging Sensors	21
2.2.5.1 Time of Flight Range Sensors	21
2.3 Algorithms and Methods for Navigation	23
2.3.1 Global Positioning System	23
2.3.2 Dead Reckoning Sensors	24
2.3.3 Inertial Navigation	26
2.3.4 Landmark-based Navigation	26
2.3.4.1 Natural Landmarks	26

	2.3.4.2 Artificial Landmarks	27
	2.3.5 Line Navigation	27
	2.3.6 Map-based Navigation	28
	2.3.6.1 Map Building	28
	2.3.6.2 Map Matching	29
2.4	Vehicle Motion Planning	29
	2.4.1 Holonomic Motion Planning	29
	2.4.2 Non-holonomic Motion Planning	30
	2.4.2.1 Non-holonomic Control Systems	32
	2.4.2.2 Basic Motion Task	35
	2.4.3 Examples of Nonholonomic Systems	37
<b>Chapter 3</b>	<b>Review of Literature</b>	41
	3.1 GPS	41
	3.2 Dead Reckoning and Inertial Sensors	43
	3.3 Machine Vision	43
	3.4 Laser-based Sensors	45
	3.5 Multiple Autonomous Mobile Robot	47
	3.6 Sensor Data Fusion	48
	3.7 Concluding Remarks	49
<b>Chapter 4</b>	<b>Path Planning for Navigation of Tractor</b>	52
	4.1 Posture of Vehicle	52
	4.2 Trajectory Control	53
	4.3 Feedback Control	55
	4.3.1 Cartesian and Polar Coordinate System	56
	4.3.2 Feedback Control in Polar Coordinate	58
	4.4 Conclusions	60
<b>Chapter 5</b>	<b>Installation of Sensors in the Experimental Tractor</b>	61
	5.1 Basic Instrumentations	61
	5.1.1 Steering Configurations	61
	5.1.2 Steering Angle	62
	5.2 Posture Sensors	63
	5.2.1 Fiber Optic Gyroscope	63
	5.2.2 Rotary Encoder	64
	5.2.3 Laser Range Finder	65

	5.2.3.1 LMS Telegram Structure	67
	5.2.4 GPS	68
	5.3 Programming Modules	69
	5.4 Conclusions	70
<b>Chapter 6</b>	<b>Discrimination and Localization of Landmark for Approach Navigation</b>	<b>71</b>
	6.1 Reflector as Landmark	72
	6.2 Laser Ranging: Operating Principle	73
	6.3 Design of Reflectors	74
	6.4 Template Fitting Algorithms for Landmark	75
	6.4.1 Line Fitting	75
	6.4.2 Circle Fitting	77
	6.4.3 Geometrical Shape Fitting	79
	6.5 Preliminary Experiments for Positioning	80
	6.5.1 Field Set up	80
	6.5.2 Preliminary Experimental Results	82
	6.5.2.1 Positioning Error for Reflectors	82
	6.6 Discussions	86
	6.7 Conclusions	86
<b>Chapter 7</b>	<b>Navigation to Approach the Implement using Single Path</b>	<b>88</b>
	7.1 Scope and Objectives	88
	7.2 Development of Positioning Method for the Landmark	89
	7.2.1 Positioning with a Single Reflector	89
	7.2.2 Positioning with Two Reflectors	91
	7.3 Experiment of Positioning Accuracy using Flat Reflectors	93
	7.4 Approach Experiment to the Object	96
	7.5 Results and Discussion	96
	7.5.1 Results	96
	7.5.2 Discussion	106
	7.6 Conclusions	107
<b>Chapter 8</b>	<b>Navigation for Approach Composed of Multiple Paths</b>	<b>108</b>
	8.1 Scope and Objectives	110
	8.2 Theoretical Consideration	111
	8.2.1 Transformation of Coordinate for the Navigation of	111

	Tractor	
	8.2.2 Trajectory Tracking Control on Cartesian and Polar Coordinates Systems	114
8.3	Field Experiment	114
	8.3.1 Forward-backward Approach to an Agricultural Implement	115
	8.3.2 Parking inside the Yard	115
8.4	Experimental Results and Discussions	115
8.5	Conclusions	124
<b>Chapter 9</b>	<b>Possibility of Automatic Hitching of Implement</b>	<b>125</b>
	9.1 Three Point Hitch Coupler	126
	9.1.1 U-frame Coupler	126
	9.1.2 A-frame Coupler	127
	9.1.3 Link Coupler	127
	9.2 Triangle Hitch	128
	9.3 Preliminary Investigation	128
	9.3.1 Sequential Traveling Toward the Implement	129
	9.3.2 Modification of the Quick Coupler	129
	9.4 Further Experiment	130
<b>Chapter 10</b>	<b>Conclusions</b>	<b>131</b>
	10.1 Summary of the Contributions	131
	10.1.1 Robust Recognition of the Landmark	131
	10.1.2 Development of Positioning Method for Landmark based Navigation	131
	10.1.3 Navigation of Tractor Toward the Implement Position	131
	10.1.4 Switching of Sensors and Coordinates in Multiple Sensors based Navigation	132
	10.1.5 Possibility of Automatic Coupling of Implement with the Autonomous Tractor	132
	10.2 Future Research	133
	10.2.1 Automatic Coupling of Implements with the Tractor	133
	10.2.2 Application of VRS GPS for Road Navigation	133

10.2.3	Sensor Data Fusion for Autonomous Navigation	133
	Acknowledgements	134
	References	136
	Appendix	144