

Seismic Design of Building Structures

A Professional's Introduction to
Earthquake Forces and Design Details

Tenth Edition

Michael R. Lindeburg, PE
with Kurt M. McMullin, PhD, PE




Table of Contents

Preface	vii
Acknowledgments	ix
How to Use This Book	xi
Codes Used in This Book	xv
Nomenclature	xvii

1 Basic Seismology

1 The Nature of Earthquakes	1-1
2 Earthquake Terminology	1-1
3 Global Seismicity	1-2
4 Continental Drift	1-2
5 Plate Tectonics	1-2
6 Submarine Ridges	1-3
7 Submarine Trenches	1-3
8 Earthquake Energy Release	1-3
9 Seismic Sea Waves	1-4
10 Faults	1-4
11 California Faults	1-4
12 San Andreas Fault	1-5
13 Creep	1-5
14 Seismic Waves	1-5
15 Locating the Epicenter	1-7

2 Earthquake Characteristics

1 Intensity Scale	2-1
2 Isoseismal Maps	2-2
3 Richter Magnitude Scale	2-2
4 Richter Magnitude Calculation	2-2
5 Energy Release and Magnitude Correlation	2-3
6 Length of Active Fault	2-4
7 Length of Fault Slip	2-4
8 Peak Ground Acceleration	2-4
9 Correlation of Intensity, Magnitude, and Acceleration with Damage	2-4
10 Vertical Acceleration	2-5
11 Probability of Occurrence	2-5
12 Frequency of Occurrence	2-5
13 Attenuation of Ground Motion	2-5
14 Seismometer	2-6
15 Accelerometer	2-7
16 Other Seismic Instruments	2-7
17 Earthquake Prediction	2-7
18 Other Earthquake Characteristics	2-7

3 Effects of Earthquakes on Structures

1 Seismic Damage	3-1
2 Geographic Distribution of Seismic Risk	3-1
3 Risk Microzones	3-1
4 Probable and Maximum Considered Earthquake Ground Motions	3-4
5 Effective Peak Ground Acceleration	3-4
6 Site Period	3-4
7 Soil Liquefaction	3-4
8 Building Period	3-4
9 Spectral Characteristics	3-5
10 Seismic Force	3-5
11 Relationship Between Spectral Values	3-5

4 Vibration Theory

1 Two Approaches to Seismic Design	4-1
2 Simple Harmonic Motion	4-1
3 Stiffness and Flexibility	4-2
4 Rigidity	4-3
5 Natural Period and Frequency	4-3
6 Damping	4-5
7 Damping Ratio	4-5
8 Decay Envelope	4-6
9 Damping Ratio of Buildings	4-6
10 Damped Period of Vibration	4-6
11 Forced Systems	4-6
12 Magnification Factor	4-7
13 Resonance	4-7
14 Impulse Response—Undamped System	4-7
15 Duhamel's Integral for an Undamped System	4-8
16 Multiple-Degree-of-Freedom Systems	4-9
17 Response of MDOF Systems	4-9
18 Mode Shape Factors	4-10
19 Rayleigh Method	4-11
20 Participation Factor	4-12
21 Story Shears	4-12

5 Response of Structures

1 Elastic Response Spectra	5-1
2 Idealized Response Spectra	5-1
3 Response Spectra for Other Earthquakes	5-3
4 Log Tripartite Graphs	5-3
5 Ductility	5-3
6 Strain Energy and Ductility Factor	5-4
7 Hysteresis	5-5
8 Large Ductility Swings	5-5

9	Inelastic Response Spectra	5-5
10	Normalized Design Response Spectra	5-6
11	Response Spectrum for IBC-Defined Soil Profiles	5-6
12	Drift	5-6
13	<i>P</i> - δ Effect	5-7
14	Torsional Shear Stress	5-8
15	Negative Torsional Shear	5-10
16	Overturning Moment	5-11
17	Rigid Frame Buildings	5-11
18	High-Rise Buildings	5-11

6 Seismic Building Codes

1	Historical Basis of Seismic Codes in California	6-1
2	Seismic Codes	6-3
3	International Building Code	6-4
4	Survivability Design Criteria	6-4
5	Effectiveness of Seismic Provisions	6-5
6	Applicable Seismic Sections in the IBC	6-5
7	Nature of IBC Seismic Code Provisions	6-5
8	Wind Loads	6-6
9	Snow Loads	6-6
10	Combined Seismic, Wind, and Snow Loading	6-6
11	Seismic Design Criteria Selection	6-7
12	IBC Procedure for Determining Design Acceleration	6-7
13	Occupancy Categories	6-8
14	Seismic Importance Factor: <i>I</i>	6-8
15	Soil-Profile Types: Site Class A Through F	6-8
16	Near Source Effects	6-9
17	Seismic Response Coefficients	6-9
18	Seismic Design Category	6-11
19	Response Modification Factor: <i>R</i>	6-11
20	Seismic System Overstrength Factor: Ω_o	6-12
21	Structural Systems	6-12
	A Bearing Wall Systems	6-12
	B Building Frame Systems	6-12
	C Moment-Resisting Frames	6-13
	D Dual Systems	6-13
	E Inverted Pendulum Building Systems	6-13
	F Shear Wall-Frame Interaction Systems	6-14
	G Undefined Systems	6-14
22	Redundancy Factor: ρ	6-14
23	Regular/Irregular Structures	6-16
24	Vertical Structural Irregularity	6-17
25	Horizontal Structural Irregularity	6-18
26	Building Period: <i>T</i>	6-19
27	Earthquake Loads: <i>E</i>	6-21
28	Load Combinations	6-21
29	Total Seismic Dead Load: <i>W</i>	6-24
30	Seismic Response Coefficient	6-24
31	Lateral Force Procedures	6-26
32	Static Lateral Force Procedure	6-27
33	When the IBC Permits a Static Analysis	6-29

34	Simplified Lateral Force Procedure	6-29
35	Vertical Distribution of Base Shear to Stories	6-31
36	Simplified Vertical Distribution of Base Shear to Stories	6-32
37	Provisions for Vertical Ground Acceleration	6-33
38	Provisions for Direction of the Earthquake	6-34
39	Provisions for Horizontal Torsional Moment	6-34
40	Story Drift Determination	6-34
41	Provisions for Building Separations	6-37
42	Provisions for Overturning Moment	6-38
43	Provisions for <i>P</i> -Delta Effects	6-38
44	Seismic Force on Nonstructural Components	6-40
45	Provisions for Ties and Continuity	6-44
46	Nonbuilding Structures	6-44
47	Provisions for Deformation Compatibility	6-48
48	Penalties for Structural Irregularity	6-48
49	Dynamic Analysis Procedure	6-48
50	Allowable Stress Levels	6-49

7 Diaphragm Theory

1	Diaphragm Action	7-1
2	Seismic Wall and Diaphragm Forces	7-1
3	Wall Shear Stress	7-2
4	Rigid Diaphragm Action	7-3
5	Calculating Wall Rigidity	7-4
6	Flexible Diaphragms	7-7
7	Framing Terminology	7-7
8	Collectors	7-8
9	Collector Force	7-8
10	Columns Supporting Parts of Flexible Diaphragms	7-8
11	Flexible Diaphragm Construction	7-8
12	Flexible Diaphragm Torsion	7-9
13	Diaphragm Shear Stress	7-9
14	Diaphragm Flexure	7-9
15	Deflection of Flexible Diaphragms	7-9
16	Chords	7-10
17	Chord Force	7-11
18	Chord Size	7-11
19	Overturning Moment	7-11

8 General Structural Design

1	Distributing Story Shears to Members of Unknown Size	8-1
2	Portal Method	8-1
3	Cantilever Method	8-2
4	Spurr Method	8-4
5	Frame Member Sizing	8-4

9 Details of Seismic-Resistant Concrete Structures

1	Concrete Construction Details	9-1
	A Orthogonal Effects	9-2

B	Connections	9-2
C	Deformation Compatibility	9-2
D	Ties and Continuity	9-2
E	Collector Elements	9-2
F	Concrete Frames	9-2
G	Anchorage to Concrete and Masonry Walls	9-2
H	Boundary Elements of Shear Walls and Diaphragms	9-2
I	Seismic Hooks, Crossties, and Hoops	9-3
J	Strength Reduction Factors	9-3
K	Combined Loading Load Factors	9-3
L	Concrete Strength	9-4
M	Steel Reinforcement	9-4
N	Special Moment-Resisting Frame Flexural Members	9-4
O	Top and Bottom Reinforcement	9-4
P	Tension Lap Splices	9-4
Q	Welded Splices and Mechanical Connections	9-4
R	Special Moment-Resisting Frame Members with Bending and Axial Loads	9-4
S	Columns Carrying Discontinuous Walls	9-5
T	Diaphragms	9-5
U	Minimum Column Size	9-5
V	Joints	9-7
W	Concrete Cover	9-7

10 Details of Seismic-Resistant Steel Structures

1	Steel Construction Details	10-1
A	Design and Construction Provisions	10-1
B	Seismic Provisions for Structural Steel Buildings	10-1
C	Loads and Load Combinations	10-1
D	Steel Frames	10-1
E	Steel Properties	10-1
F	Member Strength	10-2
G	Column Requirements	10-2
H	Ordinary Moment Frames	10-2
I	Special Moment-Resisting Frames	10-2
J	Special Truss Moment Frames	10-2
K	Welded and Bolted Connections	10-4
L	Girder-Column Joint Restraints	10-4
M	Braced Frames	10-5
2	Eccentrically Braced Frames	10-6
3	Steel Stud Wall Systems	10-7

11 Details of Seismic-Resistant Masonry Structures

1	Masonry Construction Details	11-1
A	Design and Construction Provisions	11-1
B	Seismic Provisions for Structural Masonry Buildings	11-1
C	Loads and Load Combinations	11-1
D	Masonry Construction Details	11-1
E	Masonry Wall Frames	11-2
F	Allowable Shear Stress	11-3

12 Details of Seismic-Resistant Wood Structures

1	Wood Structures	12-1
A	Design and Construction Provisions	12-1
B	Seismic Provisions for Structural Wood Buildings	12-1
C	Loads and Load Combinations	12-1
2	Wood Shear Wall and Wood Structural Panel Diaphragm Design Criteria	12-1
A	Framing	12-1
B	Wood Structural Panels	12-1
C	Requirements for Resisting Horizontal Forces in Concrete/Masonry Buildings	12-2
3	Wood Structural Panel Shear Walls	12-2
4	Shear Wall Aspect Ratios	12-3
5	Wood Structural Panel Diaphragm Construction Details	12-3
6	Bridging/Blocking	12-4
7	Subdiaphragms	12-4
8	Connector Strengths	12-5
A	Nails	12-5
B	Bolts	12-6
C	Adjustment Factors	12-6
9	Flexible Diaphragm to Wall Connection Details	12-6
10	Cross-Grain Loading	12-7
11	Framing for Diaphragm Openings	12-7
12	Cripple Walls	12-8

13 Tilt-Up Construction

1	Tilt-up Construction Design	13-1
---	-----------------------------	------

14 Special Design Features

1	Energy Dissipation Systems	14-1
2	Base Isolation	14-1
3	Seismic-Isolated Design Details	14-2
4	Damping Systems	14-3
5	Architectural Considerations	14-3
6	Upgrading Existing Construction	14-4

15 Practice Problems

1	Earthquakes in General	15-1
2	Buildings	15-2
3	Structural Systems	15-5
4	IBC and ASCE/SEI7	15-6
5	Concrete and Masonry Structures	15-8
6	Steel Structures	15-9
7	Soils and Foundations	15-10
8	Design Problems	15-11
9	Qualitative Problems	15-30

Appendices

A	Conversion Factors	A-1
B	Definitions	A-2
C	Chronology of Important California Earthquakes	A-4
D	Rigidity of Fixed Piers	A-6
E	Rigidity of Cantilever Piers	A-7

F	Accelerogram of 1940 El Centro Earthquake (North-South Component)	A-8
G	Seismic Acronyms and Abbreviations	A-9
H	Design Coefficients and Factors for Seismic Force-Resisting Systems	A-10
I	Standard Welding Symbols of the AISC/AWS	A-13
J	Simpson Strong-Tie Structural Connectors: Holdowns and Tension Ties	A-14
K.1	Common Wire, Box, or Sinker Nails: Reference Lateral Design Values (Z) for Single Shear (Two Member) Connections for Sawn Lumber or SCL with Both Members of Identical Specific Gravity	A-19
K.2	Applicability of Adjustment Factors for Connections	A-20
K.3	Typical Dimensions for Dowel-Type Fasteners	A-21
K.4	Standard Hex Lag Screws	A-22
K.5	Standard Wood Screws	A-23
K.6	Standard Common, Box, and Sinker Nails	A-24

L	Nail and Spike Reference Withdrawal Design Values (W)	A-25
M	Bolts: Reference Lateral Design Values (Z) for Single Shear (Two Member) Connections for Sawn Lumber or SCL with Both Members of Identical Specific Gravity	A-26
N	Bolts: Reference Lateral Design Values (Z) for Double Shear (Three Member) Connections	A-28
O	Bolts: Reference Lateral Design Values (Z) for Single Shear (Two Member) Connections for Sawn Lumber or SCL to Concrete	A-30
P	1994 Northridge Earthquake: Performance of Steel Moment Frame Connections	A-31

Index I-1

Index by Seismic Building Code IC-1