


Edited by Sabu Thomas, Kuruvilla Joseph,  
S. K. Malhotra, Koichi Goda, M. S. Sreekala

 WILEY-VCH

# Polymer Composites

Volume 1: Macro- and Microcomposites



## Contents

|                             |       |
|-----------------------------|-------|
| <b>The Editors</b>          | XXIII |
| <b>Preface</b>              | XXV   |
| <b>List of Contributors</b> | XXVII |

### Part One Introduction to Polymer Composites 1

|          |                                                                                                                               |
|----------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>1</b> | <b>Advances in Polymer Composites: Macro- and Microcomposites – State of the Art, New Challenges, and Opportunities 3</b>     |
|          | <i>Josmin P. Jose, Sant Kumar Malhotra, Sabu Thomas, Kuruvilla Joseph, Koichi Goda, and Meyyarappallil Sadasivan Sreekala</i> |
| 1.1      | Introduction 3                                                                                                                |
| 1.2      | Classification of Composites 4                                                                                                |
| 1.2.1    | Polymer Matrix Composites 4                                                                                                   |
| 1.2.1.1  | Factors Affecting Properties of PMCs 6                                                                                        |
| 1.2.1.2  | Fabrication of Composites 7                                                                                                   |
| 1.2.1.3  | Applications 10                                                                                                               |
| 1.2.1.4  | Recent Advances in Polymer Composites 10                                                                                      |
| 1.3      | Interface Characterization 14                                                                                                 |
| 1.3.1    | Micromechanical Technique 14                                                                                                  |
| 1.3.2    | Spectroscopic Tests 15                                                                                                        |
| 1.3.3    | Microscopic Techniques 15                                                                                                     |
| 1.3.4    | Thermodynamic Methods 15                                                                                                      |
| 1.4      | New Challenges and Opportunities 15                                                                                           |
|          | References 16                                                                                                                 |
| <b>2</b> | <b>Shock and Impact Response of Glass Fiber-Reinforced Polymer Composites 17</b>                                              |
|          | <i>Vikas Prakash</i>                                                                                                          |
| 2.1      | Introduction 17                                                                                                               |
| 2.2      | Analytical Analysis 20                                                                                                        |
| 2.2.1    | Wave Propagation in Elastic–Viscoelastic Bilaminates 21                                                                       |
| 2.2.2    | Solution at Wave Front: Elastic Precursor Decay 23                                                                            |
| 2.2.3    | Late-Time Asymptotic Solution 24                                                                                              |

|          |                                                                                                                            |           |
|----------|----------------------------------------------------------------------------------------------------------------------------|-----------|
| 2.3      | Plate-Impact Experiments on GRPs                                                                                           | 33        |
| 2.3.1    | Material: Glass Fiber-Reinforced Polymer                                                                                   | 33        |
| 2.3.2    | Plate-Impact Shock Compression Experiments: Experimental Configuration                                                     | 36        |
| 2.3.2.1  | t-X Diagram (Time versus Distance) and S-V Diagram (Stress versus Velocity) for Plate-Impact Shock Compression Experiments | 37        |
| 2.3.3    | Plate-Impact Spall Experiments: Experimental Configuration                                                                 | 38        |
| 2.3.3.1  | t-X Diagram (Time versus Distance) and S-V Diagram (Stress versus Velocity) for Plate-Impact Spall Experiments             | 38        |
| 2.3.4    | Shock-Reshock and Shock-Release Experiments: Experimental Configuration                                                    | 40        |
| 2.3.4.1  | t-X Diagram (Time versus Distance) for Shock-Reshock and Shock-Release Experiments                                         | 41        |
| 2.4      | Target Assembly                                                                                                            | 42        |
| 2.5      | Experimental Results and Discussion                                                                                        | 42        |
| 2.5.1    | Plate-Impact Shock Compression Experiments                                                                                 | 42        |
| 2.5.1.1  | Structure of Shock Waves in the GRP                                                                                        | 44        |
| 2.5.1.2  | Equation of State (Shock Velocity versus Particle Velocity) for S2-Glass GRP                                               | 49        |
| 2.5.1.3  | Hugoniot Stress versus Hugoniot Strain (Hugoniot)                                                                          | 51        |
| 2.5.1.4  | Hugoniot Stress versus Particle Velocity                                                                                   | 54        |
| 2.5.2    | Plate-Impact Spall Experiments                                                                                             | 58        |
| 2.5.2.1  | Determination of Spall Strength                                                                                            | 59        |
| 2.5.2.2  | Spall Strength of GRP Following Normal Shock Compression                                                                   | 61        |
| 2.5.2.3  | Spall Strength of GRP Following Combined Shock Compression and Shear Loading                                               | 62        |
| 2.5.3    | Shock-Reshock and Shock-Release Experiments                                                                                | 66        |
| 2.5.3.1  | Self Consistent Method for the Determination of Dynamic Shear Yield Strength                                               | 67        |
| 2.5.3.2  | Calculation of Initial Hugoniot Shocked State and Hugoniot Stress-Strain Curve                                             | 71        |
| 2.5.3.3  | Calculation of Off-Hugoniot States for Reshock-Release Loading                                                             | 72        |
| 2.5.3.4  | Determination of the Critical Shear Strength in the Shocked State for S2-Glass GRP                                         | 74        |
| 2.6      | Summary                                                                                                                    | 76        |
|          | References                                                                                                                 | 78        |
| <b>3</b> | <b>Interfaces in Macro- and Microcomposites</b>                                                                            | <b>83</b> |
|          | <i>Haeng-Ki Lee and Bong-Rae Kim</i>                                                                                       |           |
| 3.1      | Introduction                                                                                                               | 83        |
| 3.2      | Characterization of Interfaces in Macro- and Microcomposites                                                               | 85        |
| 3.2.1    | Surface Treatments of Reinforcements for Composite Materials                                                               | 85        |
| 3.2.2    | Microscale Tests                                                                                                           | 85        |
| 3.3      | Micromechanics-Based Analysis                                                                                              | 87        |

|          |                                                                                |            |
|----------|--------------------------------------------------------------------------------|------------|
| 3.3.1    | Micromechanical Homogenization Theory                                          | 87         |
| 3.3.1.1  | Representative Volume Element                                                  | 87         |
| 3.3.1.2  | Eshelby's Equivalent Inclusion Method                                          | 88         |
| 3.3.2    | Effective Elastic Modulus                                                      | 89         |
| 3.3.2.1  | Self-Consistent Method                                                         | 89         |
| 3.3.2.2  | Mori-Tanaka Method                                                             | 90         |
| 3.3.2.3  | Ensemble-Volume Average Method                                                 | 90         |
| 3.3.3    | Interface Model                                                                | 92         |
| 3.3.3.1  | Linear Spring Model                                                            | 92         |
| 3.3.3.2  | Interface Stress Model                                                         | 93         |
| 3.3.3.3  | Dislocation-Like Model                                                         | 93         |
| 3.3.3.4  | Free Sliding Model                                                             | 94         |
| 3.4      | Interfacial Damage Modeling                                                    | 94         |
| 3.4.1    | Conventional Weibull's Probabilistic Approach                                  | 94         |
| 3.4.2    | Multilevel Damage Model                                                        | 97         |
| 3.4.3    | Cumulative Damage Model                                                        | 98         |
| 3.5      | Summary                                                                        | 100        |
|          | References                                                                     | 101        |
| <b>4</b> | <b>Preparation and Manufacturing Techniques for Macro- and Microcomposites</b> | <b>111</b> |
|          | <i>Tibor Czigány and Tamás Deák</i>                                            |            |
| 4.1      | Introduction                                                                   | 111        |
| 4.2      | Thermoplastic Polymer Composites                                               | 111        |
| 4.2.1    | Injection Molding                                                              | 112        |
| 4.2.2    | Extrusion                                                                      | 115        |
| 4.2.3    | Compression Molding                                                            | 115        |
| 4.2.4    | Thermoplastic Prepreg Lay-up                                                   | 117        |
| 4.2.5    | Thermoplastic Tape Winding                                                     | 118        |
| 4.2.6    | Thermoplastic Pultrusion                                                       | 119        |
| 4.2.7    | Diaphragm Forming                                                              | 119        |
| 4.2.8    | Classification of Thermoplastic Composite Manufacturing Techniques             | 120        |
| 4.3      | Thermosetting Polymer Composites                                               | 123        |
| 4.3.1    | Hand Lamination                                                                | 124        |
| 4.3.2    | Spray-Up                                                                       | 124        |
| 4.3.3    | Centrifugal Casting                                                            | 124        |
| 4.3.4    | Prepreg Lay-Up                                                                 | 125        |
| 4.3.5    | Resin Transfer Molding and Vacuum-Assisted Resin Transfer Molding              | 126        |
| 4.3.6    | Bulk Molding Compound and Sheet Molding Compound                               | 127        |
| 4.3.7    | Reaction Injection Molding and Structural Reaction Injection Molding           | 127        |
| 4.3.8    | Thermosetting Injection Molding                                                | 128        |
| 4.3.9    | Filament Winding                                                               | 128        |

|        |                                                                    |     |
|--------|--------------------------------------------------------------------|-----|
| 4.3.10 | Pultrusion                                                         | 129 |
| 4.3.11 | Classification of Thermosetting Composite Manufacturing Techniques | 130 |
| 4.4    | Future Trends                                                      | 133 |
|        | References                                                         | 133 |

## Part Two Macrosystems: Fiber-Reinforced Polymer Composites 135

|          |                                                                                              |            |
|----------|----------------------------------------------------------------------------------------------|------------|
| <b>5</b> | <b>Carbon Fiber-Reinforced Polymer Composites: Preparation, Properties, and Applications</b> | <b>137</b> |
|          | <i>Soo-jin Park and Min-Kang Seo</i>                                                         |            |
| 5.1      | Introduction                                                                                 | 137        |
| 5.2      | Backgrounds                                                                                  | 138        |
| 5.2.1    | Manufacturing Processes                                                                      | 138        |
| 5.2.2    | Surface Treatment                                                                            | 138        |
| 5.2.2.1  | Surface Treatment of Carbon Fibers                                                           | 139        |
| 5.2.3    | Characterization of Polymeric Composites                                                     | 141        |
| 5.2.4    | Fiber Reinforcements                                                                         | 141        |
| 5.3      | Experimental Part                                                                            | 143        |
| 5.3.1    | Materials                                                                                    | 143        |
| 5.3.2    | Surface Treatment of Carbon Fibers                                                           | 143        |
| 5.3.2.1  | Electrochemical Oxidation                                                                    | 143        |
| 5.3.2.2  | Electroplating                                                                               | 143        |
| 5.3.2.3  | Oxyfluorination                                                                              | 144        |
| 5.3.2.4  | Plasma Modification                                                                          | 145        |
| 5.3.3    | Preparation of Carbon Fiber-Reinforced Polymer Composites                                    | 146        |
| 5.3.4    | Characterization of Carbon Fibers                                                            | 146        |
| 5.3.5    | Theoretical Considerations of Dynamic Contact Angles                                         | 147        |
| 5.3.6    | Characterization of Carbon Fiber-Reinforced Polymer Composites                               | 148        |
| 5.3.6.1  | Interlaminar Shear Strength                                                                  | 148        |
| 5.3.6.2  | Critical Stress Intensity Factor ( $K_{IC}$ )                                                | 150        |
| 5.3.6.3  | Mode I Interlaminar Fracture Toughness Factor                                                | 151        |
| 5.3.6.4  | Fracture Behaviors                                                                           | 151        |
| 5.4      | Results and Discussion                                                                       | 153        |
| 5.4.1    | Effect of Electrochemical Oxidation                                                          | 153        |
| 5.4.1.1  | Surface Characteristics                                                                      | 153        |
| 5.4.1.2  | Contact Angle and Surface Free Energy                                                        | 154        |
| 5.4.1.3  | Mechanical Interfacial Properties                                                            | 155        |
| 5.4.2    | Effect of Electroplating                                                                     | 156        |
| 5.4.2.1  | Surface Characteristics                                                                      | 156        |
| 5.4.2.2  | Contact Angle and Surface Free Energy                                                        | 159        |
| 5.4.2.3  | Mechanical Interfacial Properties                                                            | 161        |
| 5.4.3    | Effect of Oxyfluorination                                                                    | 163        |
| 5.4.3.1  | Surface Characteristics                                                                      | 163        |
| 5.4.3.2  | Contact Angle and Surface Free Energy                                                        | 165        |

|          |                                                                |            |
|----------|----------------------------------------------------------------|------------|
| 5.4.3.3  | Mechanical Interfacial Properties                              | 167        |
| 5.4.4    | Effect of Plasma Treatment                                     | 171        |
| 5.4.4.1  | Surface Characteristics                                        | 171        |
| 5.4.4.2  | Contact Angle and Surface Free Energy                          | 172        |
| 5.4.4.3  | Mechanical Interfacial Properties                              | 173        |
| 5.5      | Applications                                                   | 176        |
| 5.5.1    | Automotives                                                    | 177        |
| 5.5.2    | Wind Energy                                                    | 177        |
| 5.5.3    | Deepwater Offshore Oil and Gas Production                      | 178        |
| 5.5.4    | Electricity Transmission                                       | 178        |
| 5.5.5    | Commercial Aircraft                                            | 178        |
| 5.5.6    | Civil Infrastructure                                           | 178        |
| 5.5.7    | Other Applications                                             | 179        |
| 5.6      | Conclusions                                                    | 179        |
|          | References                                                     | 180        |
| <b>6</b> | <b>Glass Fiber-Reinforced Polymer Composites</b>               | <b>185</b> |
|          | <i>Sebastian Heimbs and Björn Van Den Broucke</i>              |            |
| 6.1      | Introduction                                                   | 185        |
| 6.2      | Chemical Composition and Types                                 | 186        |
| 6.2.1    | Chemical Structure of Glass                                    | 186        |
| 6.2.2    | Glass Fiber Types                                              | 187        |
| 6.3      | Fabrication of Glass Fibers                                    | 188        |
| 6.3.1    | Fiber Production                                               | 188        |
| 6.3.2    | Sizing Application                                             | 189        |
| 6.4      | Forms of Glass Fibers                                          | 190        |
| 6.4.1    | Commercially Available Forms of Glass Fibers                   | 190        |
| 6.4.2    | Shaped Glass Fibers                                            | 191        |
| 6.5      | Glass Fiber Properties                                         | 192        |
| 6.5.1    | General Properties                                             | 192        |
| 6.5.2    | Elastic Properties                                             | 193        |
| 6.5.3    | Strength and Elongation Properties                             | 193        |
| 6.5.4    | Corrosion Properties                                           | 195        |
| 6.5.5    | Thermal Properties                                             | 195        |
| 6.6      | Glass Fibers in Polymer Composites                             | 196        |
| 6.6.1    | Polymers for Glass Fiber-Reinforced Composites                 | 196        |
| 6.6.2    | Determination of Properties                                    | 197        |
| 6.6.3    | Manufacturing Processes and Related Composite Properties       | 197        |
| 6.6.4    | Strength and Fatigue Properties                                | 199        |
| 6.6.5    | Strain Rate Effect in Glass Fiber-Reinforced Composites        | 200        |
| 6.6.6    | Environmental Influences                                       | 200        |
| 6.6.7    | Other Physical Properties of Glass Fiber-Reinforced Composites | 200        |
| 6.7      | Applications                                                   | 202        |
| 6.8      | Summary                                                        | 204        |
|          | References                                                     | 205        |

|          |                                                                                                                                                 |            |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>7</b> | <b>Kevlar Fiber-Reinforced Polymer Composites</b>                                                                                               | <b>209</b> |
|          | <i>Chapal K. Das, Ganesh C. Nayak, and Rathanasamy Rajasekar</i>                                                                                |            |
| 7.1      | Introduction                                                                                                                                    | 209        |
| 7.2      | Fiber-Reinforced Polymer Composites                                                                                                             | 210        |
| 7.3      | Constituents of Polymer Composites                                                                                                              | 210        |
| 7.3.1    | Synthetic Fibers                                                                                                                                | 210        |
| 7.4      | Kevlar Fiber                                                                                                                                    | 211        |
| 7.4.1    | Development and Molecular Structure of Kevlar                                                                                                   | 211        |
| 7.4.2    | Properties of Kevlar Fibers                                                                                                                     | 212        |
| 7.5      | Interface                                                                                                                                       | 212        |
| 7.6      | Factors Influencing the Composite Properties                                                                                                    | 214        |
| 7.6.1    | Strength, Modulus, and Chemical Stability of the Fiber and the Polymer Matrix                                                                   | 214        |
| 7.6.2    | Influence of Fiber Orientation and Volume Fraction                                                                                              | 214        |
| 7.6.2.1  | Fiber Orientation in Injection Molded Fiber-Reinforced Composites                                                                               | 214        |
| 7.6.3    | Volume Fraction                                                                                                                                 | 216        |
| 7.6.4    | Influence of Fiber Length                                                                                                                       | 217        |
| 7.6.5    | Influence of Voids                                                                                                                              | 217        |
| 7.6.6    | Influence of Coupling Agents                                                                                                                    | 218        |
| 7.7      | Surface Modification                                                                                                                            | 218        |
| 7.7.1    | Surface Modification of Fibers                                                                                                                  | 218        |
| 7.7.2    | Surface Modification of Matrix Polymers                                                                                                         | 219        |
| 7.7.3    | Fluorination and Oxyfluorination as Polymer Surface Modification Tool                                                                           | 219        |
| 7.8      | Synthetic Fiber-Reinforced Composites                                                                                                           | 220        |
| 7.9      | Effect of Fluorinated and Oxyfluorinated Short Kevlar Fiber on the Properties of Ethylene Propylene Matrix Composites                           | 222        |
| 7.9.1    | Preparation of Composites                                                                                                                       | 222        |
| 7.9.2    | FTIR Study                                                                                                                                      | 222        |
| 7.9.3    | X-Ray Study                                                                                                                                     | 223        |
| 7.9.4    | Thermal Properties                                                                                                                              | 225        |
| 7.9.5    | Dynamic Mechanical Thermal Analysis (DMTA)                                                                                                      | 226        |
| 7.9.6    | Mechanical Properties                                                                                                                           | 228        |
| 7.9.7    | SEM Study                                                                                                                                       | 228        |
| 7.9.8    | AFM Study                                                                                                                                       | 229        |
| 7.9.9    | Conclusion                                                                                                                                      | 229        |
| 7.10     | Compatibilizing Effect of MA-g-PP on the Properties of Fluorinated and Oxyfluorinated Kevlar Fiber-Reinforced Ethylene Polypropylene Composites | 230        |
| 7.10.1   | Preparation of the Composites                                                                                                                   | 230        |
| 7.10.2   | Thermal Properties                                                                                                                              | 230        |
| 7.10.3   | X-Ray Study                                                                                                                                     | 233        |
| 7.10.4   | Dynamic Mechanical Thermal Analysis                                                                                                             | 233        |
| 7.10.5   | Flow Behavior                                                                                                                                   | 236        |

|          |                                                                                                                                              |            |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 7.10.6   | SEM Study                                                                                                                                    | 237        |
| 7.10.7   | Conclusion                                                                                                                                   | 238        |
| 7.11     | Properties of Syndiotactic Polystyrene Composites with Surface-Modified Short Kevlar Fiber                                                   | 238        |
| 7.11.1   | Preparation of s-PS/Kevlar Composites                                                                                                        | 238        |
| 7.11.2   | FTIR Study of the Composites                                                                                                                 | 238        |
| 7.11.3   | Differential Scanning Calorimetric Study                                                                                                     | 239        |
| 7.11.4   | Thermal Properties                                                                                                                           | 241        |
| 7.11.5   | X-Ray Study                                                                                                                                  | 242        |
| 7.11.6   | Dynamic Mechanical Thermal Analysis                                                                                                          | 243        |
| 7.11.7   | SEM Study                                                                                                                                    | 245        |
| 7.11.8   | AFM Study                                                                                                                                    | 245        |
| 7.11.9   | Conclusion                                                                                                                                   | 246        |
| 7.12     | Study on the Mechanical, Rheological, and Morphological Properties of Short Kevlar Fiber/s-PS Composites Effect of Oxyfluorination of Kevlar | 246        |
| 7.12.1   | Rheological Properties                                                                                                                       | 247        |
| 7.12.2   | Mechanical Properties                                                                                                                        | 248        |
| 7.12.3   | Scanning Electron Microscopy Study                                                                                                           | 249        |
| 7.12.4   | Conclusion                                                                                                                                   | 249        |
| 7.13     | Effect of Fluorinated and Oxyfluorinated Short Kevlar Fiber Reinforcement on the Properties of PC/LCP Blends                                 | 250        |
| 7.13.1   | Preparation of Composites                                                                                                                    | 250        |
| 7.13.2   | Differential Scanning Calorimetric Study                                                                                                     | 250        |
| 7.13.3   | Thermal Properties                                                                                                                           | 252        |
| 7.13.4   | X-Ray Study                                                                                                                                  | 253        |
| 7.13.5   | Dynamic Mechanical Analysis (DMA)                                                                                                            | 253        |
| 7.13.6   | SEM Study                                                                                                                                    | 256        |
| 7.13.7   | Conclusion                                                                                                                                   | 256        |
| 7.14     | Simulation of Fiber Orientation by Mold Flow Technique                                                                                       | 257        |
| 7.14.1   | Theoretical basis for Fiber Orientation Prediction                                                                                           | 257        |
| 7.14.2   | Mold Flow's Fiber Orientation Model                                                                                                          | 259        |
| 7.14.3   | Simulation of Fiber Orientation by Mold Flow Technique on s-PS/Kevlar Composites                                                             | 259        |
| 7.14.4   | Simulation of Fiber Orientation by Mold Flow Technique for PC/LCP/Kevlar Composites                                                          | 265        |
| 7.15     | Kevlar-Reinforced Thermosetting Composites                                                                                                   | 270        |
|          | References                                                                                                                                   | 272        |
| <b>8</b> | <b>Polyester Fiber-Reinforced Polymer Composites</b>                                                                                         | <b>275</b> |
|          | <i>Dionysis E. Mouzakis</i>                                                                                                                  |            |
| 8.1      | Introduction                                                                                                                                 | 275        |
| 8.2      | Synthesis and Basic Properties of Polyester Fibers                                                                                           | 277        |
| 8.2.1    | Fiber Manufacturing                                                                                                                          | 278        |
| 8.2.2    | Basic Properties of Polyester Fibers                                                                                                         | 279        |



|           |                                                                   |            |
|-----------|-------------------------------------------------------------------|------------|
| 8.2.3     | Mechanical Response                                               | 279        |
| 8.2.4     | Fiber Viscoelastic Properties                                     | 281        |
| 8.2.5     | PEN Fibers                                                        | 282        |
| 8.3       | Polyester Fiber-Reinforced Polymer Composites                     | 282        |
| 8.3.1     | Flastomer Composites                                              | 282        |
| 8.3.2     | Microfibrillar-Reinforced (MFR) PET Composites                    | 283        |
| 8.3.3     | Composites                                                        | 285        |
| 8.3.4     | PET Nanocomposites                                                | 286        |
| 8.4       | Conclusions                                                       | 287        |
|           | References                                                        | 288        |
| <b>9</b>  | <b>Nylon Fiber-Reinforced Polymer Composites</b>                  | <b>293</b> |
|           | <i>Valerio Causin</i>                                             |            |
| 9.1       | Introduction                                                      | 293        |
| 9.2       | Nylon Fibers Used as Reinforcements                               | 294        |
| 9.3       | Matrices and Applications                                         | 299        |
| 9.4       | Manufacturing of Nylon-Reinforced Composites                      | 305        |
| 9.5       | Conclusions                                                       | 311        |
|           | References                                                        | 311        |
| <b>10</b> | <b>Polyolefin Fiber- and Tape-Reinforced Polymeric Composites</b> | <b>315</b> |
|           | <i>József Karger-Kocsis and Tamás Bárány</i>                      |            |
| 10.1      | Introduction                                                      | 315        |
| 10.2      | Polyolefin Fibers and Tapes                                       | 315        |
| 10.2.1    | Production                                                        | 317        |
| 10.2.1.1  | Hot Drawing                                                       | 317        |
| 10.2.1.2  | Gel Drawing                                                       | 318        |
| 10.2.2    | Properties and Applications                                       | 318        |
| 10.3      | Polyolefin-Reinforced Thermoplastics                              | 321        |
| 10.3.1    | Self-Reinforced Version                                           | 321        |
| 10.3.1.1  | Hot Compaction                                                    | 321        |
| 10.3.1.2  | Film Stacking                                                     | 322        |
| 10.3.1.3  | Wet Impregnation Prior to Hot Consolidation                       | 324        |
| 10.3.2    | Polyolefin Fiber-Reinforced Composites                            | 324        |
| 10.3.2.1  | Consolidation of Coextruded Tapes                                 | 324        |
| 10.3.2.2  | Film Stacking                                                     | 325        |
| 10.3.2.3  | Solution Impregnation                                             | 325        |
| 10.3.2.4  | Powder Impregnation (Wet and Dry)                                 | 326        |
| 10.3.2.5  | <i>In Situ</i> Polymerization of the Matrix                       | 326        |
| 10.3.3    | Interphase                                                        | 326        |
| 10.3.4    | Hybrid Fiber-Reinforced Composites                                | 327        |
| 10.4      | Polyolefin Fiber-Reinforced Thermosets                            | 327        |
| 10.4.1    | Polyolefin Fiber-Reinforced Composites                            | 327        |
| 10.4.2    | Hybrid Fiber-Reinforced Composites                                | 328        |
| 10.5      | Polyolefin Fibers in Rubbers                                      | 329        |

|           |                                                                                            |            |
|-----------|--------------------------------------------------------------------------------------------|------------|
| 10.5.1    | Polyolefin Fiber-Reinforced Composites                                                     | 329        |
| 10.5.2    | Hybrid Fiber-Reinforced Composites                                                         | 329        |
| 10.6      | Others                                                                                     | 330        |
| 10.7      | Outlook and Future Trends                                                                  | 330        |
|           | References                                                                                 | 331        |
| <b>11</b> | <b>Silica Fiber-Reinforced Polymer Composites</b>                                          | <b>339</b> |
|           | <i>Sudip Ray</i>                                                                           |            |
| 11.1      | Introduction                                                                               | 339        |
| 11.2      | Silica Fiber: General Features                                                             | 339        |
| 11.2.1    | Types                                                                                      | 340        |
| 11.2.2    | Characteristics                                                                            | 340        |
| 11.2.3    | Surface Treatment of Silica Fiber                                                          | 342        |
| 11.2.3.1  | Surface Modification: Types and Methods                                                    | 342        |
| 11.2.3.2  | Characterization of Surface-Pretreated Silica Fiber                                        | 343        |
| 11.3      | Silica Fiber-Filled Polymer Composites                                                     | 347        |
| 11.3.1    | Fabrication of Composite                                                                   | 347        |
| 11.3.2    | Effect on Composite Properties                                                             | 347        |
| 11.3.3    | Surface-Modified Silica Fiber-Filled Polymer Composites                                    | 351        |
| 11.3.4    | Reinforcement Mechanism                                                                    | 358        |
| 11.4      | Applications                                                                               | 358        |
| 11.5      | New Developments                                                                           | 360        |
| 11.6      | Concluding Remarks                                                                         | 361        |
|           | References                                                                                 | 361        |
|           | <b>Part Three Macrosystems: Textile Composites</b>                                         | <b>363</b> |
| <b>12</b> | <b>2D Textile Composite Reinforcement Mechanical Behavior</b>                              | <b>365</b> |
|           | <i>Emmanuelle Vidal-Sallé and Philippe Boisse</i>                                          |            |
| 12.1      | Introduction                                                                               | 365        |
| 12.2      | Mechanical Behavior of 2D Textile Composite Reinforcements and Specific Experimental Tests | 366        |
| 12.2.1    | Load Resultants on a Woven Unit Cell                                                       | 366        |
| 12.2.2    | Principle of Virtual Work                                                                  | 367        |
| 12.2.3    | Biaxial Tensile Behavior                                                                   | 369        |
| 12.2.4    | In-Plane Shear Behavior                                                                    | 370        |
| 12.2.5    | Bending Behavior                                                                           | 372        |
| 12.3      | Continuous Modeling of 2D Fabrics: Macroscopic Scale                                       | 373        |
| 12.3.1    | Geometrical Approaches                                                                     | 373        |
| 12.3.2    | Mechanical Approaches                                                                      | 374        |
| 12.3.2.1  | Hypoelastic Model for Macroscopic Modeling of 2D Fabrics                                   | 375        |
| 12.3.2.2  | Hyperelastic Model for Macroscopic Modeling of 2D Fabric                                   | 378        |
| 12.4      | Discrete Modeling of 2D Fabrics: Mesoscopic Scale                                          | 382        |
| 12.4.1    | Modeling the Global Preform                                                                | 382        |
| 12.4.2    | Modeling the Woven Cell                                                                    | 384        |

- 12.4.2.1 Longitudinal Behavior 385
- 12.4.2.2 Transverse Behavior 385
- 12.4.3 Use of the Mesoscale Modeling for Permeability Evaluation 386
- 12.5 Conclusions and Future Trend 388
- References 388

### **13 Three Dimensional Woven Fabric Composites 393**

*Wen-Shyong Kuo*

- 13.1 Introduction 393
- 13.2 General Characteristics of 3D Composites 394
  - 13.2.1 Multidirectional Structural Integrity 394
  - 13.2.2 Near-Net-Shape Design 394
  - 13.2.3 Greater Nonuniformity 394
  - 13.2.4 Lower Fiber Volume Fraction 395
  - 13.2.5 Higher Fiber Crimp 395
  - 13.2.6 Lower Stress-to-Yield and Higher Strain-to-Failure 395
  - 13.2.7 More Difficult in Material Testing 396
  - 13.2.8 More Complex in Damage Mechanisms 396
- 13.3 Formation of 3D Woven Fabrics 396
  - 13.3.1 Three-Axis Orthogonal Weaving 396
  - 13.3.2 Design of Weaving Schemes 399
  - 13.3.3 Yarn Distortion 403
  - 13.3.4 Use of Solid Rods 405
- 13.4 Modeling of 3D Woven Composites 407
  - 13.4.1 Fiber Volume Fractions 407
  - 13.4.2 Elastic Properties of Yarns 409
  - 13.4.3 Rule-of-Mixtures 409
  - 13.4.4 Rotation of a Yarn 410
  - 13.4.5 Equivalent Properties of 3D Composites 412
- 13.5 Failure Behavior of 3D Woven Composites 412
  - 13.5.1 Tensile Fracture 413
  - 13.5.2 Bending Fracture 413
    - 13.5.2.1 Weaker Plane 414
    - 13.5.2.2 Influence of Surface Loops 415
  - 13.5.3 Compressive Damage 417
    - 13.5.3.1 Microband 417
    - 13.5.3.2 Miniband 420
    - 13.5.3.3 Fracture Due to Compression-Induced Bending 423
  - 13.5.4 Fracture Due to Transverse Shear 424
  - 13.5.5 Impact Damage 427
- 13.6 Role of Interlacing Loops 428
  - 13.6.1 Covering Weaker Planes 428
  - 13.6.2 Holding Axial Yarns 429
- 13.7 Design of 3D Woven Composites 429

|           |                                                      |            |
|-----------|------------------------------------------------------|------------|
| 13.7.1    | Modulus                                              | 429        |
| 13.7.2    | Yield Point                                          | 430        |
| 13.7.3    | Strain-to-Failure                                    | 430        |
| 13.7.4    | Energy-Absorption and Damage Resistance              | 430        |
| 13.8      | Conclusions                                          | 431        |
|           | References                                           | 431        |
| <b>14</b> | <b>Polymer Composites as Geotextiles</b>             | <b>435</b> |
|           | <i>Han-Yong Jeon</i>                                 |            |
| 14.1      | Introduction                                         | 435        |
| 14.1.1    | Definition                                           | 435        |
| 14.1.2    | Function of Composite Geotextiles                    | 437        |
| 14.1.3    | Application Fields of Composite Geotextiles          | 440        |
| 14.2      | Developments of Composite Geotextiles                | 443        |
| 14.2.1    | Raw Materials of Composite Geotextiles               | 443        |
| 14.2.1.1  | Natural Fibers                                       | 443        |
| 14.2.1.2  | Synthetic Fibers                                     | 444        |
| 14.2.1.3  | Recycled Fibers                                      | 444        |
| 14.2.1.4  | Advanced Functional Fibers                           | 444        |
| 14.2.2    | Advanced Trend of Composite Geotextiles              | 444        |
| 14.2.2.1  | Geotextiles                                          | 444        |
| 14.2.2.2  | Geosynthetic Clay Liners                             | 445        |
| 14.2.2.3  | Composite Geotextiles for Drainage and Filtration    | 445        |
| 14.2.2.4  | Reinforced Concrete by Composite Geotextiles         | 446        |
| 14.2.2.5  | Reinforced Geomembrane by Composite Geotextiles      | 446        |
| 14.3      | Hybrid Composite Geotextiles                         | 447        |
| 14.3.1    | For Separation and Reinforcement                     | 447        |
| 14.3.1.1  | Manufacturing of Geotextiles/Geogrids Composites     | 447        |
| 14.3.1.2  | Wide-Width Tensile Strength                          | 448        |
| 14.3.1.3  | Hydraulic Properties                                 | 448        |
| 14.3.2    | For Drainage                                         | 449        |
| 14.3.2.1  | Manufacturing of Geotextiles/Geonet Composites       | 449        |
| 14.3.2.2  | Compressive Stress and Transmissivity                | 450        |
| 14.3.3    | For Protection and Slope Stability                   | 454        |
| 14.3.3.1  | Manufacturing of Three-Layered Composite Geotextiles | 454        |
| 14.3.3.2  | Transmissivity                                       | 455        |
| 14.3.3.3  | Thickness and Compressive Stress                     | 457        |
| 14.3.3.4  | Thickness and In-Plane Permeability                  | 458        |
| 14.3.4    | For Frictional Stability                             | 461        |
| 14.3.4.1  | Manufacturing of Geotextiles/Geomembranes Composites | 461        |
| 14.3.4.2  | Frictional Properties                                | 461        |
| 14.4      | Performance Evaluation of Composite Geotextiles      | 462        |
| 14.4.1    | Performance Test Items                               | 465        |
| 14.4.2    | Required Evaluation Test Items                       | 465        |
| 14.4.2.1  | Composite Geotextiles                                | 465        |

- 14.4.2.2 Geosynthetics Clay Liners 466
- References 467

## 15 Hybrid Textile Polymer Composites 469

*Palanisamy Sivasubramanian, Laly A. Pothan, M. Thiruchitrabalam, and Sabu Thomas*

- 15.1 Introduction 469
- 15.2 Textile Composites 470
  - 15.2.1 Manufacture of Natural Fiber Textile-Reinforced Composites 475
- 15.3 Hybrid Textile Composites 478
- 15.4 Hybrid Textile Joints 479
- 15.5 Conclusion 480
- References 480

## Part Four Microsystems : Microparticle-Reinforced Polymer Composites 483

### 16 Characterization of Injection-Molded Parts with Carbon Black-Filled Polymers 485

*Volker Pötter, Jürgen Prokop, and Xianping Liu*

- 16.1 Introduction 485
- 16.2 Injection-Molded Carbon-Filled Polymers 486
- 16.3 Processes and Characterization 488
  - 16.3.1 Rheological Characterization of the Compounds 488
  - 16.3.2 Molding and Electrical Characterization of Conductive Compounds 489
  - 16.3.3 Comparison of the Results Obtained with Simulation Calculations 490
  - 16.3.4 Electroplating of Injection-Molded Components 494
  - 16.3.5 Transfer of the Test Results to Standard Material Systems 495
  - 16.3.6 Summary of the Deposition Studies 500
  - 16.3.7 Demonstrator Production 501
- 16.4 Mechanical Property Mapping of Carbon-Filled Polymer Composites by TPM 501
  - 16.4.1 Introduction 501
  - 16.4.2 Multifunction Tribological Probe Microscope 502
  - 16.4.3 Specimen Preparation 505
  - 16.4.4 Multifunction Mapping 507
- 16.5 Conclusions 512
- References 512

### 17 Carbon Black-Filled Natural Rubber Composites: Physical Chemistry and Reinforcing Mechanism 515

*Atsushi Kato, Yuko Ikeda, and Shinzo Kohjiya*

- 17.1 Introduction 515
- 17.2 3D-TEM Observation of Nanofiller-Loaded Vulcanized Rubber 517
- 17.3 Materials: CB-Filled Sulfur-Cured NR Vulcanizates 518

|           |                                                                                                             |            |
|-----------|-------------------------------------------------------------------------------------------------------------|------------|
| 17.4      | Relationship Between the Properties of CB-Filled Sulfur-Cured NR Vulcanizates and CB Loading                | 519        |
| 17.4.1    | Tensile Behavior                                                                                            | 519        |
| 17.4.2    | Coefficient of Thermal Expansion                                                                            | 520        |
| 17.4.3    | Viscoelastic Properties                                                                                     | 520        |
| 17.4.4    | Electrical Properties: Volume Resistivity and Conductivity                                                  | 522        |
| 17.4.5    | Dielectric Properties: Time-Temperature Superposition of Dielectric Relaxation of CB-Filled NR Vulcanizates | 525        |
| 17.5      | CB Dispersion and Aggregate/Agglomerate Structure in CB-Filled NR Vulcanizates                              | 529        |
| 17.5.1    | 3D-TEM Observation of CB-Filled NR Vulcanizates and Parameters of CB Aggregates/Agglomerates                | 529        |
| 17.5.2    | Visualization of CB Network in the Rubber Matrix and the Network Parameters                                 | 532        |
| 17.5.3    | CB Aggregate Network Structure and Dielectric Relaxation Characteristics                                    | 535        |
| 17.6      | Conclusions                                                                                                 | 538        |
|           | References                                                                                                  | 540        |
| <b>18</b> | <b>Silica-Filled Polymer Microcomposites</b>                                                                | <b>545</b> |
|           | <i>Sudip Ray</i>                                                                                            |            |
| 18.1      | Introduction                                                                                                | 545        |
| 18.2      | Silica as a Filler: General Features                                                                        | 545        |
| 18.2.1    | Types                                                                                                       | 546        |
| 18.2.2    | Characteristics                                                                                             | 546        |
| 18.2.3    | Surface Treatment of Silica Filler                                                                          | 548        |
| 18.2.4    | Surface Modification: Types and Methods                                                                     | 549        |
| 18.2.4.1  | Physical Modification                                                                                       | 549        |
| 18.2.4.2  | Chemical Modification                                                                                       | 549        |
| 18.2.4.3  | Filler Surface Modification with Monofunctional Coupling Agents                                             | 550        |
| 18.2.4.4  | Filler Surface Modification with Bifunctional Coupling Agents                                               | 550        |
| 18.2.5    | Characterization of Surface Pretreated Silica                                                               | 552        |
| 18.3      | Silica-Filled Rubbers                                                                                       | 552        |
| 18.3.1    | Effect of Silica Filler on Processability of Unvulcanized Rubber Compounds                                  | 553        |
| 18.3.2    | Effect of Silica Filler on Vulcanizate Properties of Rubber Compounds                                       | 554        |
| 18.3.2.1  | Mechanical Properties                                                                                       | 554        |
| 18.3.2.2  | Dynamic Mechanical Properties                                                                               | 555        |
| 18.3.3    | Surface-Modified Silica-Filled Rubbers                                                                      | 557        |
| 18.3.4    | Reinforcement Mechanism                                                                                     | 558        |
| 18.3.4.1  | Rheological Properties                                                                                      | 559        |
| 18.3.4.2  | Mechanical Properties                                                                                       | 560        |
| 18.3.4.3  | Dynamic Mechanical Properties                                                                               | 564        |
| 18.3.4.4  | Frequency Dependence of Storage Modulus and Loss Tangent                                                    | 565        |

|           |                                                                                                        |            |
|-----------|--------------------------------------------------------------------------------------------------------|------------|
| 18.3.4.5  | Equilibrium Swelling                                                                                   | 566        |
| 18.3.5    | Applications                                                                                           | 568        |
| 18.4      | Silica-Filled Thermoplastics and Thermosets                                                            | 569        |
| 18.5      | Concluding Remarks                                                                                     | 571        |
|           | References                                                                                             | 572        |
| <b>19</b> | <b>Metallic Particle-Filled Polymer Microcomposites</b>                                                | <b>575</b> |
|           | <i>Bertrand Garnier, Boudjemaa Agoudjil, and Abderrahim Boudenne</i>                                   |            |
| 19.1      | Introduction                                                                                           | 575        |
| 19.2      | Metallic Filler and Production Methods                                                                 | 576        |
| 19.3      | Achieved Properties of Metallic Filled Polymer                                                         | 577        |
| 19.3.1    | Electrical Conductivity                                                                                | 577        |
| 19.3.2    | Thermal Conductivity                                                                                   | 579        |
| 19.3.3    | Mechanical Properties                                                                                  | 583        |
| 19.4      | Main Factors Influencing Properties                                                                    | 585        |
| 19.4.1    | Effect of Volume Fraction                                                                              | 585        |
| 19.4.2    | Effect of Particle Shape                                                                               | 587        |
| 19.4.3    | Effect of Particle Size                                                                                | 589        |
| 19.4.4    | Effect of Preparation Process                                                                          | 591        |
| 19.5      | Models for Physical Property Prediction                                                                | 593        |
| 19.5.1    | Theory of Composite Transport Properties                                                               | 593        |
| 19.5.1.1  | Effective Medium Theory                                                                                | 593        |
| 19.5.1.2  | Theory of Percolation                                                                                  | 594        |
| 19.5.2    | Models for Thermal Conductivity                                                                        | 595        |
| 19.5.3    | Models for Electrical Conductivity                                                                     | 598        |
| 19.5.4    | Models for Mechanical Properties                                                                       | 602        |
| 19.6      | Conclusion                                                                                             | 606        |
|           | References                                                                                             | 606        |
| <b>20</b> | <b>Magnetic Particle-Filled Polymer Microcomposites</b>                                                | <b>613</b> |
|           | <i>Natalie E. Kazantseva</i>                                                                           |            |
| 20.1      | Introduction                                                                                           | 613        |
| 20.2      | Basic Components of Polymer Magnetic Composites:<br>Materials Selection                                | 614        |
| 20.2.1    | Introduction to Polymer Magnetic Composite Processing                                                  | 614        |
| 20.2.2    | Polymers                                                                                               | 615        |
| 20.2.3    | Magnetic Fillers                                                                                       | 615        |
| 20.3      | Overview of Methods for the Characterization of Materials in<br>the Radiofrequency and Microwave Bands | 621        |
| 20.4      | Magnetization Processes in Bulk Magnetic Materials                                                     | 628        |
| 20.4.1    | Magnetostatic Magnetization Processes                                                                  | 628        |
| 20.4.2    | Dynamic Magnetization Processes                                                                        | 632        |
| 20.4.2.1  | Natural Resonance                                                                                      | 633        |
| 20.4.2.2  | Domain-Wall Resonance                                                                                  | 634        |
| 20.4.3    | Experimental Magnetic Spectra of Bulk Ferromagnets                                                     | 635        |

|           |                                                                                                          |            |
|-----------|----------------------------------------------------------------------------------------------------------|------------|
| 20.4.3.1  | Bulk Ferrites                                                                                            | 635        |
| 20.4.3.2  | Ferromagnetic Metals and Alloys                                                                          | 639        |
| 20.5      | Magnetization Processes in Polymer Magnetic Composites                                                   | 641        |
| 20.5.1    | Effect of Composition                                                                                    | 641        |
| 20.5.2    | Effect of Particle Size, Shape, and Microstructure                                                       | 646        |
| 20.5.3    | Estimation of the Effective Permeability of a PMC by<br>Mixing Rules                                     | 649        |
| 20.6      | Polymer Magnetic Composites with High Value of Permeability<br>in the Radiofrequency and Microwave Bands | 651        |
| 20.6.1    | Polymer Magnetic Composites with Multicomponent Filler                                                   | 652        |
| 20.6.2    | Polymer Magnetic Composites with Multicomponent<br>Magnetic Particles                                    | 659        |
| 20.6.2.1  | Preparation of Magnetic Particles with Corelike Structure                                                | 659        |
| 20.6.2.2  | The Mechanism of PANI Film Formation                                                                     | 661        |
| 20.6.2.3  | Electromagnetic Properties of Composites with Core-shell<br>Structure Magnetic Particles                 | 663        |
| 20.7      | Conclusions                                                                                              | 668        |
|           | References                                                                                               | 669        |
| <b>21</b> | <b>Mica-Reinforced Polymer Composites</b>                                                                | <b>673</b> |
|           | <i>John Verbeek and Mark Christopher</i>                                                                 |            |
| 21.1      | Introduction                                                                                             | 673        |
| 21.2      | Structure and Properties of Mica                                                                         | 674        |
| 21.2.1    | Chemical and Physical Properties                                                                         | 674        |
| 21.2.2    | Structure                                                                                                | 674        |
| 21.2.3    | Applications                                                                                             | 676        |
| 21.3      | Mechanical Properties of Mica–Polymer Composites                                                         | 677        |
| 21.3.1    | Mechanism of Reinforcement                                                                               | 678        |
| 21.3.1.1  | Shape and Orientation                                                                                    | 682        |
| 21.3.1.2  | Mica Concentration                                                                                       | 684        |
| 21.3.1.3  | Particle Size and Size Distribution                                                                      | 685        |
| 21.3.2    | Interfacial Adhesion                                                                                     | 687        |
| 21.3.2.1  | Coupling Agents                                                                                          | 689        |
| 21.3.2.2  | Mechanisms of Interfacial Modification                                                                   | 690        |
| 21.3.3    | The Hybrid Effect in Systems Using More Than<br>One Filler                                               | 692        |
| 21.4      | Thermal Properties                                                                                       | 693        |
| 21.4.1    | Crystallization                                                                                          | 693        |
| 21.4.2    | Thermal Stability                                                                                        | 694        |
| 21.4.3    | Flammability                                                                                             | 695        |
| 21.5      | Other Properties                                                                                         | 696        |
| 21.5.1    | Processability                                                                                           | 696        |
| 21.5.2    | Barrier Properties                                                                                       | 698        |
| 21.5.3    | Electrical Properties                                                                                    | 698        |
| 21.6      | Modeling of Mechanical Properties                                                                        | 700        |



|           |                                                                              |            |
|-----------|------------------------------------------------------------------------------|------------|
| 21.6.1    | Young's Modulus                                                              | 700        |
| 21.6.2    | Tensile Strength                                                             | 705        |
| 21.6.3    | Limitations to Existing Models                                               | 707        |
| 21.7      | Conclusions                                                                  | 709        |
|           | References                                                                   | 709        |
| <b>22</b> | <b>Viscoelastically Prestressed Polymeric Matrix Composites</b>              | <b>715</b> |
|           | <i>Kevin S. Fancey</i>                                                       |            |
| 22.1      | Introduction                                                                 | 715        |
| 22.1.1    | Prestress in Composite Materials                                             | 715        |
| 22.1.2    | Principles of Viscoelastic Prestressing                                      | 716        |
| 22.2      | Preliminary Investigations: Evidence of Viscoelastically Generated Prestress | 716        |
| 22.2.1    | Objectives                                                                   | 716        |
| 22.2.2    | Creep Conditions for Viscoelastic Recovery                                   | 717        |
| 22.2.3    | Visual Evidence of Viscoelastically Induced Prestress                        | 717        |
| 22.2.4    | Initial Mechanical Evaluation: Impact Tests                                  | 718        |
| 22.3      | Time-Temperature Aspects of VPPMC Technology                                 | 719        |
| 22.3.1    | A Mechanical Model for Polymeric Deformation                                 | 719        |
| 22.3.2    | Accelerated Aging: Viscoelastic Recovery                                     | 722        |
| 22.3.3    | Force-Time Measurements                                                      | 724        |
| 22.3.4    | Accelerated Aging: Impact Tests                                              | 726        |
| 22.3.5    | The Long-Term Performance of VPPMCs                                          | 728        |
| 22.4      | VPPMCs with Higher Fiber Content: Mechanical Properties                      | 729        |
| 22.4.1    | Meeting the Objectives                                                       | 729        |
| 22.4.2    | Flexural Properties                                                          | 729        |
| 22.4.3    | Tensile Properties                                                           | 731        |
| 22.5      | Processing Aspects of VPPMCs                                                 | 733        |
| 22.5.1    | Background                                                                   | 733        |
| 22.5.2    | Fiber Properties                                                             | 734        |
| 22.5.3    | Geometrical Aspects of Fibers in Composite Samples                           | 735        |
| 22.6      | Mechanisms for Improved Mechanical Properties in VPPMCs                      | 737        |
| 22.6.1    | Background                                                                   | 737        |
| 22.6.2    | Flexural Stiffness                                                           | 738        |
| 22.6.3    | Tensile Strength                                                             | 738        |
| 22.6.4    | Impact Toughness                                                             | 739        |
| 22.7      | Potential Applications                                                       | 740        |
| 22.7.1    | High Velocity Impact Protection                                              | 740        |
| 22.7.2    | Crashworthiness                                                              | 741        |
| 22.7.3    | Enhanced Crack Resistance                                                    | 742        |
| 22.8      | Summary and Conclusions                                                      | 742        |
|           | References                                                                   | 744        |

**Part Five Applications 747****23 Applications of Macro- and Microfiller-Reinforced Polymer Composites 749***Hajnalka Hargitai and Ilona Rácz*

- 23.1 Introduction 749
- 23.2 Some Features of Polymer Composites 749
- 23.3 Transportation 750
  - 23.3.1 Land Transportation 750
    - 23.3.1.1 Shell/Body Parts 750
    - 23.3.1.2 Compartment Parts 752
  - 23.3.2 Marine Applications 754
  - 23.3.3 Aviation 755
    - 23.3.3.1 Military Aircrafts 755
    - 23.3.3.2 Commercial Aircrafts 756
    - 23.3.3.3 Business Aviation 756
    - 23.3.3.4 Helicopter 757
    - 23.3.3.5 Space 757
- 23.4 Biomedical Applications 757
  - 23.4.1 External Fixation 758
  - 23.4.2 Dental Composites 759
  - 23.4.3 Bone Replacement 759
  - 23.4.4 Orthopedic Applications 760
- 23.5 Civil Engineering, Construction 760
  - 23.5.1 External Strengthening 761
    - 23.5.1.1 Repair and Retrofitting 761
    - 23.5.1.2 Composite Decks 762
    - 23.5.1.3 Seismic Rehabilitation 764
    - 23.5.1.4 Unique Applications 764
    - 23.5.1.5 Structural Applications 764
    - 23.5.1.6 Pipe Applications 765
    - 23.5.1.7 Wind Energy Applications 766
    - 23.5.1.8 Others 766
  - 23.5.2 Internal Reinforcement for Concrete 767
- 23.6 Electric and Electronic Applications 767
- 23.7 Mechanical Engineering, Tribological Applications 769
  - 23.7.1 Metal Forming Dies 770
  - 23.7.2 Seals 770
  - 23.7.3 Bearings 771
  - 23.7.4 Brakes 771
  - 23.7.5 Brake Pad 771
  - 23.7.6 Brake Lining 771
  - 23.7.7 Gears 772
- 23.8 Recreation, Sport Equipments 772
  - 23.8.1 Summersports 772

|          |                                                |     |
|----------|------------------------------------------------|-----|
| 23.8.1.1 | Bicycle                                        | 772 |
| 23.8.1.2 | Athletics                                      | 773 |
| 23.8.2   | Wintersports                                   | 773 |
| 23.8.2.1 | Skis, Snowboards                               | 773 |
| 23.8.2.2 | Boots                                          | 774 |
| 23.8.2.3 | Poles                                          | 774 |
| 23.8.2.4 | Hockey                                         | 774 |
| 23.8.3   | Technical Sports                               | 775 |
| 23.8.4   | Racquets, Bats                                 | 777 |
| 23.8.5   | Watersports                                    | 778 |
| 23.8.6   | Leisure                                        | 779 |
| 23.9     | Other Applications                             | 780 |
| 23.9.1   | Fire Retardancy, High Temperature Applications | 780 |
| 23.9.2   | Self-Healing Polymer Composites                | 781 |
| 23.9.3   | Shape-Memory Polymers                          | 782 |
| 23.9.4   | Defense                                        | 783 |
| 23.10    | Conclusion                                     | 784 |
|          | References                                     | 784 |