

Contents

| | |
|----------------------|--------|
| Preface..... | xxvii |
| Acknowledgments..... | xxix |
| Introduction..... | xxxii |
| Authors..... | xxxvii |

PART I User Interaction

| | |
|--|----|
| Chapter 1 Object-Oriented Analysis and Design..... | 3 |
| 1.1 Introduction | 3 |
| 1.2 Background Research..... | 4 |
| 1.3 Software Requirements | 4 |
| 1.4 General Use Case Narratives..... | 5 |
| 1.5 Use Case Scenarios and Conversations | 5 |
| 1.5.1 Scenario..... | 6 |
| 1.5.2 Conversation..... | 8 |
| 1.6 Noun and Verb Analysis..... | 8 |
| 1.7 Object Analysis..... | 8 |
| 1.8 Preliminary Class Diagram..... | 9 |
| 1.9 Basic Program Implementing the Class Structure | 13 |
| 1.10 Summary | 15 |
| References | 15 |
| Chapter 2 Initial Graphical User Interface | 17 |
| 2.1 Introduction | 17 |
| 2.2 Application Wizard | 17 |
| 2.3 Menus | 17 |
| 2.4 Application Icon | 20 |
| 2.5 Toolbars | 21 |
| 2.5.1 Inserting a Common Operations Toolbar..... | 21 |
| 2.5.2 Inserting a Common Blocks Toolbar | 22 |
| 2.5.3 Attaching the Toolbars to the Application Frame | 23 |
| 2.5.4 Controlling the Toolbar Visibility | 25 |
| 2.5.5 Add Event-Handler Functions for the Menu Entries..... | 27 |
| 2.5.6 Add Event-Handler Functions for the Common Blocks Toolbar Buttons..... | 29 |
| 2.6 Block Library Dialog Window | 30 |
| 2.6.1 Insert a New Dialog Resource..... | 30 |
| 2.6.2 Attach a Class to the Dialog Window | 31 |
| 2.6.3 Menu Entry and Toolbar Button Event-Handling Functions | 33 |
| 2.6.4 Attach Variables to the Controls | 33 |

| | | |
|------------------|--|-----------|
| 2.6.5 | Add Functionality for the Block Library Dialog Buttons | 34 |
| 2.6.5.1 | Disable Duplicate Check Boxes..... | 34 |
| 2.6.5.2 | Add All Blocks | 35 |
| 2.6.5.3 | Uncheck All Blocks..... | 40 |
| 2.7 | Add Functionality to the Common Blocks Toolbar Buttons | 41 |
| 2.8 | Summary | 41 |
| | References | 41 |
| Chapter 3 | Constructing Blocks | 43 |
| 3.1 | Introduction | 43 |
| 3.2 | Merging the WIN32 Console Application with the Visual C++ Application..... | 43 |
| 3.3 | Modifying Program Structure for Block Construction | 46 |
| 3.3.1 | Preliminary Changes..... | 46 |
| 3.3.1.1 | Class CSystemModel..... | 46 |
| 3.3.1.2 | Block Construction Code..... | 47 |
| 3.3.1.3 | Class CBlock..... | 48 |
| 3.3.2 | Introduce a New CBlock Constructor | 50 |
| 3.3.3 | Add a Constructed Block to the Block List..... | 51 |
| 3.3.4 | Check Object Construction | 53 |
| 3.4 | Drawing of Primitive Block Shapes | 54 |
| 3.4.1 | General Drawing Functionality..... | 54 |
| 3.4.2 | Drawing an Ellipse Block | 56 |
| 3.4.3 | Drawing a Rectangle Block..... | 57 |
| 3.4.4 | Drawing a Triangle Block | 58 |
| 3.4.5 | Automatic Assignment of Block Position..... | 60 |
| 3.5 | Completing Block Construction | 62 |
| 3.5.1 | Construction of a Gain Block..... | 62 |
| 3.5.2 | Construction of a Sum Block | 63 |
| 3.5.3 | Construction of All Remaining Blocks | 64 |
| 3.5.3.1 | Construction of a Derivative Block | 64 |
| 3.5.3.2 | Construction of a Divide Block | 65 |
| 3.5.3.3 | Construction of an Integrator Block | 66 |
| 3.5.3.4 | Construction of a Linear Function Block | 66 |
| 3.5.3.5 | Construction of an Output Block..... | 67 |
| 3.5.3.6 | Construction of a Signal Generator Block | 68 |
| 3.5.3.7 | Construction of a Subsystem Block | 68 |
| 3.5.3.8 | Construction of a Subsystem In Block..... | 69 |
| 3.5.3.9 | Construction of a Subsystem Out Block | 70 |
| 3.5.3.10 | Construction of a Transfer Function Block..... | 70 |
| 3.5.3.11 | Check Construction of System Model..... | 72 |
| 3.6 | Drawing Block Graphical Detail..... | 73 |
| 3.6.1 | Implementing Functionality to Draw Detail | 73 |
| 3.6.1.1 | CConstantBlock::DrawBlock() | 74 |
| 3.6.1.2 | CGainBlock::DrawBlock() | 75 |
| 3.6.1.3 | CSumBlock::DrawBlock() | 76 |
| 3.6.1.4 | CDerivativeBlock::DrawBlock() | 77 |
| 3.6.1.5 | CDivideBlock::DrawBlock() | 79 |
| 3.6.1.6 | CIntegratorBlock::DrawBlock() | 81 |
| 3.6.1.7 | CLinearFnBlock::DrawBlock() | 83 |
| 3.6.1.8 | COutputBlock::DrawBlock() | 84 |

Contents

| | | |
|------------------|--|------------|
| 3.6.1.9 | CSignalGeneratorBlock::DrawBlock() | 86 |
| 3.6.1.10 | CSubsystemBlock::DrawBlock() | 88 |
| 3.6.1.11 | CSubsystemInBlock::DrawBlock() | 89 |
| 3.6.1.12 | CSubsystemOutBlock::DrawBlock() | 92 |
| 3.6.1.13 | CTransferFnBlock::DrawBlock() | 94 |
| 3.6.2 | Display of Block Graphics | 96 |
| 3.7 | Summary | 96 |
| | References | 96 |
| Chapter 4 | Constructing Block Ports | 97 |
| 4.1 | Introduction | 97 |
| 4.2 | Block-Based Port Position | 97 |
| 4.2.1 | Ports on an Ellipse Block | 97 |
| 4.2.2 | Ports on a Rectangle Block | 98 |
| 4.2.3 | Ports on a Triangle Block | 99 |
| 4.3 | Changing the CPort Class | 102 |
| 4.3.1 | CPort Member Variables | 102 |
| 4.3.2 | CPort Member Methods | 103 |
| 4.3.2.1 | Accessor Methods | 103 |
| 4.3.2.2 | Calculate Port Position | 104 |
| 4.3.2.3 | CPort Constructor | 108 |
| 4.4 | Augmenting the CBlock Class | 108 |
| 4.5 | Augmenting the CBlockShape Class | 109 |
| 4.6 | Derived-Block Constructors | 110 |
| 4.6.1 | CConstantBlock Constructor | 110 |
| 4.6.2 | Check the System Model | 111 |
| 4.6.3 | Augmenting the Remaining Block Constructors | 112 |
| 4.7 | Drawing Ports | 113 |
| 4.7.1 | Call CBlock::DrawBlockPorts() | 113 |
| 4.7.2 | Add CBlock::DrawBlockPorts() | 114 |
| 4.7.3 | Add CPort::DrawPort() | 114 |
| 4.7.4 | Display of Block Ports | 117 |
| 4.8 | Summary | 118 |
| Chapter 5 | Constructing Connections | 121 |
| 5.1 | Introduction | 121 |
| 5.2 | Adding Connections to the DiagramEng Project | 121 |
| 5.2.1 | Augment the CConnection Class | 121 |
| 5.2.2 | Add a Function to Add the Connection to the List | 122 |
| 5.2.3 | Add a Function to Get the Connection List | 122 |
| 5.2.4 | Add an OnLButtonDown() Function | 123 |
| 5.2.5 | Add an OnMouseMove() Function | 123 |
| 5.2.6 | Add an OnLButtonUp() Function | 124 |
| 5.2.7 | Draw Connections | 125 |
| 5.2.8 | Build and Run the Project | 129 |
| 5.3 | Context Menu | 130 |
| 5.3.1 | Insert a Context Menu | 130 |
| 5.3.2 | Add an Event-Handler Function for the Context Menu | 130 |
| 5.3.3 | Set the Context Menu Point | 131 |

| | | |
|------------------|--|-----|
| 5.3.4 | Attach Event-Handler Functions for the Context Menu Entries | 131 |
| 5.3.4.1 | Item Deletion | 132 |
| 5.3.4.2 | Set Item Properties | 134 |
| 5.3.5 | System Model-Based Object Deletion..... | 134 |
| 5.4 | Summary | 135 |
| | References | 135 |
| Chapter 6 | Moving Blocks and Connections | 137 |
| 6.1 | Introduction | 137 |
| 6.2 | Moving Blocks..... | 137 |
| 6.2.1 | CRectTracker Class | 137 |
| 6.2.2 | Augmenting the OnLButtonDown() Function..... | 137 |
| 6.2.3 | Moving a Block | 139 |
| 6.2.4 | Set Block Position..... | 140 |
| 6.3 | Moving Connection End Points..... | 141 |
| 6.3.1 | Move a Connection End Point..... | 141 |
| 6.3.2 | Snap Connection End Points to a Port | 144 |
| 6.3.2.1 | Augment TrackConnectionEndPoint() | 144 |
| 6.3.2.2 | Augment SetBlockPosition() | 147 |
| 6.3.3 | Unsnap Connection End Points from a Port..... | 149 |
| 6.4 | Inserting and Moving Connection-Based Bend Points | 151 |
| 6.4.1 | Augment the Context Menu with an Insert Bend Point Operation | 151 |
| 6.4.2 | Drawing a Connection with Head, Tail, and Bend Points | 155 |
| 6.4.2.1 | DrawConnection() | 155 |
| 6.4.2.2 | Amend DrawArrowHead() | 156 |
| 6.4.2.3 | Interaction Problem Concerning Invisible Connections | 158 |
| 6.4.3 | Moving a Connection-Based Bend Point | 159 |
| 6.5 | Deletion of Connections and Bend Points | 162 |
| 6.5.1 | Deletion of a Bend Point | 162 |
| 6.5.2 | Deletion of a Connection..... | 164 |
| 6.6 | Summary | 167 |
| | References | 168 |
| Chapter 7 | Automatic Block Placement | 169 |
| 7.1 | Introduction | 169 |
| 7.2 | Hypothetical Interactive Block Positioning..... | 169 |
| 7.3 | Actual Improved Automatic Block Positioning..... | 172 |
| 7.4 | Summary | 175 |
| Chapter 8 | Connection-Based Bend Points | 177 |
| 8.1 | Introduction | 177 |
| 8.2 | Attaching a Connection Tail Point to a Bend Point..... | 177 |
| 8.2.1 | Amend the TrackConnectionEndPoint() Function..... | 179 |
| 8.2.2 | Add Member Variables and Methods to the CConnection Class.... | 180 |
| 8.2.3 | Add a SnapConnectionTailPointToBendPoint() Function..... | 181 |
| 8.2.4 | Problem Concerning the Connection Tail Point | 182 |

Contents

| | | |
|------------------|--|------------|
| 8.3 | Deletion of a Bend Point to Which a Connection Is Attached | 187 |
| 8.4 | Deletion of a Connection with a Bend Point to Which a Connection Is Attached..... | 189 |
| 8.5 | Problem Concerning the Insertion of Bend Points..... | 191 |
| 8.6 | Automatic Attachment of Connection End Points upon Initial Construction..... | 196 |
| 8.7 | Deletion of Blocks with Attached Connections | 200 |
| 8.8 | Summary | 202 |
| Chapter 9 | Block Dialog Windows..... | 203 |
| 9.1 | Introduction | 203 |
| 9.2 | Processing a Left-Button-Double-Click Event | 203 |
| 9.3 | Adding Dialog Windows to Accept User Input..... | 204 |
| 9.3.1 | Constant Block Dialog | 205 |
| 9.3.1.1 | Insert a New Dialog Window and Add Controls..... | 205 |
| 9.3.1.2 | Attach a Class to the Dialog Window | 205 |
| 9.3.1.3 | Attach Variables to the Dialog Window Controls | 206 |
| 9.3.1.4 | Add Functionality to the Dialog Window Buttons | 207 |
| 9.3.1.5 | Add Functionality to Initialize Variables | 208 |
| 9.3.1.6 | Add the Overriding <code>BlockDlgWndParameterInput()</code> Function | 208 |
| 9.3.1.7 | Combined Left-Button-Down and Left-Button-Double-Click Problem | 210 |
| 9.3.2 | Derivative Block Dialog | 212 |
| 9.3.2.1 | Insert a New Dialog Window and Add Controls..... | 212 |
| 9.3.2.2 | Attach a Class to the Dialog Window | 212 |
| 9.3.2.3 | Attach Variables to the Dialog Window Controls | 213 |
| 9.3.2.4 | Add Functionality to the Dialog Window Buttons | 213 |
| 9.3.2.5 | Add Functionality to Initialize Variables | 214 |
| 9.3.2.6 | Add the Overriding <code>BlockDlgWndParameterInput()</code> Function | 214 |
| 9.3.3 | Divide Block Dialog..... | 214 |
| 9.3.3.1 | Insert a New Dialog Window and Add Controls..... | 215 |
| 9.3.3.2 | Attach a Class to the Dialog Window | 215 |
| 9.3.3.3 | Attach Variables to the Dialog Window Controls | 216 |
| 9.3.3.4 | Add Functionality to the Dialog Window Buttons | 216 |
| 9.3.3.5 | Add Functionality to Initialize Variables | 217 |
| 9.3.3.6 | Add the Overriding <code>BlockDlgWndParameterInput()</code> Function | 217 |
| 9.3.4 | Gain Block Dialog..... | 218 |
| 9.3.4.1 | Insert a New Dialog Window and Add Controls..... | 218 |
| 9.3.4.2 | Attach a Class to the Dialog Window | 218 |
| 9.3.4.3 | Attach Variables to the Dialog Window Controls | 218 |
| 9.3.4.4 | Add Functionality to the Dialog Window Buttons | 218 |
| 9.3.4.5 | Add Functionality to Initialize Variables | 220 |
| 9.3.4.6 | Add the Overriding <code>BlockDlgWndParameterInput()</code> Function | 221 |
| 9.3.5 | Integrator Block Dialog..... | 221 |
| 9.3.5.1 | Insert a New Dialog Window and Add Controls..... | 221 |
| 9.3.5.2 | Attach a Class to the Dialog Window | 221 |

| | | |
|----------|---|-----|
| 9.3.5.3 | Attach Variables to the Dialog Window Controls | 221 |
| 9.3.5.4 | Add Functionality to the Dialog Window Buttons | 223 |
| 9.3.5.5 | Add Functionality to Initialize Variables | 223 |
| 9.3.5.6 | Add the Overriding BlockDlgWndParameterInput() Function..... | 224 |
| 9.3.6 | Linear Function Block Dialog | 224 |
| 9.3.6.1 | Insert a New Dialog Window and Add Controls..... | 224 |
| 9.3.6.2 | Attach a Class to the Dialog Window | 224 |
| 9.3.6.3 | Attach Variables to the Dialog Window Controls | 225 |
| 9.3.6.4 | Add Functionality to the Dialog Window Buttons | 226 |
| 9.3.6.5 | Add Functionality to Initialize Variables | 227 |
| 9.3.6.6 | Add the Overriding BlockDlgWndParameterInput() Function..... | 227 |
| 9.3.7 | Output Block Dialog..... | 228 |
| 9.3.7.1 | Insert a New Dialog Window and Add Controls..... | 228 |
| 9.3.7.2 | Attach a Class to the Dialog Window | 228 |
| 9.3.7.3 | Attach Variables to the Dialog Window Controls | 229 |
| 9.3.7.4 | Add Functionality to the Dialog Window Buttons | 229 |
| 9.3.7.5 | Add Functionality to Initialize Variables | 230 |
| 9.3.7.6 | Add the Overriding BlockDlgWndParameterInput() Function..... | 230 |
| 9.3.8 | Signal Generator Block Dialog | 231 |
| 9.3.8.1 | Insert a New Dialog Window and Add Controls..... | 231 |
| 9.3.8.2 | Attach a Class to the Dialog Window | 231 |
| 9.3.8.3 | Attach Variables to the Dialog Window Controls | 231 |
| 9.3.8.4 | Add Functionality to the Dialog Window Buttons | 233 |
| 9.3.8.5 | Add Functionality to Initialize Variables | 233 |
| 9.3.8.6 | Add the Overriding BlockDlgWndParameterInput() Function..... | 234 |
| 9.3.9 | Subsystem Block Dialog..... | 235 |
| 9.3.9.1 | Insert a New Dialog Window and Add Controls..... | 235 |
| 9.3.9.2 | Attach a Class to the Dialog Window | 235 |
| 9.3.9.3 | Attach Variables to the Dialog Window Controls | 236 |
| 9.3.9.4 | Add Functionality to the Dialog Window Buttons | 236 |
| 9.3.9.5 | Add Functionality to Initialize Variables | 237 |
| 9.3.9.6 | Add the Overriding BlockDlgWndParameterInput() Function..... | 237 |
| 9.3.10 | Subsystem In Block Dialog | 237 |
| 9.3.10.1 | Insert a New Dialog Window and Add Controls..... | 238 |
| 9.3.10.2 | Attach a Class to the Dialog Window | 238 |
| 9.3.10.3 | Attach Variables to the Dialog Window Controls | 238 |
| 9.3.10.4 | Add Functionality to the Dialog Window Buttons | 239 |
| 9.3.10.5 | Add Functionality to Initialize Variables | 239 |
| 9.3.10.6 | Add the Overriding BlockDlgWndParameterInput() Function..... | 240 |
| 9.3.11 | Subsystem Out Block Dialog..... | 240 |
| 9.3.11.1 | Insert a New Dialog Window and Add Controls..... | 240 |
| 9.3.11.2 | Attach a Class to the Dialog Window | 240 |
| 9.3.11.3 | Attach Variables to the Dialog Window Controls | 241 |
| 9.3.11.4 | Add Functionality to the Dialog Window Buttons | 241 |

Contents

| | | |
|-------------------|---|-----|
| 9.3.11.5 | Add Functionality to Initialize Variables | 242 |
| 9.3.11.6 | Add the Overriding BlockDlgWndParameterInput() Function | 242 |
| 9.3.11.7 | Synchronizing the Subsystem-Related Block Values | 243 |
| 9.3.12 | Sum Block Dialog | 243 |
| 9.3.12.1 | Insert a New Dialog Window and Add Controls | 243 |
| 9.3.12.2 | Attach a Class to the Dialog Window | 243 |
| 9.3.12.3 | Attach Variables to the Dialog Window Controls | 244 |
| 9.3.12.4 | Add Functionality to the Dialog Window Buttons | 244 |
| 9.3.12.5 | Add Functionality to Initialize Variables | 245 |
| 9.3.12.6 | Add the Overriding BlockDlgWndParameterInput() Function | 245 |
| 9.3.13 | Transfer Function Block Dialog | 246 |
| 9.3.13.1 | Insert a New Dialog Window and Add Controls | 247 |
| 9.3.13.2 | Attach a Class to the Dialog Window | 247 |
| 9.3.13.3 | Attach Variables to the Dialog Window Controls | 248 |
| 9.3.13.4 | Add Functionality to the Dialog Window Buttons | 248 |
| 9.3.13.5 | Add Functionality to Initialize Variables | 249 |
| 9.3.13.6 | Add the Overriding BlockDlgWndParameterInput() Function | 249 |
| 9.4 | Summary | 250 |
| | References | 250 |
| Chapter 10 | Conversion of String Input to Double Data..... | 251 |
| 10.1 | Introduction | 251 |
| 10.2 | Conversion of CString Input Strings to Double Member Data | 251 |
| 10.2.1 | Add a Global ConvertStringToDouble() Function..... | 253 |
| 10.2.2 | Add a Global StripInputString() Function | 256 |
| 10.2.3 | Add a Global Data-Dimension-Determining Function..... | 258 |
| 10.2.4 | Add a Global ConvertStringMatrix.ToDoubleMatrix() Function | 261 |
| 10.2.5 | Add Global Diagnostic Printing Functions | 263 |
| 10.3 | Augmenting the CBlock-Derived Classes | 264 |
| 10.3.1 | Augment the CConstantBlock Class | 264 |
| 10.3.2 | Augment the CGainBlock Class | 267 |
| 10.3.3 | Augment the CIntegratorBlock Class..... | 269 |
| 10.3.4 | Augment the CTransferFnBlock Class..... | 273 |
| 10.4 | Summary | 277 |
| | Reference..... | 277 |
| Chapter 11 | Moving Multiple Items..... | 279 |
| 11.1 | Introduction | 279 |
| 11.2 | Edit the TrackItem() Function to Call TrackMultipleItems() | 279 |
| 11.3 | Add a TrackMultipleItems() Function to CDiagramEngDoc | 280 |
| 11.3.1 | Add the DetermineCurrentAndIntersectRects() Function..... | 285 |
| 11.3.2 | Add the DetermineTrackerDeltaPosition() Function | 286 |
| 11.4 | Add a Function for a Key-Down Event to CDiagramEngView..... | 286 |
| 11.5 | Add Key-Flag-Based Members to CDiagramEngDoc | 287 |

| | | |
|-------------------|---|-----|
| 11.6 | Flow of Control in the TrackMultipleItems() Function | 289 |
| 11.7 | Add a Toolbar Button to Activate Multiple Item Tracking..... | 290 |
| 11.8 | Summary | 291 |
| | Reference | 291 |
| Chapter 12 | Addition of a Tree View Control..... | 293 |
| 12.1 | Introduction | 293 |
| 12.2 | Add a Tree View Control Dialog Window | 293 |
| 12.2.1 | Insert a Dialog Window and Add Controls..... | 293 |
| 12.2.2 | Attach a Class to the Dialog Window | 293 |
| 12.2.3 | Add Functionality to Invoke the Tree View Dialog | 294 |
| 12.2.4 | Attach a Variable to the Dialog Window Control | 296 |
| 12.2.5 | Add the OnInitDialog() Function to the CTreeDialog Class..... | 297 |
| 12.2.6 | Add Icons to the Tree View Control | 299 |
| 12.2.7 | Add an Event-Handler Function for Tree View Node Selection | 304 |
| 12.3 | Docking of the Tree Dialog Window as a Tree Dialog Bar | 307 |
| 12.3.1 | Step 1: Change the Base Class from CDIALOG to CDIALOGBAR | 308 |
| 12.3.2 | Step 2: Change the Constructor and DoDataExchange() Methods..... | 308 |
| 12.3.3 | Step 3: Add a New Declaration for the OnInitDialog() Function with Different Parameters..... | 309 |
| 12.3.4 | Step 4: Alter the Message Map to Invoke the OnInitDialog() Function..... | 311 |
| 12.3.5 | Step 5: Add the Implementation of the New OnInitDialog() Function..... | 311 |
| 12.3.6 | Step 6: Alter the Dialog Box Resource Styles..... | 312 |
| 12.3.7 | Step 7: Add an Instance of the CDIALOGBAR to the CMARINFREAME Class | 312 |
| 12.3.8 | Step 8: Invoke the Create() Method for the New CDIALOGBAR Instance | 313 |
| 12.3.9 | Step 9: Add Support for Dynamic Docking and Resizing of the CDIALOGBAR Instance..... | 316 |
| 12.4 | Resetting the Appropriate Dialog..... | 316 |
| 12.5 | Controlling the Toolbar Visibility | 317 |
| 12.6 | Summary | 319 |
| | References | 319 |
| Chapter 13 | Review of Menu and Toolbar-Based Functionality: Part I..... | 321 |
| 13.1 | Introduction | 321 |
| 13.2 | Menus | 321 |
| 13.2.1 | Main Frame-Based Menus | 321 |
| 13.2.2 | Child Frame-Based Menus..... | 321 |
| 13.2.3 | Context Menu | 321 |
| 13.3 | Toolbars | 325 |
| 13.3.1 | Main Frame Toolbar..... | 325 |
| 13.3.2 | Common Operations Toolbar..... | 326 |
| 13.3.3 | Common Blocks Toolbar..... | 327 |

Contents

| | | |
|-------------------|---|------------|
| 13.4 | Functionality to be Added | 327 |
| 13.4.1 | Child Frame-Based Menu Items | 327 |
| 13.4.2 | Context Menu Items | 329 |
| 13.4.3 | Toolbar Button-Based Functionality | 329 |
| 13.5 | Summary | 330 |
| Chapter 14 | Context Menu Extension | 331 |
| 14.1 | Introduction | 331 |
| 14.2 | Numerical Solver Dialog Window | 331 |
| 14.2.1 | Insert a New Dialog Window and Add Controls | 331 |
| 14.2.2 | Attach a Class to the Dialog Window | 333 |
| 14.2.3 | Attach Variables to the Dialog Window Controls | 333 |
| 14.2.4 | Add Functionality to the Dialog Window Buttons | 333 |
| 14.2.5 | Add Functionality to Initialize Variables | 334 |
| 14.2.6 | Add a Dialog Window Parameter Input Function to the Underlying Class | 335 |
| 14.2.7 | Call the Dialog Window Parameter Input Function | 337 |
| 14.3 | Deleting Multiple Grouped Items | 337 |
| 14.3.1 | Change the Name of the Edit Menu Entry | 338 |
| 14.3.2 | Add a Delete Grouped Items Entry to the Context Menu | 338 |
| 14.3.3 | Add an Event-Handler Function to Delete Grouped Items | 338 |
| 14.4 | Setting of Item Properties | 343 |
| 14.5 | Summary | 345 |
| | Reference | 345 |
| Chapter 15 | Setting Port Properties | 347 |
| 15.1 | Introduction | 347 |
| 15.2 | Setting Divide Block Ports | 347 |
| 15.2.1 | Reset Input Ports | 347 |
| 15.2.2 | Calculate Port Position Angles | 351 |
| 15.2.3 | Reset Output Ports | 353 |
| 15.3 | Setting Sum Block Ports | 355 |
| 15.3.1 | Reset Input Ports | 355 |
| 15.3.2 | Calculate Port Position Angles | 358 |
| 15.3.3 | Reset Output Ports | 361 |
| 15.4 | Drawing Ports Depending on Connection Status | 363 |
| 15.5 | Drawing Port Signs | 365 |
| 15.6 | Preparation for Adjustment of Port Properties | 373 |
| 15.7 | Dialog-Based Port Property Setting | 377 |
| 15.7.1 | Insert a Dialog Window and Add Controls | 378 |
| 15.7.2 | Attach a Class to the Dialog Window | 378 |
| 15.7.3 | Attach Variables to the Dialog Window Controls | 378 |
| 15.7.4 | Add Functionality to the Dialog Window Buttons | 383 |
| 15.7.5 | Add Overriding Versions of the SetPortProperties() Function | 383 |
| 15.8 | Deleting Ports | 390 |
| 15.9 | Summary | 397 |

| | | |
|-------------------|--|-----|
| Chapter 16 | Key-Based Item Movement | 399 |
| 16.1 | Introduction | 399 |
| 16.2 | Add a Fine Move Item Entry to the Context Menu | 399 |
| 16.3 | Add Members to the CDiagramEngDoc Class | 400 |
| 16.4 | Edit the CDiagramEngView::OnKeyDown() Function | 401 |
| 16.5 | Add a FineMoveItem() Function | 402 |
| 16.6 | Add a FineMoveBlock() Function | 402 |
| 16.7 | Add a FineMoveConnectionBendPoint() Function | 406 |
| 16.8 | Fine Movement Process Control Flow | 409 |
| 16.9 | Summary | 411 |
| | Reference | 411 |

| | | |
|-------------------|--|-----|
| Chapter 17 | Reversing Block Direction | 413 |
| 17.1 | Introduction | 413 |
| 17.2 | Add a Reverse Block Entry to the Context Menu | 413 |
| 17.3 | Add a ReverseBlockDirection() Function to CBlock Class | 415 |
| 17.4 | Add Accessor Methods to the CBlockShape Class | 416 |
| 17.5 | Add Accessor Methods to the CPort Class | 417 |
| 17.6 | Test the Application | 417 |
| 17.7 | Summary | 418 |

PART II Model Computation and Data

| | | |
|-------------------|--|-----|
| Chapter 18 | Model Validation | 421 |
| 18.1 | Introduction | 421 |
| 18.2 | Validating a Model | 421 |
| 18.2.1 | Validate Model Blocks | 424 |
| 18.2.2 | Validate Model Block Ports | 426 |
| 18.2.3 | Validate Model Connections | 431 |
| 18.3 | Changes to be Made to Draw in the Correct Color | 435 |
| 18.3.1 | Modify the CSystemModel::DrawSystemModel() Function | 436 |
| 18.3.2 | Modify the CConnection::DrawConnection() Function | 437 |
| 18.3.3 | Modify the CConnection::DrawArrowHead() Function | 438 |
| 18.4 | Unique Port and Bend Point Connection | 441 |
| 18.4.1 | Augment the SnapConnectionHeadPointToPort() Function | 441 |
| 18.4.2 | Augment the SnapConnectionTailPointToPort() Function | 443 |
| 18.5 | Summary | 446 |
| | Reference | 446 |

| | | |
|-------------------|---|-----|
| Chapter 19 | Non-Feedback-Based Signal Propagation | 447 |
| 19.1 | Introduction | 447 |
| 19.2 | Signals and Systems | 447 |
| 19.2.1 | Continuous-Time and Discrete-Time Signals | 447 |
| 19.2.2 | Continuous-Time and Discrete-Time Systems | 447 |

Contents

| | | |
|-----------|---|-----|
| 19.2.3 | Memory-Based Systems and Memoryless Systems | 448 |
| 19.2.4 | Time Variant and Time Invariant Systems | 448 |
| 19.2.5 | Linear and Nonlinear Systems..... | 449 |
| 19.2.6 | State Variables, State Vectors, and State Space | 449 |
| 19.3 | Models with Algebraic and Feedback Loops | 449 |
| 19.4 | Signal Propagation..... | 451 |
| 19.5 | Determination of Feedback Loops | 452 |
| 19.5.1 | General Steps to Determine Feedback Loops..... | 452 |
| 19.5.1.1 | Determine Model Feedback Loops | 454 |
| 19.5.1.2 | Set Reference-From Port of Connection Emanating from a Bend Point | 457 |
| 19.5.1.3 | Assign Block Connectivity Matrix Values | 459 |
| 19.5.1.4 | Determine Loops from Connectivity Matrix | 460 |
| 19.5.2 | Determining Loops from the Connectivity Matrix..... | 462 |
| 19.5.2.1 | Determine Initial Node Vector | 462 |
| 19.5.2.2 | Build Tour | 463 |
| 19.5.2.3 | Find Current Tour Position | 467 |
| 19.5.2.4 | Find Branch Nodes | 467 |
| 19.5.2.5 | Number of Ones on Matrix Row | 468 |
| 19.5.2.6 | Check Repeated Entries..... | 468 |
| 19.5.2.7 | Reset Tour Vector | 469 |
| 19.5.2.8 | Save Tour Vector..... | 469 |
| 19.5.2.9 | Print Integer Matrix | 470 |
| 19.5.2.10 | Print Integer Vector | 471 |
| 19.5.2.11 | Running the Application..... | 472 |
| 19.6 | Signal-Based Class Structure | 473 |
| 19.7 | Additions Required for Direct Signal Propagation | 474 |
| 19.7.1 | Addition of Signal Propagation Code..... | 474 |
| 19.7.1.1 | Add Code to the CDiagramEngDoc::OnSimStart() Function | 475 |
| 19.7.1.2 | Modify the CSysystemModel::ValidateModel() Function | 476 |
| 19.7.1.3 | Modify the CDiagramEngDoc::OnModelBuild() Function..... | 476 |
| 19.7.1.4 | Add a CSysystemModel::GetNFeedbackLoops() Function | 477 |
| 19.7.1.5 | Add a CSysystemModel::SignalPropagation Direct() Function | 477 |
| 19.7.1.6 | Add a CSysystemModel::DetermineNTime Steps() Function | 481 |
| 19.7.1.7 | Add a CSignal::ResetSignalData() Function..... | 482 |
| 19.7.1.8 | Add a CSysystemModel::SignalPropagation SystemOfEquations() Function | 483 |
| 19.7.1.9 | Add a Virtual CBlock::OperateOnData() Function..... | 483 |
| 19.8 | Propagating a Simple Direct Signal | 484 |
| 19.8.1 | Implementation of Simple Signal Propagation..... | 485 |
| 19.8.1.1 | Add a CConstantBlock::OperateOnData() Function | 485 |
| 19.8.1.2 | Add a COutputBlock::OperateOnData() Function | 485 |

| | |
|---|-----|
| 19.8.1.3 Add a CBlock::WriteDataToOutputSignal() Function | 489 |
| 19.8.1.4 Add a CBlock::ReadDataFromSingleInput Signal() Function | 490 |
| 19.8.1.5 Add Accessor Methods to Get and Set Signal Data and Validity..... | 492 |
| 19.8.2 Running an Experiment | 494 |
| 19.9 Summary | 495 |
| References | 495 |
| Chapter 20 Graph Drawing | 497 |
| 20.1 Introduction | 497 |
| 20.2 Addition of Structure to Display an Empty View Window..... | 497 |
| 20.2.1 Add a Show Graph Button to the Output Block Dialog | 497 |
| 20.2.2 Add a CDocTemplate Object and Accessor Function to the CDiagramEngApp Class | 499 |
| 20.2.3 Modify CDiagramEngApp::InitInstance() to Create a CMultiDocTemplate Object..... | 499 |
| 20.2.4 Add a COutputBlockView Class to Support Drawing within Its View | 501 |
| 20.2.5 Add Template-Based Functionality to the Show Graph Event-Handler Function | 503 |
| 20.2.6 Add the OnInitialUpdate() and OnUpdate() Functions to the CDiagramEngView Class | 505 |
| 20.3 Supplementing Existing Classes to Access Output Block Data | 506 |
| 20.3.1 Add a Member Variable to the COutputBlockView Class..... | 506 |
| 20.3.2 Modify COutputBlock::BlockDlgWndParameter Input() | 506 |
| 20.3.3 Add a Member Variable to the COutputBlockDialog Class | 507 |
| 20.3.4 Modify the COutputBlockDialog Constructor Declaration and Definition..... | 508 |
| 20.3.5 Add Code to COutputBlockDialog::OnOutputBlkDlg BtnShowGraph() | 508 |
| 20.3.6 Add Accessor Functions to the COutputBlockView Class | 510 |
| 20.4 Plotting Data as a Text String..... | 510 |
| 20.4.1 Add a COutputBlock::GetDataDimensions() Function.... | 510 |
| 20.4.2 Extend the COutputBlockView::OnDraw() Function | 511 |
| 20.5 Plotting Numerical Data as a Graph..... | 512 |
| 20.5.1 Modify OnDraw() in Preparation for Plotting Curves..... | 512 |
| 20.5.2 Add a COutputBlockView::DetermineMaxMin Values() Function | 514 |
| 20.5.3 Add DrawGraph() to the COutputBlockView Class..... | 515 |
| 20.5.4 Drawing Problem due to a Change in Active Document Status | 519 |
| 20.5.5 Add SelectGraphCurveColor() to the COutputBlockView Class..... | 520 |
| 20.5.6 Add GetTimeParameters() to the CSystemModel Class..... | 521 |
| 20.6 Deleting an Output Block and Its View..... | 522 |
| 20.6.1 Delete the Output Block View..... | 523 |
| 20.6.2 Modify CDiagramEngDoc::DeleteBlock() | 524 |
| 20.6.3 Modify CDiagramEngDoc::OnEditDeleteGroupedItems() ... | 525 |

Contents

| | | |
|-------------------|---|------------|
| 20.7 | Adding Functionality to the Output Block Dialog Window..... | 526 |
| 20.7.1 | Add Accessor Functions to the COutputBlock Class..... | 527 |
| 20.7.2 | Amend COutputBlockView::DrawGraph() | 527 |
| 20.7.3 | Amend COutputBlock::BlockDlgWndParameterInput() ... | 529 |
| 20.8 | Summary | 531 |
| | References | 531 |
| Chapter 21 | Block Operations..... | 533 |
| 21.1 | Introduction | 533 |
| 21.2 | Linear Function Block Data Operation | 533 |
| 21.3 | Signal Generator Block Data Operation..... | 535 |
| 21.4 | Gain Block Data Operation | 538 |
| 21.5 | Sum Block Data Operation..... | 544 |
| 21.6 | Derivative Block Data Operation | 549 |
| 21.6.1 | Three-Point Derivative..... | 549 |
| 21.6.2 | Five-Point Derivative..... | 550 |
| 21.6.3 | Implementing the OperateOnData() Function..... | 551 |
| 21.6.3.1 | Addition of an OperateOnData() Function | 551 |
| 21.6.3.2 | Addition of the CalculateThreePointDerivative() Function.... | 557 |
| 21.6.3.3 | Addition of the CalculateFivePointDerivative() Function..... | 557 |
| 21.6.3.4 | Addition of Class Member Variables and Their Initialization..... | 558 |
| 21.6.3.5 | Addition of a ResetBlockData() Function | 559 |
| 21.6.3.6 | Addition of a ResetMemoryBasedBlockData() Function | 560 |
| | 21.6.3.7 Testing the Derivative Block..... | 561 |
| 21.7 | Integrator Block Data Operation | 563 |
| 21.7.1 | Integration | 563 |
| 21.7.2 | Truncation Error and Method Order | 565 |
| 21.7.3 | Higher-Order Methods | 566 |
| 21.7.4 | Implementing an Integration Function..... | 566 |
| 21.7.5 | Implementing the OperateOnData() Function..... | 568 |
| 21.7.5.1 | Addition of an OperateOnData() Function | 568 |
| 21.7.5.2 | Addition of the EulerMethod() Function..... | 574 |
| 21.7.5.3 | Addition of the GetIntegrationMethod() Function.... | 574 |
| 21.7.5.4 | Addition of Class Member Variables and Their Initialization..... | 575 |
| | 21.7.5.5 Addition of a ResetBlockData() Function | 575 |
| 21.7.6 | Running an Experiment | 577 |
| 21.8 | Divide Block Data Operation | 577 |
| 21.8.1 | Implementing the OperateOnData() Function..... | 578 |
| 21.8.2 | Implementing the DivideMultiplyOperation() Function ... | 581 |
| 21.8.3 | Implementing the GaussJordanEliminationFullPivoting() Function | 599 |
| 21.8.4 | Implementing the Swap() Function..... | 604 |
| 21.9 | Remaining Block Operation Functions | 605 |
| 21.10 | Summary | 605 |
| | References | 606 |

| | | |
|-------------------|---|------------|
| Chapter 22 | Preparation for Feedback-Based Signal Propagation | 607 |
| 22.1 | Introduction | 607 |
| 22.2 | Linear Systems | 607 |
| 22.3 | Nonlinear Systems..... | 608 |
| 22.3.1 | Newton's Method..... | 609 |
| 22.3.2 | Computing a Linear System with a Nonlinear Method | 610 |
| 22.4 | Model Assumptions..... | 611 |
| 22.4.1 | State-Space Equations..... | 611 |
| 22.4.2 | Resorting of the Block List | 613 |
| 22.4.3 | Saving Tour Vectors | 616 |
| 22.4.4 | Get a Saved Tour Vector from a List..... | 619 |
| 22.4.5 | Building a Block List from an Integer Array | 620 |
| 22.5 | Determining Initial Output Signals..... | 622 |
| 22.5.1 | Check Signal Validity..... | 622 |
| 22.5.2 | Preliminary Signal Propagation for Models with Feedback Loops..... | 623 |
| 22.6 | Adding Functionality to Set the Initial Output Signal | 629 |
| 22.6.1 | Adding a Dialog Window to Allow User Input..... | 629 |
| 22.6.1.1 | Insert a Dialog Window and Add Controls | 630 |
| 22.6.1.2 | Attach a Class to the Dialog Window | 630 |
| 22.6.1.3 | Attach Variables to the Dialog Window Controls | 630 |
| 22.6.1.4 | Add Functionality to the Dialog Window Buttons | 631 |
| 22.6.1.5 | Add Functionality to Initialize Variables | 631 |
| 22.6.2 | Adding a Context Menu and Updating User Input..... | 632 |
| 22.6.2.1 | Add a Context Menu Entry to Set the Initial Output Signal | 633 |
| 22.6.2.2 | Add an Event-Handler Function Named OnSetOutputSignal() | 633 |
| 22.6.2.3 | Add an AssignBlockOutputSignal() Function to Set the Signal Value..... | 634 |
| 22.7 | Building the System of Equations Representing the Block Diagram | 639 |
| 22.7.1 | Order of Operations to Compute a Model with Feedback Loops..... | 640 |
| 22.7.1.1 | Preliminary Signal Propagation | 645 |
| 22.7.1.2 | Data Dimensions..... | 645 |
| 22.7.1.3 | Construction of System Signal Vector..... | 646 |
| 22.7.1.4 | Construction of System Function Operation Vector..... | 646 |
| 22.7.1.5 | Newton Solver..... | 646 |
| 22.7.1.6 | Signal Vector Assignment | 646 |
| 22.7.1.7 | Execution of Output Blocks..... | 646 |
| 22.7.1.8 | Resetting of States | 647 |
| 22.7.2 | Additional Functions Required to Compute a Model with Feedback Loops | 647 |
| 22.7.2.1 | Determining the System Equations Data Dimensions | 647 |
| 22.7.2.2 | Determining the System Equations Signal Vector | 650 |
| 22.7.2.3 | Determining the System Equations Function Operation Vector..... | 652 |
| 22.7.2.4 | Newton Method Iterative Solver | 655 |
| 22.7.2.5 | Updating of the System Equations Signal Vector..... | 655 |
| 22.7.3 | Testing the Code Structure | 658 |

Contents

| | | |
|-------------------|---|------------|
| 22.8 | Stopping a Simulation | 658 |
| 22.8.1 | Augment the CSystemModel::SignalPropagation Direct() Method..... | 660 |
| 22.8.2 | Augment CSysytemModel::SignalPropagationSystem OfEquations() | 661 |
| 22.8.3 | Add a CheckStopButtonPressed() Method to the CSystemModel Class | 662 |
| 22.8.4 | Complete the CDiagramEngDoc::OnSimStop() Event-Handler Function..... | 664 |
| 22.9 | Summary | 665 |
| | References | 666 |
| Chapter 23 | Feedback-Based Signal Propagation | 667 |
| 23.1 | Introduction | 667 |
| 23.2 | Newton-Method-Based Solver..... | 667 |
| 23.3 | Object-Oriented Transformation of the Newton-Method-Based Solver | 669 |
| 23.3.1 | Header File Used in the Object-Oriented Approach | 670 |
| 23.3.2 | Source File Used in the Object-Oriented Approach | 672 |
| 23.3.3 | Test Case Problems Computed Using Newton's Method | 687 |
| 23.3.3.1 | Case 1..... | 687 |
| 23.3.3.2 | Case 2..... | 688 |
| 23.3.3.3 | Case 3..... | 688 |
| 23.3.3.4 | Case 4..... | 688 |
| 23.3.3.5 | Case 5..... | 688 |
| 23.4 | Adding the Newton-Method-Based Solver to the DiagramEng Project | 688 |
| 23.4.1 | Addition of Details to Complete the NewtonSolver() Function | 689 |
| 23.4.2 | Addition of the CNewtonMethod Class with Member Declarations | 690 |
| 23.4.3 | Addition of the CNewtonMethod Class Member Function Definitions | 692 |
| 23.4.4 | Changes to be Made to Resolve Exiting the Program Prematurely | 697 |
| 23.4.4.1 | Modify nrerror() | 697 |
| 23.4.4.2 | Modify lnsrch() | 698 |
| 23.4.4.3 | Modify ludcmp() | 699 |
| 23.4.4.4 | Modify newt() | 700 |
| 23.4.4.5 | Modify All nrerror() Calls Concerning Memory Allocation Failure..... | 703 |
| 23.4.4.6 | Modify Relevant Functions to Process the Integer Returned from newt() | 704 |
| 23.4.5 | Addition of the Manual Assertion Functions to the Project..... | 705 |
| 23.5 | Convergence of the Newton Method Used to Compute Models with Feedback Loops..... | 708 |
| 23.6 | Testing the Newton-Method-Based Code for Models with Feedback Loops | 710 |
| 23.6.1 | Computing a Linear Problem with a Feedback Loop | 710 |
| 23.6.2 | Computing an Ordinary Differential Equation Using a Feedback Loop | 711 |
| 23.6.3 | Computing the Linear State Equations | 714 |
| 23.6.3.1 | Mechanical System..... | 715 |
| 23.6.3.2 | Electrical System | 720 |
| 23.6.4 | Computing a Coupled Linear System | 721 |

| | |
|---|------------|
| 23.6.5 Computing the Lotka–Volterra Equations | 723 |
| 23.6.6 Computing the Lorenz Equations | 728 |
| 23.7 Summary | 732 |
| References | 732 |
| | |
| Chapter 24 Placing an Edit Box on a Toolbar..... | 733 |
| 24.1 Introduction | 733 |
| 24.2 Edit the Resource File | 733 |
| 24.3 Create the Toolbar Edit Box | 734 |
| 24.4 Update the Toolbar Edit Box | 736 |
| 24.5 A Memory Leak | 740 |
| 24.6 Summary | 741 |
| References | 741 |
| | |
| Chapter 25 Serialization | 743 |
| 25.1 Introduction | 743 |
| 25.2 System Model Data Structure..... | 743 |
| 25.2.1 CSystemModel Data..... | 744 |
| 25.2.2 CBlock Data | 744 |
| 25.2.3 CBlockShape Data | 745 |
| 25.2.4 CPort Data..... | 745 |
| 25.2.5 CConnection Data | 746 |
| 25.2.6 CSignal Data | 746 |
| 25.2.7 Derived-Block Class Data | 747 |
| 25.2.7.1 CConstantBlock Data | 747 |
| 25.2.7.2 CDerivativeBlock Data..... | 747 |
| 25.2.7.3 CDivideBlock Data..... | 747 |
| 25.2.7.4 CGainBlock Data | 747 |
| 25.2.7.5 CIntegrator Data | 748 |
| 25.2.7.6 CLinearFnBlock Data..... | 748 |
| 25.2.7.7 COutputBlock Data | 749 |
| 25.2.7.8 CSignalGeneratorBlock Data | 749 |
| 25.2.7.9 CSubsystemBlock Data | 749 |
| 25.2.7.10 CSubsystemInBlock Data..... | 749 |
| 25.2.7.11 CSubsystemOutBlock Data | 750 |
| 25.2.7.12 CSumBlock Data | 750 |
| 25.2.7.13 CTransferFnBlock Data..... | 751 |
| 25.3 Event-Handler Functions for File Input/Output..... | 751 |
| 25.3.1 Child Frame–Based Event-Handler Functions..... | 751 |
| 25.3.1.1 CDiagramEngDoc::OnFileOpen() | 752 |
| 25.3.1.2 CDiagramEngDoc::ReadDiagramEngData FromFile() | 755 |
| 25.3.1.3 CDiagramEngDoc::OnFileSaveAs() | 755 |
| 25.3.1.4 CDiagramEngDoc::OnFileSave() | 756 |
| 25.3.1.5 CDiagramEngDoc::OnFileClose() | 757 |
| 25.3.1.6 CDiagramEngApp::OnAppExit() | 758 |
| 25.3.1.7 CDiagramEngApp::SaveAllDocuments() | 760 |
| 25.3.1.8 CDiagramEngApp::OnFileRecentFileOpen() .. | 763 |
| 25.3.1.9 CDiagramEngDoc::OnWndCloseAllDocs() | 767 |

Contents

| | | |
|-----------|--|-----|
| 25.3.2 | Main Frame-Based Event-Handler Functions | 768 |
| 25.3.2.1 | CDiagramEngApp::OnFileOpen() | 769 |
| 25.4 | Writing Data Members to a File | 770 |
| 25.4.1 | Writing CDiagramEngDoc Data to a File..... | 770 |
| 25.4.2 | Writing CSystemModel Data to a File | 773 |
| 25.4.3 | Writing CBlock Data to a File | 775 |
| 25.4.4 | Writing CBlockShape Data to a File | 776 |
| 25.4.5 | Writing CPort Data to a File | 776 |
| 25.4.6 | Writing Derived-Block Class Data to a File..... | 777 |
| 25.4.6.1 | CConstantBlock::WriteBlockDataToFile() | 777 |
| 25.4.6.2 | CDerivativeBlock::WriteBlockDataToFile() | 777 |
| 25.4.6.3 | CDivideBlock::WriteBlockDataToFile() | 778 |
| 25.4.6.4 | CGainBlock::WriteBlockDataToFile() | 778 |
| 25.4.6.5 | CIntegratorBlock::WriteBlockDataToFile() | 779 |
| 25.4.6.6 | CLinearFnBlock::WriteBlockDataToFile() | 779 |
| 25.4.6.7 | COutputBlock::WriteBlockDataToFile() | 780 |
| 25.4.6.8 | CSignalGeneratorBlock::WriteBlockData ToFile() | 780 |
| 25.4.6.9 | CSubsystemBlock::WriteBlockDataToFile() | 781 |
| 25.4.6.10 | CSubsystemInBlock::WriteBlockData ToFile() | 781 |
| 25.4.6.11 | CSubsystemOutBlock::WriteBlockData ToFile() | 782 |
| 25.4.6.12 | CSumBlock::WriteBlockDataToFile() | 782 |
| 25.4.6.13 | CTransferFnBlock::WriteBlockData ToFile() | 783 |
| 25.4.7 | Writing CConnection Data to a File..... | 783 |
| 25.4.8 | Example of File Output | 784 |
| 25.5 | Reading Data Members from a File | 787 |
| 25.5.1 | Reading CSystemModel Data from a File | 788 |
| 25.5.2 | Reading CConnection Data from a File | 793 |
| 25.5.3 | Reading CBlock Data from a File | 794 |
| 25.5.4 | Reading CBlockShape Data from a File | 795 |
| 25.5.5 | Reading CPort Data from a File..... | 796 |
| 25.5.6 | Reading Derived-Block Class Data from a File | 796 |
| 25.5.6.1 | CConstantBlock::ReadBlockDataFrom File() | 796 |
| 25.5.6.2 | CDerivativeBlock::ReadBlockDataFrom File() | 798 |
| 25.5.6.3 | CDivideBlock::ReadBlockDataFromFile() | 799 |
| 25.5.6.4 | CGainBlock::ReadBlockDataFromFile() | 799 |
| 25.5.6.5 | CIntegratorBlock::ReadBlockDataFrom File() | 800 |
| 25.5.6.6 | CLinearFnBlock::ReadBlockDataFromFile() | 802 |
| 25.5.6.7 | COutputBlock::ReadBlockDataFromFile() | 802 |
| 25.5.6.8 | CSignalGeneratorBlock::ReadBlockData FromFile() | 803 |
| 25.5.6.9 | CSubsystemBlock::ReadBlockDataFrom File() | 804 |
| 25.5.6.10 | CSubsystemInBlock::ReadBlockDataFrom File() | 805 |

| | | |
|-----------|--|-----|
| 25.5.6.11 | CSubsystemOutBlock::ReadBlockData FromFile() | 805 |
| 25.5.6.12 | CSumBlock::ReadBlockDataFromFile() | 806 |
| 25.5.6.13 | CTransferFnBlock::ReadBlockDataFrom File() | 806 |
| 25.6 | Saving the Initial Output Signal for the Divide Block | 807 |
| 25.6.1 | Add Member Variables to the CDivideBlock Class..... | 808 |
| 25.6.2 | Amend the CDivideBlock Constructor and Destructor Functions.... | 808 |
| 25.6.3 | Add the Overriding AssignBlockOutputSignal() Function to the CDivideBlock Class | 809 |
| 25.6.4 | Amend the CDivideBlock Class Serialization Functions | 813 |
| 25.6.5 | Amend the PreliminarySignalPropagation() Function | 814 |
| 25.7 | Adding Data-Writing Functionality to the Output Block | 819 |
| 25.7.1 | Add a Save Data Button to the Output Block Dialog Resource..... | 819 |
| 25.7.2 | Add an Event-Handler Function for the Save Data Button | 819 |
| 25.8 | Summary | 824 |
| | References | 825 |

PART III Refinement

| | | |
|-------------------|---|-----|
| Chapter 26 | Review of Menu and Toolbar-Based Functionality: Part II | 829 |
| 26.1 | Introduction | 829 |
| 26.2 | Functionality to Be Added | 829 |
| 26.3 | Summary | 830 |
| Chapter 27 | Printing and Print Preview | 831 |
| 27.1 | Introduction | 831 |
| 27.2 | Additions to the DiagramEng Project | 832 |
| 27.3 | Mapping Modes..... | 833 |
| 27.3.1 | Coordinate Axes..... | 834 |
| 27.3.2 | Scale of Transformation | 835 |
| 27.4 | Augmenting the CDiagramEngView OnBeginPrinting() Function.... | 836 |
| 27.5 | Augmenting the CDiagramEngView OnPrepareDC() Function | 840 |
| 27.6 | Augmenting the CDiagramEngView OnDraw() Function..... | 842 |
| 27.7 | Summary | 844 |
| | References | 844 |
| Chapter 28 | Implementing a Scroll View | 845 |
| 28.1 | Introduction | 845 |
| 28.2 | Coordinate Systems | 845 |
| 28.3 | Conversion from CView to CScrollView | 847 |
| 28.3.1 | Changes to “DiagramEngView.h” | 847 |
| 28.3.2 | Changes to “DiagramEngView.cpp” | 847 |
| 28.3.3 | Changes to CDiagramEngView::OnInitialUpdate() | 851 |
| 28.4 | Device Point to Logical Point Coordinate Conversions | 852 |
| 28.4.1 | Amending the CDiagramEngView-Based Functions | 852 |
| 28.4.1.1 | CDiagramEngView::OnContextMenu() | 852 |
| 28.4.1.2 | CDiagramEngView::OnLButtonDblClk() | 853 |

Contents

| | | |
|-------------------|--|------------|
| 28.4.1.3 | CDiagramEngView::OnLButtonDown() | 854 |
| 28.4.1.4 | CDiagramEngView::OnLButtonUp() | 855 |
| 28.4.1.5 | CDiagramEngView::OnMouseMove() | 856 |
| 28.4.2 | Amending the CDiagramEngDoc-Based Functions | 857 |
| 28.4.2.1 | CDiagramEngDoc::TrackBlock() | 857 |
| 28.4.2.2 | CDiagramEngDoc::TrackConnectionBend Point() | 859 |
| 28.4.2.3 | CDiagramEngDoc::TrackConnectionEnd Point() | 860 |
| 28.5 | Tracking of Multiple Items | 864 |
| 28.6 | Limiting Diagram Entity Placement | 870 |
| 28.7 | Fitting the Logical View to the Physical View | 874 |
| 28.8 | Zooming In and Out of the View | 877 |
| 28.8.1 | Addition of Detail to the CDiagramEngView Zooming Functions | 877 |
| 28.8.2 | Addition of a ScaleSystemModel() Function to the CSystemModel Class | 879 |
| 28.8.3 | Resetting the Default Model Geometry | 880 |
| 28.9 | Summary | 884 |
| | References | 884 |
| Chapter 29 | Edit Menu | 885 |
| 29.1 | Introduction | 885 |
| 29.2 | Selection of All Content | 885 |
| 29.2.1 | Add a Select-All-Related Member Variable to the CDiagramEngDoc Class | 885 |
| 29.2.2 | Complete the CDiagramEngDoc::OnEditSelectAll() Function | 886 |
| 29.2.3 | Add a Function to the CSystemModel Class to Get the Diagram Coordinate Minima | 888 |
| 29.2.4 | Add a Resetting Mechanism to Cancel the Select-All Operation | 890 |
| 29.3 | Cut, Copy, and Paste | 893 |
| 29.3.1 | Add CDiagramEngDoc-Based Event-Handler Functions | 894 |
| 29.3.2 | Add the CClipboard Class Declaration and Definition | 899 |
| 29.3.3 | Add Class Copy Constructors and Related Methods | 901 |
| 29.3.3.1 | CBlock Copy Constructor | 901 |
| 29.3.3.2 | CBlockShape Copy Constructor | 903 |
| 29.3.3.3 | CPort Copy Constructor | 903 |
| 29.3.3.4 | CConnection Copy Constructor | 904 |
| 29.3.3.5 | CConstantBlock Copy Constructor | 904 |
| 29.3.3.6 | CDerivativeBlock Copy Constructor | 907 |
| 29.3.3.7 | CDivideBlock Copy Constructor | 908 |
| 29.3.3.8 | CGainBlock Copy Constructor | 909 |
| 29.3.3.9 | CIintegratorBlock Copy Constructor | 911 |
| 29.3.3.10 | CLinearFnBlock Copy Constructor | 912 |
| 29.3.3.11 | COoutputBlock Copy Constructor | 913 |
| 29.3.3.12 | CSignalGeneratorBlock Copy Constructor | 915 |
| 29.3.3.13 | CSubsystemBlock Copy Constructor | 916 |
| 29.3.3.14 | CSubsystemInBlock Copy Constructor | 917 |
| 29.3.3.15 | CSubsystemOutBlock Copy Constructor | 918 |

| | | |
|-------------------|--|------------|
| 29.3.3.16 | CSumBlock Copy Constructor | 919 |
| 29.3.3.17 | CTransferFnBlock Copy Constructor..... | 920 |
| 29.3.4 | Testing the Cut, Copy, and Paste Operations for a Complete Model | 922 |
| 29.4 | Undoing and Redoing Editing Actions..... | 922 |
| 29.4.1 | Add the Undo and Redo Event-Handler Functions to the CDiagramEngDoc Class | 924 |
| 29.4.2 | Add Functionality to Save System Models to a List to the CDiagramEngDoc Class | 929 |
| 29.4.3 | Add a Copy Constructor to the CSystemModel Class | 931 |
| 29.4.4 | Add an Assignment Operator to the CSystemModel Class | 935 |
| 29.4.5 | Add Functionality to Update the User Interface to the CDiagramEngView Class | 937 |
| 29.4.6 | Testing the Editing Actions | 939 |
| 29.5 | Summary | 941 |
| | References | 941 |
| Chapter 30 | Annotations | 943 |
| 30.1 | Introduction | 943 |
| 30.2 | Add a CAnnotation Class to the Project..... | 943 |
| 30.3 | Add an Annotation Dialog Window to the Project | 946 |
| 30.3.1 | Add the Format Annotation Entry to the Context Menu | 946 |
| 30.3.2 | Add the New Dialog Window and Associated Functionality | 950 |
| 30.3.2.1 | Insert a New Dialog Window and Add All Necessary Controls..... | 950 |
| 30.3.2.2 | Attach a Class to the Dialog Window | 952 |
| 30.3.2.3 | Attach Variables to the Dialog Window Controls | 952 |
| 30.3.2.4 | Attach Functionality to Display a Font List..... | 953 |
| 30.3.2.5 | Add Functionality to the Dialog Window Buttons | 958 |
| 30.4 | Add an Annotation to a System Model | 960 |
| 30.5 | Deleting Annotations..... | 963 |
| 30.6 | Moving Annotations | 966 |
| 30.6.1 | Fine Movement of an Annotation | 966 |
| 30.6.2 | Direct Movement of an Annotation | 970 |
| 30.6.3 | Multiple Annotation Movement | 974 |
| 30.7 | View Menu-Based Actions | 976 |
| 30.7.1 | Augmenting Auto Fit Diagram..... | 976 |
| 30.7.2 | Zooming In and Out of a Diagram..... | 979 |
| 30.7.3 | Resetting Initial Diagram Geometry..... | 980 |
| 30.8 | Format Menu-Based Actions | 980 |
| 30.8.1 | Augment Document-Based Classes..... | 980 |
| 30.8.2 | Updating the User Interface | 983 |
| 30.9 | Edit Menu-Based Actions..... | 984 |
| 30.9.1 | Cut, Copy, and Paste Actions Involving Annotations | 985 |
| 30.9.1.1 | Add a Copy Constructor and Relevant Methods to the CAnnotation Class..... | 985 |
| 30.9.1.2 | Add CAnnotation Specific Variables and Methods to the CClipboard Class..... | 986 |
| 30.9.1.3 | Augment the OnEditCut(), OnEditCopy(), and OnEditPaste() Functions..... | 987 |

Contents

| | | |
|-------------------|---|------|
| 30.9.2 | Undo and Redo of Editing Actions Involving Annotations | 991 |
| 30.9.2.1 | Augment the Model Saving Function | 991 |
| 30.9.2.2 | Augment the CSystemModel Copy Constructor | 992 |
| 30.9.2.3 | Augment the CSystemModel Assignment Operator | 993 |
| 30.10 | Serialization of the CAnnotation Class | 994 |
| 30.10.1 | CAnnotation Class Serialization | 995 |
| 30.10.1.1 | CAnnotation::WriteAnnotationData ToFile() | 995 |
| 30.10.1.2 | CAnnotation::ReadAnnotationData FromFile() | 996 |
| 30.10.2 | CSystemModel Class Serialization | 998 |
| 30.10.3 | Augmenting the File Open Methods | 1001 |
| 30.11 | Summary | 1003 |
| | References | 1004 |
| Chapter 31 | Tools Menu | 1005 |
| 31.1 | Introduction | 1005 |
| 31.2 | Tools Menu Implementation: Diagnostic Information | 1005 |
| 31.2.1 | Presentation Space Application Programming Interface | 1005 |
| 31.2.2 | Structures, Functions, and Fields Required for Memory-Related Information..... | 1006 |
| 31.2.3 | Add a Dialog Window to Display Diagnostic Memory-Related Information..... | 1007 |
| 31.2.3.1 | Insert a New Dialog Window and Add All Necessary Controls..... | 1007 |
| 31.2.3.2 | Attach a Class to the Dialog Window | 1007 |
| 31.2.3.3 | Attach Variables to the Dialog Window Controls | 1007 |
| 31.2.3.4 | Add Functionality to the Dialog Window Buttons | 1007 |
| 31.2.3.5 | Add Functionality to Initialize Variables | 1011 |
| 31.2.3.6 | Create the Dialog Window | 1011 |
| 31.3 | Summary | 1014 |
| | References | 1015 |
| Chapter 32 | Help Menu | 1017 |
| 32.1 | Introduction | 1017 |
| 32.2 | Using DiagramEng | 1017 |
| 32.3 | Creating the Using DiagramEng Document | 1017 |
| 32.3.1 | CreateProcess() Function | 1018 |
| 32.3.2 | OnHelpUsingDiagramEng() Function | 1018 |
| 32.4 | Summary | 1022 |
| | References | 1023 |
| Chapter 33 | Finalizing the Project | 1025 |
| 33.1 | Introduction | 1025 |
| 33.2 | Preventing Usage of Nonfunctional Blocks..... | 1025 |
| 33.3 | Preventing the Building of Subsystems..... | 1027 |
| 33.4 | Disabling Nonfunctional Items | 1027 |

| | | |
|---|--|-------------|
| 33.5 | Preparing the Source and Executable Files | 1028 |
| 33.5.1 | Memory Leak Detection | 1028 |
| 33.5.2 | Release Version of the Software..... | 1029 |
| 33.5.3 | Source Code | 1030 |
| 33.6 | Summary | 1031 |
| | References | 1031 |
| Chapter 34 | Conclusion | 1033 |
| 34.1 | Introduction | 1033 |
| 34.2 | Project Review | 1033 |
| 34.2.1 | User Interaction | 1033 |
| 34.2.2 | Model Computation and Data | 1034 |
| 34.2.3 | Refinement..... | 1035 |
| 34.3 | Improvements | 1036 |
| 34.3.1 | Object-Oriented Analysis and Design..... | 1036 |
| 34.3.1.1 | Class Hierarchy..... | 1036 |
| 34.3.1.2 | Retrieving the Address of the Document | 1037 |
| 34.3.2 | Addition of Classes..... | 1037 |
| 34.3.3 | Unnecessary Features..... | 1037 |
| 34.3.4 | Naming Convention..... | 1038 |
| 34.3.5 | Member Variables and Constant Accessor Methods | 1038 |
| 34.3.6 | Program State | 1039 |
| 34.3.7 | Generic Containers..... | 1039 |
| 34.3.8 | Base Class Selection..... | 1039 |
| 34.3.9 | Serialization | 1040 |
| 34.3.10 | Activity Organization..... | 1040 |
| 34.4 | Summary | 1041 |
| | References | 1042 |
| Appendix A: ControlEng: Win32 Console Application | 1043 | |
| Appendix B: Constructing Connections: An Exploration | 1063 | |
| Appendix C: NodeArcConnectivity: Win32 Console Application | 1077 | |
| Appendix D: Debugging: An Introduction..... | 1093 | |
| Appendix E: MatrixInversion: Win32 Console Application | 1115 | |
| Appendix F: Using DiagramEng | 1133 | |
| Index..... | 1151 | |