

# Contents

<b>1</b>	<b>Introduction</b>	1
1.1	802.11 Wireless LANs	2
1.2	Expanding the Mobility Domain of WLANs	4
1.2.1	Vehicular Communications	4
1.2.2	V2V and R2V Communications	5
1.2.3	Wireless Technologies for Vehicular Communications	7
1.3	Challenges in 802.11-Based Vehicular Communications	9
1.4	Summary	11
<b>2</b>	<b>Vehicular Communication: Issues and Standards</b>	13
2.1	Disruption Tolerant Networking	13
2.1.1	Systems and Architectures	14
2.1.2	New and Modified Protocols	17
2.1.3	Prediction-Based Techniques	18
2.2	Handover Latency in Wireless Networks	20
2.2.1	Detection, Search, and Probing Delay	21
2.2.2	Authentication and Address Allocation Delay	23
2.2.3	Handovers in Vehicular Context	24
2.3	IEEE Standards for Vehicular Communication	27
2.3.1	Wireless Access in Vehicular Environments—802.11p	27
2.3.2	Fast Transition—802.11r	28
2.3.3	High Throughput—802.11n	30
2.4	Summary	31
<b>3</b>	<b>Evaluation of WLAN Parameters in Vehicular Setup</b>	33
3.1	Parameters of Interest	34
3.2	Measurement and Analysis	35
3.2.1	Signal Strength	35
3.2.2	Data Rates	38
3.2.3	Correlation Between Data Rates and RSS	42

3.3	Application: Traffic Congestion Monitoring . . . . .	44
3.3.1	Extended MULE Concept . . . . .	45
3.3.2	Roadside Infrastructure . . . . .	47
3.3.3	Communication Mechanism . . . . .	50
3.4	Summary . . . . .	54
<b>4</b>	<b>Markov Model for R2V Communications . . . . .</b>	<b>57</b>
4.1	Markov Models . . . . .	58
4.1.1	Fundamentals of Markov Chains. . . . .	58
4.1.2	Markov Process in R2V Communications . . . . .	60
4.2	Estimating the Transition Probability . . . . .	62
4.2.1	Data Collection. . . . .	62
4.2.2	Probability Distribution of Dataset . . . . .	64
4.2.3	Calculating Transition Probability . . . . .	67
4.2.4	Long-Term Error Rate. . . . .	69
4.3	3-State Markov Model . . . . .	70
4.4	Toward Hidden Markov Model . . . . .	72
4.5	Summary . . . . .	73
<b>5</b>	<b>Measuring Disruption in R2V Communications . . . . .</b>	<b>75</b>
5.1	Hidden Markov Models . . . . .	75
5.2	HMM Representation of R2V Communication . . . . .	76
5.2.1	Model Structure . . . . .	77
5.2.2	Estimating Model Parameters . . . . .	79
5.2.3	Model Generality, Limitations, and Need. . . . .	81
5.3	Observation Sequence of HMM . . . . .	84
5.4	Probabilistic Measures of Disruption . . . . .	88
5.4.1	Forward Algorithm . . . . .	88
5.4.2	State Probability . . . . .	90
5.4.3	Encounter Probability . . . . .	92
5.5	Traffic Pattern Analysis . . . . .	93
5.5.1	Drive Tests . . . . .	94
5.5.2	Variation in Disruption with Traffic Patterns . . . . .	96
5.6	Summary . . . . .	98
<b>6</b>	<b>Inter-ISP Roaming for Vehicular Communications . . . . .</b>	<b>99</b>
6.1	Intra- and Inter-ISP Roaming . . . . .	99
6.2	Wireless Internet Service Provider Roaming . . . . .	102
6.2.1	WISPr Architecture . . . . .	103
6.3	Modifications in HMM . . . . .	105
6.3.1	Effectiveness of WISPr . . . . .	107
6.4	Summary . . . . .	109

<b>7 Handover Latency: Evaluation and Reduction</b>	111
7.1 Handovers in WLANs	111
7.2 Experiments and Observations	112
7.2.1 Measurement Setup	113
7.2.2 Observations in Vehicular Environments	113
7.3 Latency Analysis	116
7.3.1 DHCP Delay	116
7.3.2 EAP Delay	119
7.3.3 Scanning Delay	121
7.4 Reducing Scanning Phase Delay	121
7.4.1 Scanning Orthogonal Channels	122
7.4.2 AP Performance on Orthogonal Channels	125
7.5 Summary	127
<b>8 Future Directions and Research Ideas</b>	129
8.1 Future Directions	130
8.1.1 Network Convergence	131
8.1.2 Location Invariant Models	131
8.1.3 Data Handling in Vehicular Sensor Networks	133
<b>Appendix A: Backward Algorithm</b>	135
<b>Appendix B: EAP Authentication Mechanism</b>	137
<b>Appendix C: Software Tools</b>	139
<b>References</b>	141
<b>Index</b>	149