

# Contents

<b>1</b>	<b>Nature and Phenomenology of Fatigue</b> . . . . .	<b>1</b>
1.1	History and Overview . . . . .	1
1.2	The S-N Curve . . . . .	8
1.3	Cyclic Hardening and Softening . . . . .	28
1.3.1	Cyclic Stress–Strain Curve Determination . . . . .	31
1.3.2	The Mechanism of Hardening and Softening . . . . .	33
1.4	Damage Nucleation . . . . .	35
1.4.1	High-Cycle Fatigue . . . . .	35
1.4.2	Low-Cycle Fatigue . . . . .	39
1.4.3	The Meaning of Fatigue Limit . . . . .	40
1.5	Mechanically Small Cracks . . . . .	45
1.5.1	Non-Propagating Cracks . . . . .	49
1.5.2	The Three Stages of Fatigue . . . . .	53
1.5.3	Growth of MSC . . . . .	58
	References . . . . .	67
<b>2</b>	<b>Morphological Aspects of Fatigue Crack Formation and Growth</b> . . . . .	<b>73</b>
2.1	Introduction . . . . .	73
2.2	Extrusions and Intrusions . . . . .	74
2.3	Morphology of Crack Propagation . . . . .	78
2.3.1	Real Cases . . . . .	86
2.4	Origin of Fatigue Striations . . . . .	90
2.4.1	Striation Observation . . . . .	92
2.4.2	Ductile and Brittle Striations . . . . .	97
2.4.3	Striations and Fatigue Cycles . . . . .	101
	References . . . . .	107
<b>3</b>	<b>Factors That Affect S-N Fatigue Curves</b> . . . . .	<b>109</b>
3.1	Introduction . . . . .	109

3.2	Fatigue Tests . . . . .	111
3.3	Effect of Surface Finish. . . . .	115
	3.3.1 Residual Stresses . . . . .	120
3.4	Effect of Inclusions. . . . .	122
	3.4.1 Effect of Grain Size and Hardness . . . . .	136
	3.4.2 Effect of Anisotropy . . . . .	142
3.5	Effect of Size . . . . .	144
3.6	Effect of Load Type . . . . .	150
3.7	Effect of Prestressing . . . . .	155
	3.7.1 Mechanical Prestressing. . . . .	155
	3.7.2 Cold-Rolling and Burnishing . . . . .	159
	3.7.3 Shot Peening . . . . .	162
	3.7.4 Thermo-Mechanical Treatments . . . . .	168
	3.7.5 Thermal Treatments . . . . .	172
	3.7.6 Carburizing and Nitriding . . . . .	174
	3.7.7 Plating and Coating. . . . .	178
3.8	Effect of Temperature . . . . .	179
	References . . . . .	188
<b>4</b>	<b>Data Scatter and Statistical Considerations . . . . .</b>	<b>193</b>
4.1	Use of Statistics in Data Analysis. . . . .	193
4.2	Normal Distribution . . . . .	196
	4.2.1 Confidence Interval. . . . .	201
4.3	Student's <i>t</i> -Distribution . . . . .	204
4.4	One-Sided Tolerance Limits for a Normal Distribution . . . . .	207
	4.4.1 The Chi-Squared Function . . . . .	209
4.5	Weibull Distribution . . . . .	212
	4.5.1 Process Volume Effect . . . . .	216
	4.5.2 Loading Conditions. . . . .	222
4.6	Gumbel Distribution . . . . .	224
4.7	Sample Problems . . . . .	226
	4.7.1 Normal and Log-Normal Distribution-Population Mean and Sample Mean . . . . .	226
	4.7.2 Student's Distribution-Yield Strength . . . . .	231
	4.7.3 Log-Normal Distribution-Fatigue Life. . . . .	232
	4.7.4 Weibull Distribution-Yield Strength . . . . .	232
	4.7.5 Weibull Distribution-Fatigue <i>S-N</i> Curves . . . . .	235
	4.7.6 Weibull Distribution-Volume Effect . . . . .	238
	4.7.7 Weibull Distribution-Volume Effect . . . . .	240
	4.7.8 Gumbel Distribution-Maximum Expected Defect . . . . .	242
	References . . . . .	243
<b>5</b>	<b>Stress-Based Fatigue Analysis High Cycle Fatigue . . . . .</b>	<b>245</b>
5.1	Introduction . . . . .	245

5.2	S-N Diagram . . . . .	246
5.2.1	Empirical Equations for Fatigue Limit . . . . .	247
5.2.2	True Strain-True Stress. Basquin Line . . . . .	257
5.2.3	Staircase Test Method. . . . .	264
5.3	Sample Problems on <i>S-N</i> Curves . . . . .	268
5.3.1	Engineering Strain-Stress Curve and True Strain-True Stress Curve. . . . .	268
5.3.2	S-N Curve From Hardening and Grain Size Data . . . . .	270
5.3.3	Basquin Line . . . . .	273
5.3.4	Staircase Test Method. . . . .	273
5.3.5	Fatigue Life of Shafts Under Torsion . . . . .	275
5.3.6	Bending Life of Multileaf Springs . . . . .	277
5.3.7	Application to Different Types of Load. . . . .	279
5.3.8	Aluminum Alloys . . . . .	279
5.4	Mean Stress Effect . . . . .	280
5.4.1	Mean Stress Sensitivity Factor . . . . .	287
5.4.2	Shake-Down Effect on Fatigue . . . . .	289
5.5	Fatigue Strength Diagrams. . . . .	294
5.5.1	Haigh and Smith Diagrams . . . . .	294
5.5.2	Master Curve . . . . .	295
5.6	Sample Problems on Mean Stress Effect and Fatigue Strength Diagrams . . . . .	296
5.6.1	Shaft Under Torsion . . . . .	296
5.6.2	Mean Stress and Vibrations in Torsion-Bar . . . . .	300
5.6.3	Mean Stress and Vibrations in Torsion-Bar: Helical Spring . . . . .	302
5.6.4	Mean Stress in a Cantilever Beam . . . . .	304
5.6.5	Fatigue Strength Diagrams. . . . .	305
	References . . . . .	306
<b>6</b>	<b>Strain-Based Fatigue Analysis Low Cycle Fatigue . . . . .</b>	<b>309</b>
6.1	Introduction . . . . .	309
6.2	Stress-Plastic Strain Power Law Relation. . . . .	310
6.3	Strain-Life Curve, $\epsilon-N$ . . . . .	314
6.4	Mean Stress in Low Cycle Fatigue . . . . .	319
6.4.1	Morrow Correction . . . . .	320
6.4.2	Smith, Watson and Topper Model . . . . .	322
6.5	Fatigue Life Prediction Based on Local Strain Approach. . . . .	323
6.5.1	Equivalent Test Method. . . . .	323
6.5.2	Fatigue Life Calculation . . . . .	327
6.5.3	Overstrain and Load History Effect. . . . .	328
6.6	Neuber Approach to Strain-Life . . . . .	330
6.6.1	Multiaxial Stress State and Neuber's Rule . . . . .	334
6.6.2	Neuber's Rule Applications . . . . .	338
6.6.3	Residual Stresses with Neuber Approach. . . . .	340

6.7	Sample Problems . . . . .	341
6.7.1	Hysteresis Loop-Constant Amplitude Loads . . . . .	341
6.7.2	Hysteresis Loop-Variable Amplitude Loads . . . . .	343
6.7.3	Manson-Coffin and Basquin Curves . . . . .	345
6.7.4	Manson-Coffin and Basquin Curves . . . . .	347
6.7.5	Low Cycle to High Cycle Fatigue Transition . . . . .	349
6.7.6	Hysteresis Loops Resulting from Reloading-SWT and Morrow Model . . . . .	350
6.7.7	Manson-Coffin S-N Curve—Neuber rule . . . . .	357
6.7.8	Neuber's Rule-Cycle Reversal . . . . .	361
	References . . . . .	361
<b>7</b>	<b>Notch Effect . . . . .</b>	<b>365</b>
7.1	Stress Concentration . . . . .	365
7.2	Peterson Notch Sensitivity Index . . . . .	368
7.3	Neuber Approach . . . . .	371
7.4	Siebel and Stieler Method . . . . .	372
7.5	Process Volume and Notch Effect . . . . .	375
7.6	Notch Effect on S-N Curve . . . . .	380
7.6.1	Mean Stress Effect on Fatigue Limit of Notched Members . . . . .	383
7.7	Saturation of Notch Effect . . . . .	386
7.8	Notch Strain Hardening Effect . . . . .	390
7.9	Sample Problems . . . . .	390
7.9.1	Railway Axle in Rotating Bending-Shoulder Fillets . . . . .	390
7.9.2	Fatigue in a Freight Elevator Axle-Shoulder Fillets . . . . .	394
7.9.3	Plates Containing Bore Holes-Process Volume Effect . . . . .	396
7.9.4	Leaf Spring with Hole-Process Volume . . . . .	399
	References . . . . .	402
<b>8</b>	<b>Cumulative Damage: Cycle Counting and Life Prediction . . . . .</b>	<b>405</b>
8.1	Load Spectra . . . . .	405
8.2	Load Spectra Representation and Counting . . . . .	407
8.2.1	Level Crossing Cycle Counting . . . . .	407
8.2.2	Three-Point Cycle Counting . . . . .	411
8.2.3	Four-Point Cycle Counting . . . . .	411
8.2.4	Rainflow Cycle Counting . . . . .	413
8.2.5	Hysteresis Loop Counting . . . . .	415
8.3	Damage Progression and Accumulation . . . . .	416
8.3.1	Miner's Rule . . . . .	418
8.3.2	Nonlinear Damage Progression and Accumulation . . . . .	420

8.3.3	Cumulative Damage of Load Spectra with Stress Amplitude Below the Fatigue Limit . . . . .	425
8.3.4	Lemaitre and Plumtree Nonlinear Cumulative Damage . . . . .	427
8.3.5	Marin Cumulative Damage Approach . . . . .	428
8.3.6	Henry Cumulative Damage Approach . . . . .	430
8.3.7	Linear Damage Accumulation . . . . .	430
8.3.8	Double Linear Damage Rule . . . . .	433
8.3.9	Damage Progression and Accumulation in Low Cycle Fatigue . . . . .	435
8.4	Analysis of Variable Amplitude Spectra . . . . .	437
8.4.1	Block-Program Procedure . . . . .	438
8.4.2	Fatigue Damage Under Narrow-Band Random Processes . . . . .	442
8.4.3	Fatigue Damage Under Wide-Band Random Processes . . . . .	445
8.5	Fourier Analysis: The Frequency Domain . . . . .	447
8.5.1	Power Spectral Density . . . . .	449
8.5.2	Moments of the Power Spectral Density . . . . .	452
8.5.3	Cycles Superposition . . . . .	454
8.5.4	Method of the Equivalent Spectrum . . . . .	456
8.6	Impact Fatigue . . . . .	457
8.7	Sample Problems . . . . .	462
8.7.1	Sampling a Random Time History . . . . .	462
8.7.2	Fatigue Damage-Block-Package Method . . . . .	465
8.7.3	Block-Program-Volume Effect . . . . .	467
8.7.4	Block-Program-Volume Effect-Henry Approach . . . . .	470
8.7.5	Wide-Band Time History Fatigue Analysis . . . . .	472
	References . . . . .	474

<b>9</b>	<b>Multiaxial Fatigue . . . . .</b>	<b>477</b>
9.1	Introduction . . . . .	477
9.2	Failure Theories . . . . .	480
9.2.1	Maximum Normal Stress . . . . .	481
9.2.2	Maximum Shear Stress Theory . . . . .	482
9.2.3	Distortion Strain Energy Theory . . . . .	483
9.3	Failure Theories Experimental Evidence . . . . .	487
9.4	Correlation Based on Triaxiality Factor . . . . .	492
9.5	Stress Invariant Criteria . . . . .	494
9.6	Average Stress Theories . . . . .	496
9.7	Critical Plane Theory . . . . .	496
9.8	Out-of-Phase Cyclic Loads . . . . .	503
9.8.1	Load Path . . . . .	504
9.8.2	Non-Proportional Hardening . . . . .	505

9.8.3	Constitutive Equation and NP Hardening Models . . .	508
9.8.4	Effect of Phase Difference . . . . .	512
9.8.5	Effect of Frequency . . . . .	513
9.9	Out-of-Phase Experimental Evidence . . . . .	514
	References . . . . .	517
<b>10</b>	<b>Fracture Mechanics Approach to Fatigue Crack Propagation:</b>	
	<b>Measurements and Observation . . . . .</b>	<b>521</b>
10.1	History and Overview . . . . .	521
10.2	Fatigue Crack Growth . . . . .	522
10.3	The Paris Postulate . . . . .	526
10.4	Empirical FCP Equations . . . . .	529
10.5	Experimental FCGR Measurements . . . . .	532
10.6	Striations and Fatigue Crack Growth . . . . .	538
10.6.1	MODE II and MODE III Crack Growth Features . . .	543
10.7	FCGR in Metals . . . . .	545
10.7.1	Martensitic Steels . . . . .	545
10.7.2	Carbon Steels . . . . .	546
10.7.3	Stainless Steels . . . . .	549
10.7.4	Aluminum Alloys . . . . .	550
10.7.5	Titanium Alloys . . . . .	552
10.7.6	Nickel Alloys . . . . .	552
10.8	Effect of Toughness on FCGR . . . . .	553
10.9	Effect of Temperature on FCGR . . . . .	557
10.10	Sample Problems . . . . .	561
	References . . . . .	578
<b>11</b>	<b>Crack Tip Plastic Zone Effect on Fatigue Crack Propagation . . .</b>	<b>583</b>
11.1	The Fatigue Mechanism . . . . .	583
11.2	Fatigue Threshold . . . . .	587
11.3	Plastic Zone and <i>R</i> -Ratio Effect on Fatigue Threshold . . . .	591
11.4	<i>R</i> -Ratio Effect on the FCCG . . . . .	593
11.5	Crack Closure . . . . .	597
11.6	Overload Retardation . . . . .	604
11.7	Growth of Short Cracks . . . . .	610
11.8	Variable-Amplitude Load Fluctuation . . . . .	615
11.9	Sample Problems . . . . .	618
11.9.1	FCGR in Helicopter Blade . . . . .	618
	References . . . . .	622
<b>12</b>	<b>Fatigue in Welds . . . . .</b>	<b>625</b>
12.1	Introduction . . . . .	625
12.2	Weld Defects . . . . .	627
12.3	The Heat Affected Zone . . . . .	631

12.4	Residual Stresses . . . . .	633
12.5	Warm Prestressing . . . . .	636
12.6	S–N Curves of Welded Joints . . . . .	640
12.7	Weld Fatigue Improvement Techniques . . . . .	641
	12.7.1 Weld Grinding . . . . .	643
	12.7.2 Water Jet Eroding . . . . .	644
	12.7.3 Weld Toe Remelting Technique (TIG Dressing) . . . . .	644
12.8	Fatigue Crack Growth in Welds . . . . .	645
	References . . . . .	649
<b>13</b>	<b>Corrosion . . . . .</b>	<b>651</b>
13.1	History and Overview . . . . .	651
13.2	Physics-Chemical Aspects of Corrosion . . . . .	653
13.3	Electrochemical Aspects of Corrosion . . . . .	658
13.4	Galvanic Cell . . . . .	663
	13.4.1 Cathodic Protection . . . . .	666
13.5	Corrosion and Polarization Reactions . . . . .	668
13.6	Passivation . . . . .	671
13.7	Crevice Corrosion . . . . .	672
13.8	Corrosion Crack Growth Models . . . . .	678
	References . . . . .	686
<b>14</b>	<b>Hydrogen Embrittlement and Sensitization Cracking . . . . .</b>	<b>689</b>
14.1	Introduction . . . . .	689
14.2	Sensitization . . . . .	690
	14.2.1 Sensitization of Nickel and Aluminum Alloys . . . . .	693
	14.2.2 Cold Work Sensitization . . . . .	697
14.3	Morphology of IGSCC . . . . .	700
14.4	Hydrogen Embrittlement . . . . .	701
	14.4.1 Internal Hydrogen Embrittlement . . . . .	702
	14.4.2 External Hydrogen Embrittlement . . . . .	705
	14.4.3 Film Rupture/Anodic Dissolution Model . . . . .	706
14.5	Mechanisms of Hydrogen Embrittlement . . . . .	711
	14.5.1 Atomic Decohesion Embrittlement . . . . .	713
	14.5.2 Dislocation Interaction Embrittlement . . . . .	715
	14.5.3 Cathodic Hydrogen Absorption . . . . .	717
	14.5.4 Brittle Phases Formation and/or Rupture of Existing Phases . . . . .	718
	14.5.5 Hydrogen Blistering . . . . .	719
14.6	Morphology of Hydrogen Embrittlement . . . . .	722
	References . . . . .	726
<b>15</b>	<b>Fracture Mechanics Approach to Stress Corrosion . . . . .</b>	<b>731</b>
15.1	Introduction . . . . .	731

15.2	Pitting . . . . .	733
15.3	Threshold Stress Intensity Factor for Corrosion . . . . .	735
15.4	Incubation Time . . . . .	741
	15.4.1 SCC and Fracture Toughness . . . . .	744
15.5	Measurement of SCC Threshold $K_{Isc}$ . . . . .	746
	15.5.1 $K_{Isc}$ as a Material Characteristic . . . . .	747
	15.5.2 Constant Extension Rate Test. . . . .	750
	15.5.3 Effect of Electric Potential on CERT Results. . . . .	757
15.6	Factors That Affect SCC . . . . .	761
	References . . . . .	764
<b>16</b>	<b>Corrosion Fatigue.</b> . . . .	<b>767</b>
16.1	Introduction . . . . .	767
16.2	In Vacuo Fatigue . . . . .	768
16.3	Environmental Fatigue. . . . .	771
	16.3.1 Frequency Effect . . . . .	773
	16.3.2 Cyclic Wave Form Effect . . . . .	783
	16.3.3 Effect of $R$ Ratio . . . . .	785
	16.3.4 Effect of Inclusions and Chemical Species. . . . .	786
16.4	Morphology of Corrosion and Fatigue. . . . .	787
16.5	Environmental Fatigue and SCC. . . . .	790
16.6	Models of Corrosion-Fatigue Crack Growth. . . . .	798
	References . . . . .	804
	<b>Appendix: Linear Elastic Fracture Mechanics: Compendium of Stress Intensity Factors Solutions . . . . .</b>	<b>807</b>
	<b>Author Index . . . . .</b>	<b>827</b>
	<b>Subject Index . . . . .</b>	<b>837</b>