

ANNUAL BOOK OF ASTM STANDARDS

2004

SECTION ONE

Iron and Steel Products



VOLUME 01.06

Coated Steel Products

Revision: Issued Annually





Contents

2004 ANNUAL BOOK OF ASTM STANDARDS, VOLUME 01.06

STANDARDS RELATING TO COATED STEEL PRODUCTS

A complete Subject Index appears at the end of this volume.

Listed below are those standards included in this volume(s) and those standards that have appeared previously which have been discontinued within the past three years.

In the serial designations prefixed to the following titles, the number following the dash indicates the year of original adoption as standard or, in the case of revision, the year of last revision. Thus, standards adopted or revised during the year 2004 have as their final number, 04. A letter following this number indicates more than one revision during that year, that is, 04a indicates the second revision in 2004, 04b, the third revision, etc. Standards that have been reapproved without change are indicated by the year of last reapproval in parentheses as part of the designation number, for example, (2004). A superscript epsilon indicates an editorial change since the last revision or reapproval—^{ε1} for the first change, ^{ε2} for the second change, etc.

§A 90 / A 90M - 01	Test Method for Weight [Mass] of Coating on Iron and Steel Articles with Zinc or Zinc-Alloy Coatings
A 111 - 99a	Specification for Zinc-Coated (Galvanized) "Iron" Telephone and Telegraph Line Wire
§A 116 - 00	Specification for Metallic-Coated, Steel-Woven Wire Fence Fabric
§A 121 - 99	Specification for Metallic-Coated Carbon Steel Barbed Wire
§A 123 / A 123M - 02	Specification for Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products
§A 143 / A 143M - 03	Practice for Safeguarding Against Embrittlement of Hot-Dip Galvanized Structural Steel Products and Procedure for Detecting Embrittlement
§A 153 / A 153M - 03	Specification for Zinc Coating (Hot-Dip) on Iron and Steel Hardware
§A 239 - 95(1999)	Practice for Locating the Thinnest Spot in a Zinc (Galvanized) Coating on Iron or Steel Articles
§A 308 - 02	Specification for Steel Sheet, Terne (Lead-Tin Alloy) Coated by the Hot-Dip Process
§A 309 - 01	Test Method for Weight and Composition of Coating on Terne Sheet by the Triple-Spot Test
A 363 - 98	Specification for Zinc-Coated (Galvanized) Steel Overhead Ground Wire Strand
A 384 / A 384M - 02	Practice for Safeguarding Against Warpage and Distortion During Hot-Dip Galvanizing of Steel Assemblies
§A 385 - 03	Practice for Providing High-Quality Zinc Coatings (Hot-Dip)
A 390 - 95(2001)	Specification for Zinc-Coated (Galvanized) Steel Poultry Fence Fabric (Hexagonal and Straight Line)
A 392 - 03	Specification for Zinc-Coated Steel Chain-Link Fence Fabric
§A 411 - 98	Specification for Zinc-Coated (Galvanized) Low-Carbon Steel Armor Wire
§A 428 / A 428M - 01	Test Method for Weight [Mass] of Coating on Aluminum-Coated Iron or Steel Articles
A 459 - 97(2003)	Specification for Zinc-Coated Flat Steel Armoring Tape
A 460 - 94(1999)	Specification for Copper-Clad Steel Wire Strand
§A 463 / A 463M - 02a	Specification for Steel Sheet, Aluminum-Coated, by the Hot-Dip Process
A 474 - 98	Specification for Aluminum-Coated Steel Wire Strand
§A 475 - 98	Specification for Zinc-Coated Steel Wire Strand
A 491 - 03	Specification for Aluminum-Coated Steel Chain-Link Fence Fabric
A 584	Specification for Aluminum-Coated Steel Woven Wire Fence Fabric (Discontinued 2002†)
A 585	Specification for Aluminum-Coated Steel Barbed Wire (Discontinued 2002†)
§A 586 - 98	Specification for Zinc-Coated Parallel and Helical Steel Wire Structural Strand and Zinc-Coated Wire for Spun-In-Place Structural Strand
§A 591 / A 591M - 98	Specification for Steel Sheet, Electrolytic Zinc-Coated, for Light Coating Weight [Mass] Applications
A 599 / A 599M - 02	Specification for Tin Mill Products, Electrolytic Tin-Coated, Cold-Rolled Sheet
§A 603 - 98(2003)	Specification for Zinc-Coated Steel Structural Wire Rope

§Approved for use by agencies of the Department of Defense and, if indicated on the standard, replaces corresponding Federal or Military document. Consult the DoD Index of Specifications and Standards for the specific year of issue which has been adopted by the Department of Defense.

*Adopted by American National Standards Institute.

†Although this standard has been officially withdrawn from Society approval, a brief description is included for information only.

CONTENTS

*A 623 - 03	Specification for Tin Mill Products, General Requirements
*A 623M - 03	Specification for Tin Mill Products, General Requirements [Metric]
A 624 / A 624M - 98	Specification for Tin Mill Products, Electrolytic Tin Plate, Single Reduced
*A 625 / A 625M - 03	Specification for Tin Mill Products, Black Plate, Single-Reduced
A 626 / A 626M - 98	Specification for Tin Mill Products, Electrolytic Tin Plate, Double Reduced
A 630 - 98	Test Methods for Determination of Tin Coating Weights for Electrolytic Tin Plate
A 640 - 97(2002)* ¹	Specification for Zinc-Coated Steel Strand for Messenger Support of Figure 8 Cable
A 641 / A 641M - 98	Specification for Zinc-Coated (Galvanized) Carbon Steel Wire
*A 650 / A 650M - 03	Specification for Tin Mill Products, Black Plate, Double Reduced
A 653 / A 653M - 03	Specification for Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process
*A 657 / A 657M - 03	Specification for Tin Mill Products, Black Plate Electrolytic Chromium-Coated, Single and Double Reduced
A 740 - 98(2003)	Specification for Hardware Cloth (Woven or Welded Galvanized Steel Wire Fabric)
A 741 - 98(2003)	Specification for Zinc-Coated Steel Wire Rope and Fittings for Highway Guardrail
A 742 / A 742M - 03	Specification for Steel Sheet, Metallic Coated and Polymer Precoated for Corrugated Steel Pipe
A 754 / A 754M - 96(2000)	Test Method for Coating Weight (Mass) of Metallic Coatings on Steel by X-Ray Fluorescence
A 755 / A 755M - 01	Specification for Steel Sheet, Metallic Coated by the Hot-Dip Process and Prepainted by the Coil-Coating Process for Exterior Exposed Building Products
A 760 / A 760M - 01a	Specification for Corrugated Steel Pipe, Metallic-Coated for Sewers and Drains
A 761 / A 761M - 03	Specification for Corrugated Steel Structural Plate, Zinc-Coated, for Field-Bolted Pipe, Pipe-Arches, and Arches
A 762 / A 762M - 00	Specification for Corrugated Steel Pipe, Polymer Precoated for Sewers and Drains
A 780 - 01	Practice for Repair of Damaged and Uncoated Areas of Hot-Dip Galvanized Coatings
A 792 / A 792M - 03	Specification for Steel Sheet, 55 % Aluminum-Zinc Alloy-Coated by the Hot-Dip Process
A 796 / A 796M - 03	Practice for Structural Design of Corrugated Steel Pipe, Pipe-Arches, and Arches for Storm and Sanitary Sewers and Other Buried Applications
A 798 / A 798M - 01	Practice for Installing Factory-Made Corrugated Steel Pipe for Sewers and Other Applications
A 807 / A 807M - 02* ¹	Practice for Installing Corrugated Steel Structural Plate Pipe for Sewers and Other Applications
A 809 - 98	Specification for Aluminum-Coated (Aluminized) Carbon Steel Wire
A 810 - 01	Specification for Zinc-Coated (Galvanized) Steel Pipe Winding Mesh
A 817 - 03	Specification for Metallic-Coated Steel Wire for Chain-Link Fence Fabric and Marcellled Tension Wire
A 818 - 91(2001)	Specification for Coppered Carbon Steel Wire
A 824 - 01	Specification for Metallic-Coated Steel Marcellled Tension Wire for Use With Chain Link Fence
A 849 - 00	Specification for Post-Applied Coatings, Pavings, and Linings for Corrugated Steel Sewer and Drainage Pipe
A 854 / A 854M - 98(2003)	Specification for Metallic-Coated Steel Smooth High-Tensile Fence and Trellis Wire
A 855 / A 855M - 98	Specification for Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Wire Strand
A 856 / A 856M - 98	Specification for Zinc-5 % Aluminum-Mischmetal Alloy-Coated Carbon Steel Wire
A 862 / A 862M - 98	Practice for Application of Asphalt Coatings to Corrugated Steel Sewer and Drainage Pipe
A 875 / A 875M - 02a	Specification for Steel Sheet, Zinc-5 % Aluminum Alloy-Coated by the Hot-Dip Process
A 879 - 00	Specification for Steel Sheet, Zinc Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface
A 885 / A 885M - 96(2002)	Specification for Steel Sheet, Zinc and Aramid Fiber Composite Coated for Corrugated Steel Sewer, Culvert, and Underdrain Pipe
A 896 - 89(1999)	Practice for Conducting Case Studies on Galvanized Structures
A 902 - 03	Terminology Relating to Metallic Coated Steel Products
A 917 - 00	Specification for Steel Sheet, Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface (General Requirements)
A 918 - 00	Specification for Steel Sheet, Zinc-Nickel Alloy Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface
A 924 / A 924M - 99	Specification for General Requirements for Steel Sheet, Metallic-Coated by the Hot-Dip Process
A 925 - 98	Specification for Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Overhead Ground Wire Strand
A 926 - 97	Test Method for Comparing the Abrasion Resistance of Coating Materials for Corrugated Metal Pipe
A 929 / A 929M - 01	Specification for Steel Sheet, Metallic-Coated by the Hot-Dip Process for Corrugated Steel Pipe
A 930 - 03	Practice for Life-Cycle Cost Analysis of Corrugated Metal Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits
A 964 / A 964M - 02	Specification for Corrugated Steel Box Culverts
A 974 - 97(2003)	Specification for Welded Wire Fabric Gabions and Gabion Mattresses (Metallic-Coated or Polyvinyl Chloride (PVC) Coated)
A 975 - 97(2003)	Specification for Double-Twisted Hexagonal Mesh Gabions and Revet Mattresses (Metallic-Coated Steel Wire or Metallic-Coated Steel Wire With Poly(Vinyl Chloride) (PVC) Coating)

CONTENTS

A 978 / A 978M - 97(2002)*1	Specification for Composite Ribbed Steel Pipe, Precoated and Polyethylene Lined for Gravity Flow Sanitary Sewers, Storm Sewers, and Other Special Applications
A 979 / A 979M - 03	Specification for Concrete Pavements and Linings Installed in Corrugated Steel Structures in the Field
A 987 - 00	Test Method for Measuring Shape Characteristics of Tin Mill Products
A 998 / A 998M - 98	Practice for Structural Design of Reinforcements for Fittings in Factory-Made Corrugated Steel Pipe for Sewers and Other Applications
A 1003 / A 1003M - 02a	Specification for Steel Sheet, Carbon, Metallic- and Nonmetallic-Coated for Cold-Formed Framing Members
A 1004 / A 1004M - 99	Practice for Establishing Conformance to the Minimum Expected Corrosion Characteristics of Metallic, Painted-Metallic, and Nonmetallic-Coated Steel Sheet Intended for Use as Cold Formed Framing Members
A 1019 / A 1019M - 01	Specification for Closed Rib Steel Pipe with Diameter of 36 in. [900 mm] or Less, Polymer Precoated for Sewers and Drains
\$F 537 - 01	Specification for Design, Fabrication, and Installation of Fences Constructed of Wood and Related Materials
\$F 552 - 02	Terminology Relating to Chain Link Fencing
F 567 - 00	Practice for Installation of Chain-Link Fence
F 626 - 96a(2003)	Specification for Fence Fittings
F 654 - 03	Specification for Residential Chain Link Fence Gates
F 668 - 99a	Specification for Poly(vinyl Chloride) (PVC) and Other Organic Polymer-Coated Steel Chain-Link Fence Fabric
F 761	Specification for Strength Requirements of Tubular Steel Posts and Rails for Residential Chain-Link Fence (Discontinued 2003†)
F 900 - 03	Specification for Industrial and Commercial Swing Gates
F 934 - 96(2003)	Specification for Standard Colors for Polymer-Coated Chain Link Fence Materials
F 964 - 02	Specification for Rigid Poly (Vinyl Chloride) (PVC) Exterior Profiles Used for Fencing and Railing
F 969 - 01	Practice for Construction of Chain-Link Tennis Court Fence
F 1043 - 00	Specification for Strength and Protective Coatings on Metal Industrial Chain Link Fence Framework
\$F 1083 - 97(2003)	Specification for Pipe, Steel, Hot-Dipped Zinc-Coated (Galvanized) Welded, for Fence Structures
F 1183 - 96(2002)	Specification for Aluminum Alloy Chain Link Fence Fabric
F 1184 - 03	Specification for Industrial and Commercial Horizontal Slide Gates
F 1345 - 96(2003)	Specification for Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Chain-Link Fence Fabric
F 1379 - 95(2003)	Terminology Relating to Barbed Tape
F 1553 - 01	Guide for Specifying Industrial and Commercial Chain Link Fence
F 1664 - 01	Specification for Poly(Vinyl Chloride) (PVC) and Other Conforming Organic Polymer-Coated Steel Tension Wire Used with Chain-Link Fence
F 1665 - 01	Specification for Poly(Vinyl Chloride) (PVC) and Other Conforming Organic Polymer-Coated Steel Barbed Wire Used With Chain-Link Fence
F 1712 - 02	Specification for Steel Chain-Link Fencing Materials Used in Detention and Correctional Facilities
F 1908 - 98	Guide for Fences for Residential Outdoor Swimming Pools, Hot Tubs, and Spas
F 1910 - 98(2003)	Specification for Long Barbed Tape Obstacles
F 1911 - 98	Practice for Installation of Barbed Tape
F 1999 - 00	Practice for Installation of Rigid Poly(Vinyl Chloride) (PVC) Fence Systems
F 2000 - 00a	Guide for Fences for Ballfields and Other Sports Facilities
F 2049 - 03	Guide for Fences/Barriers for Public, Commercial, and Multi-Family Residential Use (Play Areas)
F 2200 - 02	Specification for Automated Vehicular Gate Construction

RELATED MATERIAL