

ANNUAL BOOK OF ASTM STANDARDS

2004

SECTION FOUR **Construction**



VOLUME 04.01

Cement; Lime; Gypsum

Revision Issued Annually





Contents

2004 ANNUAL BOOK OF ASTM STANDARDS, VOLUME 04.01

STANDARDS RELATING TO CEMENT; LIME; GYPSUM

A complete Subject Index appears at the end of this volume.

Listed below are those standards included in this volume(s) and those standards that have appeared previously which have been discontinued within the past three years.

In the serial designations prefixed to the following titles, the number following the dash indicates the year of original adoption as standard or, in the case of revision, the year of last revision. Thus, standards adopted or revised during the year 2004 have as their final number, 04. A letter following this number indicates more than one revision during that year, that is, 04a indicates the second revision in 2004, 04b, the third revision, etc. Standards that have been reapproved without change are indicated by the year of last reapproval in parentheses as part of the designation number, for example, (2004). A superscript epsilon indicates an editorial change since the last revision or reapproval—^{ε1} for the first change, ^{ε2} for the second change, etc.

§C 5 – 03	Specification for Quicklime for Structural Purposes
C 11 – 03d	Terminology Relating to Gypsum and Related Building Materials and Systems
C 22 / C 22M – 00	Specification for Gypsum
§C 25 – 99	Test Methods for Chemical Analysis of Limestone, Quicklime, and Hydrated Lime
§C 28 / C 28M – 00 ^{ε1}	Specification for Gypsum Plasters
§C 35 – 01	Specification for Inorganic Aggregates for Use in Gypsum Plaster
§C 36 / C 36M – 03	Specification for Gypsum Wallboard
§C 37 / C 37M – 01	Specification for Gypsum Lath
§C 50 – 00	Practice for Sampling, Sample Preparation, Packaging, and Marking of Lime and Limestone Products
§C 51 – 02	Terminology Relating to Lime and Limestone (as used by the Industry)
§C 59 / C 59M – 00	Specification for Gypsum Casting Plaster and Gypsum Molding Plaster
§C 61 / C 61M – 00	Specification for Gypsum Keene's Cement
§C 79 / C 79M – 04a	Specification for Gypsum Sheathing Board
§C 91 – 03a	Specification for Masonry Cement
§C 109 / C 109M – 02	Test Method for Compressive Strength of Hydraulic Cement Mortars (Using 2-in. or [50-mm] Cube Specimens)
§C 110 – 03	Test Methods for Physical Testing of Quicklime, Hydrated Lime, and Limestone
C 114 – 04	Test Methods for Chemical Analysis of Hydraulic Cement
C 115 – 96a(2003)	Test Method for Fineness of Portland Cement by the Turbidimeter
§C 141 – 97	Specification for Hydraulic Hydrated Lime for Structural Purposes
§C 150 – 04	Specification for Portland Cement
C 151 – 00	Test Method for Autoclave Expansion of Portland Cement
§C 183 – 02	Practice for Sampling and the Amount of Testing of Hydraulic Cement
C 184	Test Method for Fineness of Hydraulic Cement by the 150-μm (No. 100) and 75-μm (No. 200) Sieves (Withdrawn 2002†)
§C 185 – 02	Test Method for Air Content of Hydraulic Cement Mortar
C 186 – 98	Test Method for Heat of Hydration of Hydraulic Cement
C 187 – 98	Test Method for Normal Consistency of Hydraulic Cement
§C 188 – 95(2003)	Test Method for Density of Hydraulic Cement
C 191 – 04	Test Method for Time of Setting of Hydraulic Cement by Vicat Needle
C 204 – 00	Test Method for Fineness of Hydraulic Cement by Air-Permeability Apparatus
§C 206 – 03	Specification for Finishing Hydrated Lime
§C 207 – 04	Specification for Hydrated Lime for Masonry Purposes
C 219 – 03	Terminology Relating to Hydraulic Cement

§Approved for use by agencies of the Department of Defense and, if indicated on the standard, replaces corresponding Federal or Military document. Consult the DoD Index of Specifications and Standards for the specific year of issue which has been adopted by the Department of Defense.

†Although this standard has been officially withdrawn from Society approval, a brief description is included for information only.

CONTENTS

§C 226 – 02	Specification for Air-Entraining Additions for Use in the Manufacture of Air-Entraining Hydraulic Cement
C 230 / C 230M – 03	Specification for Flow Table for Use in Tests of Hydraulic Cement
C 243	Test Method for Bleeding of Cement Pastes and Mortars (Withdrawn 2001+)
C 265 – 03a	Test Method for Water-Extractable Sulfate in Hydrated Hydraulic Cement Mortar
C 266 – 03	Test Method for Time of Setting of Hydraulic-Cement Paste by Gillmore Needles
C 305 – 99 ^{e1}	Practice for Mechanical Mixing of Hydraulic Cement Pastes and Mortars of Plastic Consistency
§C 317 / C 317M – 00	Specification for Gypsum Concrete
C 318 / C 318M – 00 ^{e1}	Specification for Gypsum Formboard
C 348 – 02	Test Method for Flexural Strength of Hydraulic-Cement Mortars
C 349 – 02	Test Method for Compressive Strength of Hydraulic-Cement Mortars (Using Portions of Prisms Broken in Flexure)
C 359 – 03a	Test Method for Early Stiffening of Hydraulic Cement (Mortar Method)
C 400 – 98	Test Methods for Quicklime and Hydrated Lime for Neutralization of Waste Acid
C 430 – 96(2003)	Test Method for Fineness of Hydraulic Cement by the 45-µm (No. 325) Sieve
§C 442 / C 442M – 04	Specification for Gypsum Backing Board, Gypsum Coreboard, and Gypsum Shaftliner Board
C 451 – 04	Test Method for Early Stiffening of Hydraulic Cement (Paste Method)
C 452 – 02	Test Method for Potential Expansion of Portland-Cement Mortars Exposed to Sulfate
C 465 – 99	Specification for Processing Additions for Use in the Manufacture of Hydraulic Cements
C 471M – 01	Test Methods for Chemical Analysis of Gypsum and Gypsum Products [Metric]
§C 472 – 99(2004)	Test Methods for Physical Testing of Gypsum, Gypsum Plasters and Gypsum Concrete
C 473 – 03	Test Methods for Physical Testing of Gypsum Panel Products
C 474 – 02	Test Methods for Joint Treatment Materials for Gypsum Board Construction
§C 475 / C 475M – 02	Specification for Joint Compound and Joint Tape for Finishing Gypsum Board
C 490 – 00a	Practice for Use of Apparatus for the Determination of Length Change of Hardened Cement Paste, Mortar, and Concrete
C 511 – 03	Specification for Mixing Rooms, Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the Testing of Hydraulic Cements and Concretes
§C 514 – 01	Specification for Nails for the Application of Gypsum Board
C 563 – 03	Test Method for Optimum SO ₃ in Hydraulic Cement Using 24-h Compressive Strength
§C 587 – 02	Specification for Gypsum Veneer Plaster
§C 588 / C 588M – 03	Specification for Gypsum Base for Veneer Plasters
C 593 – 95(2000)	Specification for Fly Ash and Other Pozzolans for Use With Lime
§C 595 – 03	Specification for Blended Hydraulic Cements
C 596 – 01	Test Method for Drying Shrinkage of Mortar Containing Hydraulic Cement
§C 602 – 95a(2001)	Specification for Agricultural Liming Materials
§C 630 / C 630M – 03	Specification for Water-Resistant Gypsum Backing Board
C 631 – 95a(2000)	Specification for Bonding Compounds for Interior Gypsum Plastering
§C 645 – 04	Specification for Nonstructural Steel Framing Members
C 688 – 00	Specification for Functional Additions for Use in Hydraulic Cements
C 706 – 02	Specification for Limestone for Animal Feed Use
C 737 – 02	Specification for Limestone for Dusting of Coal Mines
§C 754 – 00	Specification for Installation of Steel Framing Members to Receive Screw-Attached Gypsum Panel Products
§C 778 – 02	Specification for Standard Sand
C 786 – 96(2003)	Test Method for Fineness of Hydraulic Cement and Raw Materials by the 300-µm (No. 50), 150-µm (No. 100), and 75-µm (No. 200) Sieves by Wet Methods
C 806 – 95	Test Method for Restrained Expansion of Expansive Cement Mortar
C 807 – 03a	Test Method for Time of Setting of Hydraulic Cement Mortar by Modified Vicat Needle
C 821 – 78(2000)	Specification for Lime for Use with Pozzolans
§C 840 – 04	Specification for Application and Finishing of Gypsum Board
§C 841 – 03	Specification for Installation of Interior Lathing and Furring
C 842 – 99	Specification for Application of Interior Gypsum Plaster
§C 843 – 99 ^{e1}	Specification for Application of Gypsum Veneer Plaster
§C 844 – 99	Specification for Application of Gypsum Base to Receive Gypsum Veneer Plaster
C 845 – 96	Specification for Expansive Hydraulic Cement
§C 847 – 95(2000)	Specification for Metal Lath
C 897 – 00	Specification for Aggregate for Job-Mixed Portland Cement-Based Plasters
C 911 – 99 ^{e1}	Specification for Quicklime, Hydrated Lime, and Limestone for Chemical Uses
C 917 – 98	Test Method for Evaluation of Cement Strength Uniformity From a Single Source
C 926 – 98a	Specification for Application of Portland Cement-Based Plaster
§C 931 / C 931M – 04	Specification for Exterior Gypsum Soffit Board
§C 932 – 03	Specification for Surface-Applied Bonding Compounds for Exterior Plastering
C 933 – 04	Specification for Welded Wire Lath
§C 954 – 00	Specification for Steel Drill Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Steel Studs from 0.033 in. (0.84 mm) to 0.112 in. (2.84 mm) in Thickness

CONTENTS

C 955 – 03	Specification for Load-Bearing (Transverse and Axial) Steel Studs, Runners (Tracks), and Bracing or Bridging for Screw Application of Gypsum Panel Products and Metal Plaster Bases
C 956 – 04	Specification for Installation of Cast-In-Place Reinforced Gypsum Concrete
§C 960 / C 960M – 04	Specification for Predecorated Gypsum Board
§C 977 – 03	Specification for Quicklime and Hydrated Lime for Soil Stabilization
§C 1002 – 01	Specification for Steel Self-Piercing Tapping Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Wood Studs or Steel Studs
C 1005 – 00	Specification for Reference Masses and Devices for Determining Mass and Volume for Use in the Physical Testing of Hydraulic Cements
C 1007 – 04	Specification for Installation of Load Bearing (Transverse and Axial) Steel Studs and Related Accessories
C 1012 – 04	Test Method for Length Change of Hydraulic-Cement Mortars Exposed to a Sulfate Solution
C 1032 – 04	Specification for Woven Wire Plaster Base
C 1038 – 01 ^{e1}	Test Method for Expansion of Hydraulic Cement Mortar Bars Stored in Water
§C 1047 – 99(2004)	Specification for Accessories for Gypsum Wallboard and Gypsum Veneer Base
§C 1063 – 03	Specification for Installation of Lathing and Furring to Receive Interior and Exterior Portland Cement-Based Plaster
C 1097 – 95(2001)	Specification for Hydrated Lime for Use in Asphaltic-Concrete Mixtures
C 1157 – 03	Performance Specification for Hydraulic Cement
C 1164 – 92(2003)	Practice for Evaluation of Limestone or Lime Uniformity From a Single Source
C 1177 / C 1177M – 04	Specification for Glass Mat Gypsum Substrate for Use as Sheathing
C 1178 / C 1178M – 04	Specification for Glass Mat Water-Resistant Gypsum Backing Panel
C 1222 – 03	Practice for Evaluation of Laboratories Testing Hydraulic Cement
C 1264 – 99(2004)	Specification for Sampling, Inspection, Rejection, Certification, Packaging, Marking, Shipping, Handling, and Storage of Gypsum Board
C 1271 – 99	Test Method for X-ray Spectrometric Analysis of Lime and Limestone
C 1278 / C 1278M – 03	Specification for Fiber-Reinforced Gypsum Panel
C 1280 – 04	Specification for Application of Gypsum Sheathing
C 1301 – 95(2001)	Test Method for Major and Trace Elements in Limestone and Lime by Inductively Coupled Plasma-Atomic Emission Spectroscopy (ICP) and Atomic Absorption (AA)
C 1318 – 95(2001)	Test Method for Determination of Total Neutralizing Capability and Dissolved Calcium and Magnesium Oxide in Lime for Flue Gas Desulfurization (FGD)
C 1328 – 03a	Specification for Plastic (Stucco) Cement
C 1329 – 04	Specification for Mortar Cement
C 1355 / C 1355M – 96(2001)	Specification for Glass Fiber Reinforced Gypsum Composites
C 1356 – 96(2001)	Test Method for Quantitative Determination of Phases in Portland Cement Clinker by Microscopical Point-Count Procedure
C 1365 – 98	Test Method for Determination of the Proportion of Phases in Portland Cement and Portland-Cement Clinker Using X-Ray
C 1381 – 97(2002) ^{e1}	Specification for Molded Glass Fiber Reinforced Gypsum Parts
C 1395 / C 1395M – 04	Specification for Gypsum Ceiling Board
C 1396 / C 1396M – 04	Specification for Gypsum Board
C 1397 – 03	Practice for Application of Class PB Exterior Insulation and Finish Systems
C 1437 – 01	Test Method for Flow of Hydraulic Cement Mortar
C 1467 / C 1467M – 00	Specification for Installation of Molded Glass Fiber Reinforced Gypsum Parts
C 1489 – 01	Specification for Lime Putty for Structural Purposes
C 1506 – 03	Test Method for Water Retention of Hydraulic Cement-Based Mortars and Plasters
C 1513 – 01	Specification for Steel Tapping Screws for Cold-Formed Steel Framing Connections
C 1516 – 02	Practice for Application of Direct-Applied Exterior Finish Systems
C 1529 – 02a	Specification for Quicklime, Hydrated Lime, and Limestone for Environmental Uses
C 1535 – 04	Practice for Application of Exterior Insulation and Finish Systems Class PI
C 1546 – 02	Guide for Installation of Gypsum Products in Concealed Radiant Ceiling Heating Systems
C 1565 – 03	Test Method for Determination of Pack-Set Index of Portland Cement
C 1597M – 04	Specification for Gypsum Wallboard (Hard Metric Sizes)

RELATED MATERIAL

MANUAL OF CEMENT TESTING
 METRIC PRACTICE GUIDE FOR CEMENT
 SI Quick Reference Guide
 Index