

ANNUAL BOOK OF ASTM STANDARDS

2004

SECTION FOUR **Construction**



VOLUME 04.07

**Building Seals and Sealants; Fire
Standards; Dimension Stone**

Revision Issued Annually



INTERNATIONAL

Standards Worldwide



Contents

2004 ANNUAL BOOK OF ASTM STANDARDS, VOLUME 04.07

STANDARDS RELATING TO BUILDING SEALS AND SEALANTS; FIRE STANDARDS; DIMENSION STONE

A complete Subject Index appears at the end of this volume.

Listed below are those standards included in this volume(s) and those standards that have appeared previously which have been discontinued within the past three years.

In the serial designations prefixed to the following titles, the number following the dash indicates the year of original adoption as standard or, in the case of revision, the year of last revision. Thus, standards adopted or revised during the year 2004 have as their final number, 04. A letter following this number indicates more than one revision during that year, that is, 04a indicates the second revision in 2004, 04b, the third revision, etc. Standards that have been reapproved without change are indicated by the year of last reapproval in parentheses as part of the designation number, for example, (2004). A superscript epsilon indicates an editorial change since the last revision or reapproval—^{ε1} for the first change, ^{ε2} for the second change, etc.

§C 97 – 02	Test Methods for Absorption and Bulk Specific Gravity of Dimension Stone
§C 99 – 87(2000)	Test Method for Modulus of Rupture of Dimension Stone
§C 119 – 04a	Terminology Relating to Dimension Stone
§C 120 – 00	Test Methods of Flexure Testing of Slate (Modulus of Rupture, Modulus of Elasticity)
§C 121 – 90(1999)	Test Method for Water Absorption of Slate
§C 170 – 90(1999)	Test Method for Compressive Strength of Dimension Stone
§C 217 – 94(1999)	Test Method for Weather Resistance of Slate
§C 241 – 90(1997) ^{ε1}	Test Method for Abrasion Resistance of Stone Subjected to Foot Traffic
C 406 – 00	Specification for Roofing Slate
C 503 – 03	Specification for Marble Dimension Stone (Exterior)
§C 509 – 00	Specification for Elastomeric Cellular Preformed Gasket and Sealing Material
C 510 – 90(1997) ^{ε1}	Test Method for Staining and Color Change of Single- or Multicomponent Joint Sealants
§C 542 – 94(1999)	Specification for Lock-Strip Gaskets
§C 564 – 03a	Specification for Rubber Gaskets for Cast Iron Soil Pipe and Fittings
§C 568 – 03	Specification for Limestone Dimension Stone
§C 570	Specification for Oil- and Resin-Base Caulking Compound for Building Construction (Withdrawn 2002†)
§C 603 – 04	Test Method for Extrusion Rate and Application Life of Elastomeric Sealants
§C 615 – 03	Specification for Granite Dimension Stone
§C 616 – 03	Specification for Quartz-Based Dimension Stone
§C 629 – 03	Specification for Slate Dimension Stone
§C 639 – 01	Test Method for Rheological (Flow) Properties of Elastomeric Sealants
§C 661 – 98	Test Method for Indentation Hardness of Elastomeric-Type Sealants by Means of a Durometer
§C 669	Specification for Glazing Compounds for Back Bedding and Face Glazing of Metal Sash (Withdrawn 2002†)
§C 679 – 03	Test Method for Tack-Free Time of Elastomeric Sealants
C 681 – 03	Test Method for Volatility of Oil- and Resin-Based, Knife-Grade, Channel Glazing Compounds
C 711 – 03	Test Method for Low-Temperature Flexibility and Tenacity of One-Part, Elastomeric, Solvent-Release Type Sealants
C 712 – 03	Test Method for Bubbling of One-Part, Elastomeric, Solvent-Release Type Sealants
C 713	Test Method for Slump of an Oil-Base Knife-Grade Channel Glazing Compound (Withdrawn 2002†)
C 716 – 00	Specification for Installing Lock-Strip Gaskets and Infill Glazing Materials
C 717 – 04a	Terminology of Building Seals and Sealants

§Approved for use by agencies of the Department of Defense and, if indicated on the standard, replaces corresponding Federal or Military document. Consult the DoD Index of Specifications and Standards for the specific year of issue which has been adopted by the Department of Defense.

*Adopted by American National Standards Institute.

†Although this standard has been officially withdrawn from Society approval, a brief description is included for information only.

CONTENTS

C 718	Test Method for Ultraviolet (UV)-Cold Box Exposure of One-Part, Elastomeric, Solvent-Release Type Sealants (Withdrawn 2002†)
§C 719 – 93(1998)	Test Method for Adhesion and Cohesion of Elastomeric Joint Sealants Under Cyclic Movement (Hockman Cycle),
C 731 – 00	Test Method for Extrudability, After Package Aging, of Latex Sealants
§C 732 – 01	Test Method for Aging Effects of Artificial Weathering on Latex Sealants
C 734 – 01	Test Method for Low-Temperature Flexibility of Latex Sealants After Artificial Weathering
C 736 – 00	Test Method for Extension-Recovery and Adhesion of Latex Sealants
C 741	Test Method for Accelerated Aging of Wood Sash Face Glazing Compound (Withdrawn 2002†)
C 742	Test Method for Degree of Set for Wood Sash Glazing Compound (Withdrawn 2002†)
C 765 – 97(2001) ^{e1}	Test Method for Low-Temperature Flexibility of Preformed Tape Sealants
C 771 – 03	Test Method for Weight Loss After Heat Aging of Preformed Tape Sealants
C 772 – 03	Test Method for Oil Migration or Plasticizer Bleed-Out of Preformed Tape Sealants
C 782 – 03	Test Method for Softness of Preformed Tape Sealants
§C 792 – 93(1998)	Test Method for Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants
§C 793 – 04	Test Method for Effects of Laboratory Accelerated Weathering on Elastomeric Joint Sealants
§C 794 – 01	Test Method for Adhesion-in-Peel of Elastomeric Joint Sealants
C 797	Practices for Use of Oil- and Resin-Based Putty and Glazing Compounds (Withdrawn 2002†)
§C 834 – 00 ^{e1}	Specification for Latex Sealants
§C 836 – 03	Specification for High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course
§C 864 – 99	Specification for Dense Elastomeric Compression Seal Gaskets, Setting Blocks, and Spacers
C 879 – 03	Test Methods for Release Papers Used with Preformed Tape Sealants
C 880 – 98	Test Method for Flexural Strength of Dimension Stone
C 898 – 01	Guide for Use of High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with Separate Wearing Course
C 906 – 00	Test Method for T-Peel Strength of Hot Applied Sealants
C 907 – 03	Test Method for Tensile Adhesive Strength of Preformed Tape Sealants by Disk Method
C 908 – 00	Test Method for Yield Strength of Preformed Tape Sealants
C 910 – 03	Test Method for Bond and Cohesion of One-Part Elastomeric Solvent Release-Type Sealants
C 919 – 02	Practice for Use of Sealants in Acoustical Applications
§C 920 – 02	Specification for Elastomeric Joint Sealants
C 957 – 04	Specification for High-Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane With Integral Wearing Surface
C 961 – 01	Test Method for Lap Shear Strength of Hot-Applied Sealants
C 963 – 00	Specification for Packaging, Identification, Shipment, and Storage of Lock-Strip Gaskets
§C 964 – 88(2002) ^{e1}	Guide for Lock-Strip Gasket Glazing
C 972 – 00	Test Method for Compression-Recovery of Tape Sealant
C 981 – 01	Guide for Design of Built-Up Bituminous Membrane Waterproofing Systems for Building Decks
C 1016 – 02	Test Method for Determination of Water Absorption of Sealant Backing (Joint Filler) Material
C 1021 – 01	Practice for Laboratories Engaged in Testing of Building Sealants
C 1083 – 00	Test Method for Water Absorption of Cellular Elastomeric Gaskets and Sealing Materials
C 1087 – 00	Test Method for Determining Compatibility of Liquid-Applied Sealants with Accessories Used in Structural Glazing Systems
C 1115 – 00	Specification for Dense Elastomeric Silicone Rubber Gaskets and Accessories
C 1127 – 01	Guide for Use of High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with an Integral Wearing Surface
C 1135 – 00	Test Method for Determining Tensile Adhesion Properties of Structural Sealants
C 1166 – 00	Test Method for Flame Propagation of Dense and Cellular Elastomeric Gaskets and Accessories
C 1173 – 02	Specification for Flexible Transition Couplings for Underground Piping Systems
C 1183 – 04	Test Method for Extrusion Rate of Elastomeric Sealants
C 1184 – 00a ^{e1}	Specification for Structural Silicone Sealants
C 1193 – 00	Guide for Use of Joint Sealants
C 1201 – 91(2003)	Test Method for Structural Performance of Exterior Dimension Stone Cladding Systems by Uniform Static Air Pressure Difference
C 1216 – 03	Test Method for Adhesion and Cohesion of One-Part Elastomeric Solvent Release Sealants
C 1241 – 00	Test Method for Volume Shrinkage of Latex Sealants During Cure
C 1242 – 04	Guide for Selection, Design, and Installation of Dimension Stone Anchoring Systems
C 1246 – 00	Test Method for Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants After Cure
C 1247 – 98(2004)	Test Method for Durability of Sealants Exposed to Continuous Immersion in Liquids
C 1248 – 04	Test Method for Staining of Porous Substrate by Joint Sealants
C 1249 – 93(2000)	Guide for Secondary Seal for Sealed Insulating Glass Units for Structural Sealant Glazing Applications

CONTENTS

C 1250 – 93(1998)	Test Method for Nonvolatile Content of Cold Liquid-Applied Elastomeric Waterproofing Membranes
C 1253 – 93(1998)	Test Method for Determining the Outgassing Potential of Sealant Backing
C 1257 – 04	Test Method for Accelerated Weathering of Solvent-Release-Type Sealants
C 1265 – 94(1999)	Test Method for Determining the Tensile Properties of an Insulating Glass Edge Seal for Structural Glazing Applications
C 1266 – 02	Test Method for Flow Characteristics of Preformed Tape Sealants
C 1277 – 04	Specification for Shielded Couplings Joining Hubless Cast Iron Soil Pipe and Fittings
C 1281 – 03	Specification for Preformed Tape Sealants for Glazing Applications
C 1294 – 01	Test Method for Compatibility of Insulating Glass Edge Sealants with Liquid-Applied Glazing Materials
C 1299 – 03	Guide for Use in Selection of Liquid-Applied Sealants
C 1305 – 00	Test Method for Crack Bridging Ability of Liquid-Applied Waterproofing Membrane
C 1306 – 00	Test Method for Hydrostatic Pressure Resistance of a Liquid-Applied Waterproofing Membrane
C 1311 – 02	Specification for Solvent Release Sealants
C 1330 – 02	Specification for Cylindrical Sealant Backing for Use with Cold Liquid-Applied Sealants
C 1352 – 96(2002)	Test Method for Flexural Modulus of Elasticity of Dimension Stone
C 1353 – 98 ^{e1}	Test Method Using the Taber Abraser for Abrasion Resistance of Dimension Stone Subjected to Foot Traffic
C 1354 – 96	Test Method for Strength of Individual Stone Anchorages in Dimension Stone
C 1367 – 01	Test Method for Heat Resistance of Hot-Applied Sealants Under Dead Load Shear
C 1369 – 02	Specification for Secondary Edge Sealants for Structurally Glazed Insulating Glass Units
C 1375 – 00	Guide for Substrates Used in Testing Building Seals and Sealants
C 1382 – 04	Test Method for Determining Tensile Adhesion Properties of Sealants When Used in Exterior Insulation and Finish Systems (EIFS) Joints
C 1392 – 00	Guide for Evaluating Failure of Structural Sealant Glazing
C 1394 – 03	Guide for In-Situ Structural Silicone Glazing Evaluation
C 1401 – 02	Guide for Structural Sealant Glazing
C 1440 – 03	Specification for Thermoplastic Elastomeric (TPE) Gasket Materials for Drain, Waste, and Vent (DWV), Sewer, Sanitary and Storm Plumbing Systems
C 1442 – 03	Practice for Conducting Tests on Sealants Using Artificial Weathering Apparatus
C 1460 – 04	Specification for Shielded Transition Couplings for Use With Dissimilar DWV Pipe and Fittings Above Ground
C 1461 – 02	Specification for Mechanical Couplings Using Thermoplastic Elastomeric (TPE) Gaskets for Joining Drain, Waste, and Vent (DWV), Sewer, Sanitary, and Storm Plumbing Systems for Above and Below Ground Use
C 1471 – 00	Guide for the Use of High Solids Content Cold Liquid-Applied Elastomeric Waterproofing Membrane on Vertical Surfaces
C 1472 – 00	Guide for Calculating Movement and Other Effects When Establishing Sealant Joint Width
C 1481 – 00	Guide for Use of Joint Sealants with Exterior Insulation and Finish Systems (EIFS)
C 1487 – 02	Guide for Remedying Structural Silicone Glazing
C 1496 – 01	Guide for Assessment and Maintenance of Exterior Dimension Stone Masonry Walls and Facades
C 1501 – 04	Test Method for Color Stability of Building Construction Sealants as Determined by Laboratory Accelerated Weathering Procedures
C 1515 – 01	Guide for Cleaning of Exterior Dimension Stone, Vertical And Horizontal Surfaces, New or Existing
C 1518 – 04	Specification for Precured Elastomeric Silicone Joint Sealants
C 1519 – 04	Practice for Evaluating Durability of Building Construction Sealants by Laboratory Accelerated Weathering Procedures
C 1520 – 02	Guide for Paintability of Latex Sealants
C 1521 – 02a	Practice for Evaluating Adhesion of Installed Weatherproofing Sealant Joints
C 1522 – 02	Test Method for Extensibility After Heat Aging of Cold Liquid-Applied Elastomeric Waterproofing Membranes
C 1523 – 04	Test Method for Determining Modulus, Tear and Adhesion Properties of Precured Elastomeric Joint Sealants
C 1526 – 03	Specification for Serpentine Dimension Stone
C 1527 – 03	Specification for Travertine Dimension Stone
C 1528 – 02	Guide for Selection of Dimension Stone for Exterior Use
C 1536 – 03	Test Method for Measuring the Yield for Aerosol Foam Sealants
C 1540 – 04	Specification for Heavy Duty Shielded Couplings Joining Hubless Cast Iron Soil Pipe and Fittings
C 1541 – 04	Specification for Shielded Transition Couplings Using Flexible Poly Vinyl Chloride (PVC) Gaskets to Connect Dissimilar DWV Pipe and Fittings
C 1564 – 04	Guide for Use of Silicone Sealants for Protective Glazing Systems

CONTENTS

C 1589 – 04	Practice for Outdoor Weathering of Construction Seals and Sealants
D 2202 – 00	Test Method for Slump of Sealants
D 2203 – 01	Test Method for Staining from Sealants
D 2249	Test Method for Predicting Effect of Weathering on Face Glazing and Bedding Compounds on Metal Sash (Withdrawn 2002†)
D 2376	Test Method for Slump of Face Glazing and Bedding Compounds on Metal Sash (Withdrawn 2002†)
D 2377 – 00	Test Method for Tack-Free Time of Caulking Compounds and Sealants
D 2450	Test Method for Bond of Oil- and Resin-Base Caulking Compounds (Withdrawn 2002†)
D 2451	Test Method for Degree of Set for Glazing Compounds on Metal Sash (Withdrawn 2002†)
D 2452 – 03	Test Method for Extrudability of Oil- and Resin-Base Caulking Compounds
D 2453 – 03	Test Method for Shrinkage and Tenacity of Oil- and Resin-Base Caulking Compounds
*§D 2859 – 04	Test Method for Ignition Characteristics of Finished Textile Floor Covering Materials
*§E 84 – 04	Test Method for Surface Burning Characteristics of Building Materials
*§E 108 – 04	Test Methods for Fire Tests of Roof Coverings
*E 119 – 00a	Test Methods for Fire Tests of Building Construction and Materials
*§E 136 – 04	Test Method for Behavior of Materials in a Vertical Tube Furnace at 750°C
*§E 162 – 02a	Test Method for Surface Flammability of Materials Using a Radiant Heat Energy Source
E 176 – 04a	Terminology of Fire Standards
*E 535 – 00	Practice for Preparation of Fire-Test-Response Standards
*E 603 – 04	Guide for Room Fire Experiments
*§E 648 – 03	Test Method for Critical Radiant Flux of Floor-Covering Systems Using a Radiant Heat Energy Source
*§E 662 – 03	Test Method for Specific Optical Density of Smoke Generated by Solid Materials
*§E 800 – 01	Guide for Measurement of Gases Present or Generated During Fires
*§E 814 – 02	Test Method for Fire Tests of Through-Penetration Fire Stops
*E 906 – 99	Test Method for Heat and Visible Smoke Release Rates for Materials and Products
*E 970 – 00	Test Method for Critical Radiant Flux of Exposed Attic Floor Insulation Using a Radiant Heat Energy Source
*E 1317 – 97a(2002)	Test Method for Flammability of Marine Surface Finishes
*E 1321 – 97a(2002)	Test Method for Determining Material Ignition and Flame Spread Properties
*E 1352 – 02	Test Method for Cigarette Ignition Resistance of Mock-Up Upholstered Furniture Assemblies
*E 1353 – 02	Test Methods for Cigarette Ignition Resistance of Components of Upholstered Furniture
*E 1354 – 04a	Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter
*E 1355 – 04	Guide for Evaluating the Predictive Capability of Deterministic Fire Models
*E 1472 – 03	Guide for Documenting Computer Software for Fire Models
*E 1474 – 04	Test Method for Determining the Heat Release Rate of Upholstered Furniture and Mattress Components or Composites Using a Bench Scale Oxygen Consumption Calorimeter
*E 1529 – 00	Test Methods for Determining Effects of Large Hydrocarbon Pool Fires on Structural Members and Assemblies
*E 1537 – 02a	Test Method for Fire Testing of Upholstered Furniture
*E 1546 – 00	Guide for Development of Fire-Hazard-Assessment Standards
*E 1590 – 02	Test Method for Fire Testing of Mattresses
*E 1591 – 00	Guide for Data for Fire Models
*E 1623 – 04	Test Method for Determination of Fire and Thermal Parameters of Materials, Products, and Systems Using an Intermediate Scale Calorimeter (ICAL)
*E 1678 – 02	Test Method for Measuring Smoke Toxicity for Use in Fire Hazard Analysis
*E 1725 – 95(2001)	Test Methods for Fire Tests of Fire-Resistive Barrier Systems for Electrical System Components
*E 1740 – 02	Test Method for Determining the Heat Release Rate and Other Fire-Test-Response Characteristics of Wallcovering Composites Using a Cone Calorimeter
*E 1776 – 01	Guide for Development of Fire-Risk-Assessment Standards
*E 1822 – 02b	Test Method for Fire Testing of Stacked Chairs
*E 1895 – 04	Guide for Determining Uses and Limitations of Deterministic Fire Models
*E 1966 – 01	Test Method for Fire-Resistive Joint Systems
*E 1995 – 04a	Test Method for Measurement of Smoke Obscuration Using a Conical Radiant Source in a Single Closed Chamber, With the Test Specimen Oriented Horizontally
*E 2010 – 01	Test Method for Positive Pressure Fire Tests of Window Assemblies
*E 2032 – 99 ^{s1}	Guide for Extension of Data From Fire Endurance Tests
*E 2058 – 03	Test Methods for Measurement of Synthetic Polymer Material Flammability Using a Fire Propagation Apparatus (FPA)
*E 2061 – 03	Guide for Fire Hazard Assessment of Rail Transportation Vehicles
*E 2067 – 03	Practice for Full-Scale Oxygen Consumption Calorimetry Fire Tests
*E 2074 – 00	Test Method for Fire Tests of Door Assemblies, Including Positive Pressure Testing of Side-Hinged and Pivoted Swinging Door Assemblies

CONTENTS

- *E 2102 - 04a Test Method for Measurement of Mass Loss and Ignitability for Screening Purposes Using a
 Conical Radiant Heater
- *E 2187 - 04 Test Method for Measuring the Ignition Strength of Cigarettes
- *E 2226 - 02 Practice for Application of Hose Stream
- *E 2230 - 02 Practice for Thermal Qualification of Type B Packages for Radioactive Material
- *E 2231 - 02 Practice for Specimen Preparation and Mounting of Pipe and Duct Insulation Materials to
 Assess Surface Burning Characteristics
- *E 2257 - 03 Test Method for Room Fire Test of Wall and Ceiling Materials and Assemblies
- *E 2280 - 03 Guide for Fire Hazard Assessment of the Effect of Upholstered Seating Furniture Within Patient
 Rooms of Health Care Facilities
- *E 2307 - 04 Test Method for Determining Fire Resistance of Perimeter Fire Barriers Using Intermediate-
 Scale, Multi-story Test Apparatus
- *E 2335 - 04 Guide for Laboratory Monitors
- *E 2336 - 04 Test Methods for Fire Resistive Grease Duct Enclosure Systems

RELATED MATERIAL

SI Quick Reference Guide
Index