

---

# *Contents*

---

|  |           |
|--|-----------|
| Preface to the Second Edition.....   | xiii      |
| Preface to the First Edition.....  | xv        |
| Authors .....  | xvii      |
| <b>1. Fundamentals.....</b>  | <b>1</b>  |
| 1.1 Need for Turbine Blade Cooling .....   | 1         |
| 1.1.1 Recent Development in Aircraft Engines.....                                  | 1         |
| 1.1.2 Recent Development in Land-Based Gas Turbines.....                           | 3         |
| 1.2 Turbine-Cooling Technology .....   | 5         |
| 1.2.1 Concept of Turbine Blade Cooling .....                                       | 5         |
| 1.2.2 Typical Turbine-Cooling System .....   | 7         |
| 1.3 Turbine Heat Transfer and Cooling Issues.....                                  | 14        |
| 1.3.1 Turbine Blade Heat Transfer.....   | 14        |
| 1.3.2 Turbine Blade Internal Cooling .....   | 18        |
| 1.3.3 Turbine Blade Film Cooling .....   | 21        |
| 1.3.4 Thermal Barrier Coating and Heat Transfer.....                               | 21        |
| 1.4 Structure of the Book.....   | 22        |
| 1.5 Review Articles and Book Chapters on Turbine Cooling<br>and Heat Transfer..... | 23        |
| 1.6 New Information from 2000 to 2010.....   | 24        |
| 1.6.1 ASME Turbo Expo Conference CDs .....   | 25        |
| 1.6.2 Book Chapters and Review Articles .....                                      | 25        |
| 1.6.3 Structure of the Revised Book .....  | 26        |
| References .....   | 26        |
| <b>2. Turbine Heat Transfer.....</b>   | <b>31</b> |
| 2.1 Introduction .....   | 31        |
| 2.1.1 Combustor Outlet Velocity and Temperature Profiles .....                     | 31        |
| 2.2 Turbine-Stage Heat Transfer.....   | 35        |
| 2.2.1 Introduction .....   | 35        |
| 2.2.2 Real Engine Turbine Stage.....   | 35        |
| 2.2.3 Simulated Turbine Stage .....  | 43        |
| 2.2.4 Time-Resolved Heat-Transfer Measurements<br>on a Rotor Blade .....           | 49        |
| 2.3 Cascade Vane Heat-Transfer Experiments .....                                   | 52        |
| 2.3.1 Introduction.....  | 52        |
| 2.3.2 Effect of Exit Mach Number and Reynolds Number .....                         | 53        |
| 2.3.3 Effect of Free-Stream Turbulence .....                                       | 57        |

|         |  |     |
|---------|--|-----|
| 2.3.4   | Effect of Surface Roughness .....                                    | 58  |
| 2.3.5   | Annular Cascade Vane Heat Transfer .....                             | 62  |
| 2.4     | Cascade Blade Heat Transfer .....                                    | 66  |
| 2.4.1   | Introduction.....  | 66  |
| 2.4.2   | Unsteady Wake-Simulation Experiments .....                           | 67  |
| 2.4.3   | Wake-Affected Heat-Transfer Predictions.....                         | 74  |
| 2.4.4   | Combined Effects of Unsteady Wake and<br>Free-Stream Turbulence..... | 78  |
| 2.5     | Airfoil Endwall Heat Transfer.....                                   | 83  |
| 2.5.1   | Introduction.....  | 83  |
| 2.5.2   | Description of the Flow Field.....                                   | 83  |
| 2.5.3   | Endwall Heat Transfer .....  | 86  |
| 2.5.4   | Near-Endwall Heat Transfer .....                                     | 88  |
| 2.5.5   | Engine Condition Experiments .....                                   | 90  |
| 2.5.6   | Effect of Surface Roughness .....                                    | 92  |
| 2.6     | Turbine Rotor Blade Tip Heat Transfer .....                          | 94  |
| 2.6.1   | Introduction.....  | 94  |
| 2.6.2   | Blade Tip Region Flow Field and Heat Transfer.....                   | 95  |
| 2.6.3   | Flat-Blade Tip Heat Transfer.....                                    | 98  |
| 2.6.4   | Squealer- or Grooved-Blade-Tip Heat Transfer .....                   | 99  |
| 2.7     | Leading-Edge Region Heat Transfer .....                              | 106 |
| 2.7.1   | Introduction.....  | 106 |
| 2.7.2   | Effect of Free-Stream Turbulence .....                               | 108 |
| 2.7.3   | Effect of Leading-Edge Shape .....                                   | 113 |
| 2.7.4   | Effect of Unsteady Wake.....   | 114 |
| 2.8     | Flat-Surface Heat Transfer .....                                     | 118 |
| 2.8.1   | Introduction.....  | 118 |
| 2.8.2   | Effect of Free-Stream Turbulence .....                               | 118 |
| 2.8.3   | Effect of Pressure Gradient.....                                     | 123 |
| 2.8.4   | Effect of Streamwise Curvature.....                                  | 124 |
| 2.8.5   | Surface Roughness Effects.....                                       | 126 |
| 2.9     | New Information from 2000 to 2010.....                               | 128 |
| 2.9.1   | Endwall Heat Transfer .....  | 128 |
| 2.9.1.1 | Endwall Contouring .....   | 128 |
| 2.9.1.2 | Leading-Edge Modifications to Reduce<br>Secondary Flows.....         | 130 |
| 2.9.1.3 | Endwall Heat-Transfer Measurements.....                              | 131 |
| 2.9.2   | Turbine Tip and Casing Heat Transfer .....                           | 132 |
| 2.9.3   | Vane-Blade Interactions .....  | 136 |
| 2.9.3.1 | Cascade Studies.....   | 137 |
| 2.9.4   | Deposition and Roughness Effects.....                                | 138 |
| 2.9.5   | Combustor-Turbine Effects .....                                      | 139 |
| 2.9.6   | Transition-Induced Effects and Modeling .....                        | 141 |
| 2.10    | Closure.....   | 143 |
|         | References .....   | 144 |

|  |            |
|--|------------|
| <b>3. Turbine Film Cooling .....</b>   | <b>159</b> |
| 3.1    Introduction .....  | 159        |
| 3.1.1    Fundamentals of Film Cooling .....                                    | 159        |
| 3.2    Film Cooling on Rotating Turbine Blades .....                           | 162        |
| 3.3    Film Cooling on Cascade Vane Simulations .....                          | 169        |
| 3.3.1    Introduction .....  | 169        |
| 3.3.2    Effect of Film Cooling .....  | 171        |
| 3.3.3    Effect of Free-Stream Turbulence .....                                | 180        |
| 3.4    Film Cooling on Cascade Blade Simulations .....                         | 181        |
| 3.4.1    Introduction .....  | 181        |
| 3.4.2    Effect of Film Cooling .....  | 182        |
| 3.4.3    Effect of Free-Stream Turbulence .....                                | 185        |
| 3.4.4    Effect of Unsteady Wake .....   | 186        |
| 3.4.5    Combined Effect of Free-Stream Turbulence<br>and Unsteady Wakes ..... | 193        |
| 3.5    Film Cooling on Airfoil Endwalls .....                                  | 193        |
| 3.5.1    Introduction .....  | 193        |
| 3.5.2    Low-Speed Simulation Experiments.....                                 | 193        |
| 3.5.3    Engine Condition Experiments .....                                    | 200        |
| 3.5.4    Near-Endwall Film Cooling .....                                       | 201        |
| 3.6    Turbine Blade Tip Film Cooling.....                                     | 204        |
| 3.6.1    Introduction.....   | 204        |
| 3.6.2    Heat-Transfer Coefficient .....                                       | 205        |
| 3.6.3    Film Effectiveness.....   | 208        |
| 3.7    Leading-Edge Region Film Cooling .....                                  | 210        |
| 3.7.1    Introduction.....   | 210        |
| 3.7.2    Effect of Coolant-to-Mainstream Blowing Ratio .....                   | 211        |
| 3.7.3    Effect of Free-Stream Turbulence .....                                | 213        |
| 3.7.4    Effect of Unsteady Wake .....   | 218        |
| 3.7.5    Effect of Coolant-to-Mainstream Density Ratio.....                    | 218        |
| 3.7.6    Effect of Film Hole Geometry .....                                    | 224        |
| 3.7.7    Effect of Leading-Edge Shape .....                                    | 225        |
| 3.8    Flat-Surface Film Cooling .....   | 226        |
| 3.8.1    Introduction .....  | 226        |
| 3.8.2    Film-Cooled, Heat-Transfer Coefficient .....                          | 227        |
| 3.8.2.1    Effect of Blowing Ratio .....                                       | 228        |
| 3.8.2.2    Effect of Coolant-to-Mainstream Density<br>Ratio .....              | 229        |
| 3.8.2.3    Effect of Mainstream Acceleration .....                             | 231        |
| 3.8.2.4    Effect of Hole Geometry .....                                       | 233        |
| 3.8.3    Film-Cooling Effectiveness .....                                      | 239        |
| 3.8.3.1    Effect of Blowing Ratio .....                                       | 241        |
| 3.8.3.2    Effect of Coolant-to-Mainstream Density<br>Ratio .....              | 242        |
| 3.8.3.3    Film Effectiveness Correlations .....                               | 244        |

|           |   |            |
|-----------|---|------------|
| 3.8.3.4   | Effect of Streamwise Curvature and Pressure Gradient.....           | 250        |
| 3.8.3.5   | Effect of High Free-Stream Turbulence.....                          | 255        |
| 3.8.3.6   | Effect of Film Hole Geometry.....                                   | 257        |
| 3.8.3.7   | Effect of Coolant Supply Geometry .....                             | 260        |
| 3.8.3.8   | Effect of Surface Roughness .....                                   | 262        |
| 3.8.3.9   | Effect of Gap Leakage .....   | 262        |
| 3.8.3.10  | Effect of Bulk Flow Pulsations .....                                | 267        |
| 3.8.3.11  | Full-Coverage Film Cooling .....                                    | 267        |
| 3.9       | Discharge Coefficients of Turbine Cooling Holes .....               | 269        |
| 3.10      | Film-Cooling Effects on Aerodynamic Losses .....                    | 272        |
| 3.11      | New Information from 2000 to 2010.....                              | 276        |
| 3.11.1    | Film-Cooling-Hole Geometry .....                                    | 276        |
| 3.11.1.1  | Effect of Cooling-Hole Exit Shape and Geometry .....                | 276        |
| 3.11.1.2  | Trenching of Holes .....  | 281        |
| 3.11.1.3  | Deposition and Blockage Effects on Hole Exits .....                 | 288        |
| 3.11.2    | Endwall Film Cooling .....  | 289        |
| 3.11.3    | Turbine Blade Tip Film Cooling.....                                 | 299        |
| 3.11.4    | Turbine Trailing Edge Film Cooling .....                            | 308        |
| 3.11.5    | Airfoil Film Cooling .....  | 310        |
| 3.11.5.1  | Vane Film Cooling.....  | 310        |
| 3.11.5.2  | Blade Film Cooling.....   | 311        |
| 3.11.5.3  | Effect of Shocks.....   | 311        |
| 3.11.5.4  | Effect of Superposition on Film Effectiveness....                   | 312        |
| 3.11.6    | Novel Film-Cooling Designs.....                                     | 313        |
| 3.12      | Closure.....  | 315        |
|           | References .....  | 315        |
| <b>4.</b> | <b>Turbine Internal Cooling .....</b>                               | <b>329</b> |
| 4.1       | Jet Impingement Cooling .....                                       | 329        |
| 4.1.1     | Introduction .....  | 329        |
| 4.1.2     | Heat-Transfer Enhancement by a Single Jet .....                     | 329        |
| 4.1.2.1   | Effect of Jet-to-Target-Plate Spacing.....                          | 332        |
| 4.1.2.2   | Correlation for Single Jet Impingement Heat Transfer .....          | 333        |
| 4.1.2.3   | Effectiveness of Impinging Jets .....                               | 334        |
| 4.1.2.4   | Comparison of Circular to Slot Jets .....                           | 335        |
| 4.1.3     | Impingement Heat Transfer in the Midchord Region by Jet Array ..... | 336        |
| 4.1.3.1   | Jets with Large Jet-to-Jet Spacing .....                            | 337        |
| 4.1.3.2   | Effect of Wall-to-Jet-Array Spacing .....                           | 337        |
| 4.1.3.3   | Cross-Flow Effect and Heat-Transfer Correlation.....                | 339        |

|         |   |     |
|---------|---|-----|
| 4.1.3.4 | Effect of Initial Cross-Flow .....  | 345 |
| 4.1.3.5 | Effect of Cross-Flow Direction on Impingement Heat Transfer.....                | 346 |
| 4.1.3.6 | Effect of Coolant Extraction on Impingement Heat Transfer.....                  | 350 |
| 4.1.3.7 | Effect of Inclined Jets on Heat Transfer .....                                  | 354 |
| 4.1.4   | Impingement Cooling of the Leading Edge.....                                    | 355 |
| 4.1.4.1 | Impingement on a Curved Surface.....  | 355 |
| 4.1.4.2 | Impingement Heat Transfer in the Leading Edge .....                             | 356 |
| 4.2     | Rib-Turbulated Cooling.....   | 363 |
| 4.2.1   | Introduction.....   | 363 |
| 4.2.1.1 | Typical Test Facility.....  | 366 |
| 4.2.2   | Effects of Rib Layouts and Flow Parameters on Ribbed-Channel Heat Transfer..... | 368 |
| 4.2.2.1 | Effect of Rib Spacing on the Ribbed and Adjacent Smooth Sidewalls.....          | 369 |
| 4.2.2.2 | Angled Ribs.....  | 370 |
| 4.2.2.3 | Effect of Channel Aspect Ratio with Angled Ribs .....                           | 371 |
| 4.2.2.4 | Comparison of Different Angled Ribs .....                                       | 372 |
| 4.2.3   | Heat-Transfer Coefficient and Friction Factor Correlation .....                 | 375 |
| 4.2.4   | High-Performance Ribs.....  | 380 |
| 4.2.4.1 | V-Shaped Rib .....  | 380 |
| 4.2.4.2 | V-Shaped Broken Rib .....   | 383 |
| 4.2.4.3 | Wedge- and Delta-Shaped Rib .....   | 384 |
| 4.2.5   | Effect of Surface-Heating Condition .....                                       | 387 |
| 4.2.6   | Nonrectangular Cross-Section Channels.....                                      | 390 |
| 4.2.7   | Effect of High Blockage-Ratio Ribs .....  | 403 |
| 4.2.8   | Effect of Rib Profile.....  | 406 |
| 4.2.9   | Effect of Number of Ribbed Walls.....   | 413 |
| 4.2.10  | Effect of a 180° Sharp Turn .....   | 421 |
| 4.2.11  | Detailed Heat-Transfer Coefficient Measurements in a Ribbed Channel .....       | 430 |
| 4.2.12  | Effect of Film-Cooling Hole on Ribbed-Channel Heat Transfer .....               | 437 |
| 4.3     | Pin-Fin Cooling .....   | 442 |
| 4.3.1   | Introduction.....   | 442 |
| 4.3.2   | Flow and Heat-Transfer Analysis with Single Pin .....                           | 446 |
| 4.3.3   | Pin Array and Correlation.....  | 451 |
| 4.3.4   | Effect of Pin Shape on Heat Transfer .....                                      | 459 |
| 4.3.5   | Effect of Nonuniform Array and Flow Convergence .....                           | 464 |
| 4.3.6   | Effect of Skewed Pin Array .....  | 467 |

|           |  |            |
|-----------|--|------------|
| 4.3.7     | Partial Pin Arrangements .....   | 470        |
| 4.3.8     | Effect of Turning Flow .....   | 472        |
| 4.3.9     | Pin-Fin Cooling with Ejection .....  | 472        |
| 4.3.10    | Effect of Missing Pin on Heat-Transfer Coefficient .....                       | 478        |
| 4.4       | Compound and New Cooling Techniques.....                                       | 479        |
| 4.4.1     | Introduction .....   | 479        |
| 4.4.2     | Impingement on Ribbed Walls .....  | 479        |
| 4.4.3     | Impingement on Pinned and Dimpled Walls.....                                   | 484        |
| 4.4.4     | Combined Effect of Ribbed Wall with Grooves .....                              | 489        |
| 4.4.5     | Combined Effect of Ribbed Wall with Pins and Impingement Inlet Conditions..... | 491        |
| 4.4.6     | Combined Effect of Swirl Flow and Ribs .....                                   | 495        |
| 4.4.7     | Impingement Heat Transfer with Perforated Baffles .....                        | 500        |
| 4.4.8     | Combined Effect of Swirl and Impingement .....                                 | 504        |
| 4.4.9     | Concept of Heat Pipe for Turbine Cooling .....                                 | 505        |
| 4.4.10    | New Cooling Concepts .....   | 509        |
| 4.5       | New Information from 2000 to 2010 .....  | 510        |
| 4.5.1     | Rib Turbulated Cooling .....   | 510        |
| 4.5.2     | Impingement Cooling on Rough Surface .....                                     | 514        |
| 4.5.3     | Trailing Edge Cooling .....  | 517        |
| 4.5.4     | Dimpled and Pin-Finned Channels .....  | 518        |
| 4.5.5     | Combustor Liner Cooling and Effusion Cooling .....                             | 519        |
| 4.5.6     | Innovative Cooling Approaches and Methods .....                                | 523        |
|           | References .....   | 525        |
| <b>5.</b> | <b>Turbine Internal Cooling with Rotation .....</b>                            | <b>537</b> |
| 5.1       | Rotational Effects on Cooling.....   | 537        |
| 5.2       | Smooth-Wall Coolant Passage.....   | 538        |
| 5.2.1     | Effect of Rotation on Flow Field.....  | 538        |
| 5.2.2     | Effect of Rotation on Heat Transfer .....                                      | 545        |
| 5.2.2.1   | Effect of Rotation Number .....  | 546        |
| 5.2.2.2   | Effect of Density Ratio .....  | 547        |
| 5.2.2.3   | Combined Effects of Rotation Number and Density Ratio .....                    | 548        |
| 5.2.2.4   | Effect of Surface-Heating Condition .....                                      | 550        |
| 5.2.2.5   | Effect of Rotation Number and Wall-Heating Condition .....                     | 554        |
| 5.3       | Heat Transfer in a Rib-Turbulated Rotating Coolant Passage .....               | 556        |
| 5.3.1     | Effect of Rotation on Rib-Turbulated Flow .....                                | 556        |
| 5.3.2     | Effect of Rotation on Heat Transfer in Channels with 90° Ribs .....            | 559        |
| 5.3.2.1   | Effect of Rotation Number .....  | 560        |
| 5.3.2.2   | Effect of Wall-Heating Condition .....   | 563        |

|           |   |            |
|-----------|---|------------|
| 5.3.3     | Effect of Rotation on Heat Transfer for Channels<br>with Angled (Skewed) Ribs.....                              | 565        |
| 5.3.3.1   | Effect of Angled Ribs and Heating<br>Condition.....   | 567        |
| 5.3.3.2   | Comparison of Orthogonal and Angled Ribs .....  | 572        |
| 5.4       | Effect of Channel Orientation with Respect to the Rotation<br>Direction on Both Smooth and Ribbed Channels..... | 572        |
| 5.4.1     | Effect of Rotation Number.....  | 572        |
| 5.4.2     | Effect of Model Orientation and Wall-Heating<br>Condition.....  | 574        |
| 5.5       | Effect of Channel Cross Section on Rotating Heat Transfer.....  | 582        |
| 5.5.1     | Triangular Cross Section .....  | 582        |
| 5.5.2     | Rectangular Channel .....   | 585        |
| 5.5.3     | Circular Cross Section.....   | 587        |
| 5.5.4     | Two-Pass Triangular Duct .....  | 588        |
| 5.6       | Different Proposed Correlation to Relate the Heat Transfer<br>with Rotational Effects .....                     | 596        |
| 5.7       | Heat-Mass-Transfer Analogy and Detail Measurements.....   | 603        |
| 5.8       | Rotation Effects on Smooth-Wall Impingement Cooling .....   | 604        |
| 5.8.1     | Rotation Effects on Leading-Edge Impingement<br>Cooling .....   | 604        |
| 5.8.2     | Rotation Effect on Midchord Impingement Cooling .....   | 613        |
| 5.8.3     | Effect of Film-Cooling Hole.....  | 618        |
| 5.9       | Rotational Effects on Rib-Turbulated Wall Impingement<br>Cooling .....  | 619        |
| 5.10      | New Information from 2000 to 2010.....  | 623        |
| 5.10.1    | Heat Transfer in Rotating Triangular Cooling<br>Channels .....  | 625        |
| 5.10.2    | Heat Transfer in Rotating Wedge-Shaped Cooling<br>Channels .....  | 633        |
| 5.10.3    | Effect of Aspect Ratio and Rib Configurations on<br>Rotating Channel Heat Transfer.....                         | 643        |
| 5.10.4    | Effect of High Rotation Number and Entrance<br>Geometry on Rectangular Channel Heat Transfer.....               | 666        |
|           | References .....  | 683        |
| <b>6.</b> | <b>Experimental Methods .....</b>   | <b>689</b> |
| 6.1       | Introduction .....  | 689        |
| 6.2       | Heat-Transfer Measurement Techniques .....  | 689        |
| 6.2.1     | Introduction .....  | 689        |
| 6.2.2     | Heat Flux Gages .....   | 690        |
| 6.2.3     | Thin-Foil Heaters with Thermocouples.....   | 693        |
| 6.2.4     | Copper Plate Heaters with Thermocouples .....   | 697        |
| 6.2.5     | Transient Technique .....   | 698        |

|         |   |     |
|---------|---|-----|
| 6.3     | Mass-Transfer Analogy Techniques .....              | 699 |
| 6.3.1   | Introduction .....                                  | 699 |
| 6.3.2   | Naphthalene Sublimation Technique .....             | 699 |
| 6.3.3   | Foreign-Gas Concentration Sampling Technique .....  | 703 |
| 6.3.4   | Swollen-Polymer Technique .....                     | 705 |
| 6.3.5   | Ammonia-Diazo Technique .....                       | 706 |
| 6.3.6   | Pressure-Sensitive Paint Techniques .....           | 707 |
| 6.3.7   | Thermographic Phosphors .....                       | 710 |
| 6.4     | Liquid Crystal Thermography .....                   | 713 |
| 6.4.1   | Steady-State Yellow-Band Tracking Technique .....   | 713 |
| 6.4.2   | Steady-State HSI Technique .....                    | 714 |
| 6.4.3   | Transient HSI Technique .....                       | 717 |
| 6.4.4   | Transient Single-Color Capturing Technique .....    | 719 |
| 6.5     | Flow and Thermal Field Measurement Techniques ..... | 726 |
| 6.5.1   | Introduction .....                                  | 726 |
| 6.5.2   | Five-Hole Probe/Thermocouples .....                 | 726 |
| 6.5.3   | Hot-Wire/Cold-Wire Anemometry .....                 | 728 |
| 6.5.4   | Laser Doppler Velocimetry .....                     | 729 |
| 6.5.5   | Particle Image Velocimetry .....                    | 731 |
| 6.5.6   | Laser Holographic Interferometry .....              | 734 |
| 6.5.7   | Surface Visualization .....                         | 734 |
| 6.6     | New Information from 2000 to 2010 .....             | 739 |
| 6.6.1   | Transient Thin-Film Heat Flux Gages .....           | 739 |
| 6.6.2   | Advanced Liquid Crystal Thermography .....          | 743 |
| 6.6.3   | Infrared Thermography .....                         | 746 |
| 6.6.4   | Pressure-Sensitive Paint .....                      | 749 |
| 6.6.5   | Temperature-Sensitive Paint .....                   | 755 |
| 6.6.6   | Flow and Thermal Field Measurements .....           | 759 |
| 6.7     | Closure .....                                       | 761 |
|         | References .....                                    | 761 |
| 7.      | <b>Numerical Modeling .....</b>                     | 771 |
| 7.1     | Governing Equations and Turbulence Models .....     | 771 |
| 7.1.1   | Introduction .....                                  | 771 |
| 7.1.2   | Governing Equations .....                           | 772 |
| 7.1.3   | Turbulence Models .....                             | 773 |
| 7.1.3.1 | Standard $k-\epsilon$ Model .....                   | 773 |
| 7.1.3.2 | Low-Re $k-\epsilon$ Model .....                     | 774 |
| 7.1.3.3 | Two-Layer $k-\epsilon$ Model .....                  | 775 |
| 7.1.3.4 | $k-\omega$ Model .....                              | 775 |
| 7.1.3.5 | Baldwin–Lomax Model .....                           | 776 |
| 7.1.3.6 | Second-Moment Closure Model .....                   | 777 |
| 7.1.3.7 | Algebraic Closure Model .....                       | 777 |
| 7.2     | Numerical Prediction of Turbine Heat Transfer ..... | 779 |
| 7.2.1   | Introduction .....                                  | 779 |

|           |   |            |
|-----------|---|------------|
| 7.2.2     | Prediction of Turbine Blade/Vane Heat Transfer .....  | 779        |
| 7.2.3     | Prediction of the Endwall Heat Transfer.....          | 785        |
| 7.2.4     | Prediction of Blade Tip Heat Transfer.....            | 787        |
| 7.3       | Numerical Prediction of Turbine Film Cooling.....     | 789        |
| 7.3.1     | Introduction.....                                     | 789        |
| 7.3.2     | Prediction of Flat-Surface Film Cooling .....         | 791        |
| 7.3.3     | Prediction of Leading-Edge Film Cooling .....         | 796        |
| 7.3.4     | Prediction of Turbine Blade Film Cooling.....         | 798        |
| 7.4       | Numerical Prediction of Turbine Internal Cooling..... | 799        |
| 7.4.1     | Introduction .....                                    | 799        |
| 7.4.2     | Effect of Rotation.....                               | 799        |
| 7.4.3     | Effect of 180° Turn.....                              | 803        |
| 7.4.4     | Effect of Transverse Ribs.....                        | 809        |
| 7.4.5     | Effect of Angled Ribs.....                            | 809        |
| 7.4.6     | Effect of Rotation on Channel Shapes .....            | 815        |
| 7.4.7     | Effect of Coolant Extraction .....                    | 818        |
| 7.5       | New Information from 2000 to 2010.....                | 820        |
| 7.5.1     | CFD for Turbine Film Cooling .....                    | 820        |
| 7.5.2     | CFD for Turbine Internal Cooling .....                | 823        |
| 7.5.3     | CFD for Conjugate Heat Transfer and Film Cooling..... | 825        |
| 7.5.4     | CFD for Turbine Heat Transfer .....                   | 829        |
|           | References .....                                      | 830        |
| <b>8.</b> | <b>Final Remarks .....</b>                            | <b>841</b> |
| 8.1       | Turbine Heat Transfer and Film Cooling .....          | 841        |
| 8.2       | Turbine Internal Cooling with Rotation .....          | 841        |
| 8.3       | Turbine Edge Heat Transfer and Cooling.....           | 842        |
| 8.4       | New Information from 2000 to 2010.....                | 842        |
| 8.5       | Closure.....  | 843        |
|           | <b>Index .....</b>                                    | <b>845</b> |