

# Contents

|   |             |
|---|-------------|
| <b>Preface to Fifth Edition</b>             | <b>xv</b>   |
| <b>Acknowledgements</b>                     | <b>xvii</b> |
| <b>1 Preliminaries: Computer Strategies</b> | <b>1</b>    |
| 1.1 Introduction                            | 1           |
| 1.2 Hardware                                | 2           |
| 1.3 Memory Management                       | 2           |
| 1.4 Vector Processors                       | 3           |
| 1.5 Multi-core Processors                   | 3           |
| 1.6 Co-processors                           | 4           |
| 1.7 Parallel Processors                     | 4           |
| 1.8 Applications Software                   | 5           |
| 1.8.1 Compilers                             | 5           |
| 1.8.2 Arithmetic                            | 6           |
| 1.8.3 Conditions                            | 7           |
| 1.8.4 Loops                                 | 8           |
| 1.9 Array Features                          | 9           |
| 1.9.1 Dynamic Arrays                        | 9           |
| 1.9.2 Broadcasting                          | 9           |
| 1.9.3 Constructors                          | 9           |
| 1.9.4 Vector Subscripts                     | 10          |
| 1.9.5 Array Sections                        | 11          |
| 1.9.6 Whole-array Manipulations             | 11          |
| 1.9.7 Intrinsic Procedures for Arrays       | 11          |
| 1.9.8 Modules                               | 12          |
| 1.9.9 Subprogram Libraries                  | 13          |
| 1.9.10 Structured Programming               | 15          |
| 1.10 Third-party Libraries                  | 17          |
| 1.10.1 BLAS Libraries                       | 17          |
| 1.10.2 Maths Libraries                      | 17          |
| 1.10.3 User Subroutines                     | 18          |
| 1.10.4 MPI Libraries                        | 18          |
| 1.11 Visualisation                          | 18          |
| 1.11.1 Starting ParaView                    | 19          |
| 1.11.2 Display Restrained Nodes             | 20          |

|          |  |           |
|----------|--|-----------|
| 1.11.3   | <i>Display Applied Loads</i>                                 | 21        |
| 1.11.4   | <i>Display Deformed Mesh</i>                                 | 21        |
| 1.12     | Conclusions  | 23        |
|          | References   | 24        |
| <b>2</b> | <b>Spatial Discretisation by Finite Elements</b>             | <b>25</b> |
| 2.1      | Introduction   | 25        |
| 2.2      | Rod Element  | 25        |
| 2.2.1    | <i>Rod Stiffness Matrix</i>                                  | 25        |
| 2.2.2    | <i>Rod Mass Element</i>                                      | 28        |
| 2.3      | The Eigenvalue Equation                                      | 28        |
| 2.4      | Beam Element   | 29        |
| 2.4.1    | <i>Beam Element Stiffness Matrix</i>                         | 29        |
| 2.4.2    | <i>Beam Element Mass Matrix</i>                              | 31        |
| 2.5      | Beam with an Axial Force                                     | 31        |
| 2.6      | Beam on an Elastic Foundation                                | 32        |
| 2.7      | General Remarks on the Discretisation Process                | 33        |
| 2.8      | Alternative Derivation of Element Stiffness                  | 33        |
| 2.9      | Two-dimensional Elements: Plane Stress                       | 35        |
| 2.10     | Energy Approach and Plane Strain                             | 38        |
| 2.10.1   | <i>Thermoelasticity</i>                                      | 39        |
| 2.11     | Plane Element Mass Matrix                                    | 40        |
| 2.12     | Axisymmetric Stress and Strain                               | 40        |
| 2.13     | Three-dimensional Stress and Strain                          | 42        |
| 2.14     | Plate Bending Element  | 44        |
| 2.15     | Summary of Element Equations for Solids                      | 47        |
| 2.16     | Flow of Fluids: Navier–Stokes Equations                      | 47        |
| 2.17     | Simplified Flow Equations                                    | 50        |
| 2.17.1   | <i>Steady State</i>  | 51        |
| 2.17.2   | <i>Transient State</i>                                       | 53        |
| 2.17.3   | <i>Convection</i>  | 53        |
| 2.18     | Further Coupled Equations: Biot Consolidation                | 54        |
| 2.19     | Conclusions  | 56        |
|          | References   | 56        |
| <b>3</b> | <b>Programming Finite Element Computations</b>               | <b>59</b> |
| 3.1      | Introduction   | 59        |
| 3.2      | Local Coordinates for Quadrilateral Elements                 | 59        |
| 3.2.1    | <i>Numerical Integration for Quadrilaterals</i>              | 61        |
| 3.2.2    | <i>Analytical Integration for Quadrilaterals</i>             | 63        |
| 3.3      | Local Coordinates for Triangular Elements                    | 64        |
| 3.3.1    | <i>Numerical Integration for Triangles</i>                   | 65        |
| 3.3.2    | <i>Analytical Integration for Triangles</i>                  | 65        |
| 3.4      | Multi-Element Assemblies                                     | 66        |
| 3.5      | ‘Element-by-Element’ Techniques                              | 68        |
| 3.5.1    | <i>Conjugate Gradient Method for Linear Equation Systems</i> | 68        |
| 3.5.2    | <i>Preconditioning</i>                                       | 69        |

|          |   |            |
|----------|---|------------|
| 3.5.3    | <i>Unsymmetric Systems</i>  | 70         |
| 3.5.4    | <i>Symmetric Non-Positive Definite Equations</i>  | 71         |
| 3.5.5    | <i>Eigenvalue Systems</i>   | 71         |
| 3.6      | <i>Incorporation of Boundary Conditions</i>   | 72         |
| 3.6.1    | <i>Convection Boundary Conditions</i>   | 74         |
| 3.7      | <i>Programming using Building Blocks</i>  | 75         |
| 3.7.1    | <i>Black Box Routines</i>   | 76         |
| 3.7.2    | <i>Special Purpose Routines</i>   | 77         |
| 3.7.3    | <i>Plane Elastic Analysis using Quadrilateral Elements</i>  | 77         |
| 3.7.4    | <i>Plane Elastic Analysis using Triangular Elements</i>   | 81         |
| 3.7.5    | <i>Axisymmetric Strain of Elastic Solids</i>  | 82         |
| 3.7.6    | <i>Plane Steady Laminar Fluid Flow</i>  | 83         |
| 3.7.7    | <i>Mass Matrix Formation</i>  | 83         |
| 3.7.8    | <i>Higher-Order 2D Elements</i>   | 84         |
| 3.7.9    | <i>Three-Dimensional Elements</i>   | 86         |
| 3.7.10   | <i>Assembly of Elements</i>   | 90         |
| 3.8      | <i>Solution of Equilibrium Equations</i>  | 95         |
| 3.9      | <i>Evaluation of Eigenvalues and Eigenvectors</i>   | 96         |
| 3.9.1    | <i>Jacobi Algorithm</i>   | 96         |
| 3.9.2    | <i>Lanczos and Arnoldi Algorithms</i>   | 98         |
| 3.10     | <i>Solution of First-Order Time-Dependent Problems</i>  | 99         |
| 3.11     | <i>Solution of Coupled Navier–Stokes Problems</i>   | 103        |
| 3.12     | <i>Solution of Coupled Transient Problems</i>   | 104        |
| 3.12.1   | <i>Absolute Load Version</i>  | 105        |
| 3.12.2   | <i>Incremental Load Version</i>   | 106        |
| 3.13     | <i>Solution of Second-Order Time-Dependent Problems</i>   | 106        |
| 3.13.1   | <i>Modal Superposition</i>  | 107        |
| 3.13.2   | <i>Newmark or Crank–Nicolson Method</i>   | 109        |
| 3.13.3   | <i>Wilson’s Method</i>  | 110        |
| 3.13.4   | <i>Complex Response</i>   | 111        |
| 3.13.5   | <i>Explicit Methods and Other Storage-Saving Strategies</i>   | 112        |
|          | <i>References</i>   | 113        |
| <b>4</b> | <b><i>Static Equilibrium of Structures</i></b>  | <b>115</b> |
| 4.1      | <i>Introduction</i>   | 115        |
|          | <i>Program 4.1 One-dimensional analysis of axially loaded elastic rods using 2-node rod elements</i>                                  | 116        |
|          | <i>Program 4.2 Analysis of elastic pin-jointed frames using 2-node rod elements in two or three dimensions</i>                        | 121        |
|          | <i>Program 4.3 Analysis of elastic beams using 2-node beam elements (elastic foundation optional)</i>                                 | 127        |
|          | <i>Program 4.4 Analysis of elastic rigid-jointed frames using 2-node beam/rod elements in two or three dimensions</i>                 | 133        |
|          | <i>Program 4.5 Analysis of elastic–plastic beams or frames using 2-node beam or beam/rod elements in one, two or three dimensions</i> | 141        |
|          | <i>Program 4.6 Stability (buckling) analysis of elastic beams using 2-node beam elements (elastic foundation optional)</i>            | 150        |

|          |  |            |
|----------|--|------------|
|          | Program 4.7 Analysis of plates using 4-node rectangular plate elements. Homogeneous material with identical elements. Mesh numbered in $x$ - or $y$ -direction   | 153        |
| 4.2      | Conclusions  | 157        |
| 4.3      | Glossary of Variable Names   | 157        |
| 4.4      | Exercises  | 159        |
|          | References   | 168        |
| <b>5</b> | <b>Static Equilibrium of Linear Elastic Solids</b>   | <b>169</b> |
| 5.1      | Introduction   | 169        |
|          | Program 5.1 Plane or axisymmetric strain analysis of a rectangular elastic solid using 3-, 6-, 10- or 15-node right-angled triangles or 4-, 8- or 9-node rectangular quadrilaterals. Mesh numbered in $x(r)$ - or $y(z)$ -direction  | 170        |
|          | Program 5.2 Non-axisymmetric analysis of a rectangular axisymmetric elastic solid using 8-node rectangular quadrilaterals. Mesh numbered in $r$ - or $z$ -direction  | 184        |
|          | Program 5.3 Three-dimensional analysis of a cuboidal elastic solid using 8-, 14- or 20-node brick hexahedra. Mesh numbered in $xz$ -planes then in the $y$ -direction  | 191        |
|          | Program 5.4 General 2D (plane strain) or 3D analysis of elastic solids. Gravity loading option   | 196        |
|          | Program 5.5 Plane or axisymmetric thermoelastic analysis of an elastic solid using 3-, 6-, 10- or 15-node right-angled triangles or 4-, 8- or 9-node rectangular quadrilaterals. Mesh numbered in $x(r)$ - or $y(z)$ -direction  | 205        |
|          | Program 5.6 Three-dimensional strain of a cuboidal elastic solid using 8-, 14- or 20-node brick hexahedra. Mesh numbered in $xz$ -planes then in the $y$ -direction. No global stiffness matrix assembly. Diagonally preconditioned conjugate gradient solver                                      | 209        |
|          | Program 5.7 Three-dimensional strain of a cuboidal elastic solid using 8-, 14- or 20-node brick hexahedra. Mesh numbered in $xz$ -planes then in the $y$ -direction. No global stiffness matrix. Diagonally preconditioned conjugate gradient solver. Optimised maths library, ABAQUS UMAT version | 213        |
| 5.2      | Glossary of Variable Names   | 221        |
| 5.3      | Exercises  | 224        |
|          | References   | 232        |
| <b>6</b> | <b>Material Non-linearity</b>  | <b>233</b> |
| 6.1      | Introduction   | 233        |
| 6.2      | Stress–strain Behaviour  | 235        |
| 6.3      | Stress Invariants  | 236        |
| 6.4      | Failure Criteria   | 238        |
|          | 6.4.1 <i>Von Mises</i>   | 238        |
|          | 6.4.2 <i>Mohr–Coulomb and Tresca</i>   | 239        |
| 6.5      | Generation of Body Loads   | 240        |
| 6.6      | Viscoplasticity  | 240        |

|      |  |     |
|------|--|-----|
| 6.7  | Initial Stress   | 242 |
| 6.8  | Corners on the Failure and Potential Surfaces  | 243 |
|      | Program 6.1 Plane-strain-bearing capacity analysis of an elastic–plastic (von Mises) material using 8-node rectangular quadrilaterals. Flexible smooth footing. Load control. Viscoplastic strain method   | 244 |
|      | Program 6.2 Plane-strain-bearing capacity analysis of an elastic–plastic (von Mises) material using 8-node rectangular quadrilaterals. Flexible smooth footing. Load control. Viscoplastic strain method. No global stiffness matrix assembly. Diagonally preconditioned conjugate gradient solver         | 250 |
|      | Program 6.3 Plane-strain-bearing capacity analysis of an elastic–plastic (Mohr–Coulomb) material using 8-node rectangular quadrilaterals. Rigid smooth footing. Displacement control. Viscoplastic strain method   | 254 |
|      | Program 6.4 Plane-strain slope stability analysis of an elastic–plastic (Mohr–Coulomb) material using 8-node rectangular quadrilaterals. Gravity loading. Viscoplastic strain method   | 260 |
|      | Program 6.5 Plane-strain earth pressure analysis of an elastic–plastic (Mohr–Coulomb) material using 8-node rectangular quadrilaterals. Rigid smooth wall. Initial stress method   | 265 |
| 6.9  | Elastoplastic Rate Integration   | 270 |
|      | 6.9.1 Forward Euler Method   | 272 |
|      | 6.9.2 Backward Euler Method  | 274 |
| 6.10 | Tangent Stiffness Approaches   | 275 |
|      | 6.10.1 Inconsistent Tangent Matrix   | 275 |
|      | 6.10.2 Consistent Tangent Matrix   | 275 |
|      | 6.10.3 Convergence Criterion   | 276 |
|      | Program 6.6 Plane-strain-bearing capacity analysis of an elastic–plastic (von Mises) material using 8-node rectangular quadrilaterals. Flexible smooth footing. Load control. Consistent tangent stiffness. Closest point projection method (CPPM)   | 277 |
|      | Program 6.7 Plane-strain-bearing capacity analysis of an elastic–plastic (von Mises) material using 8-node rectangular quadrilaterals. Flexible smooth footing. Load control. Consistent tangent stiffness. CPPM. No global stiffness matrix assembly. Diagonally preconditioned conjugate gradient solver | 282 |
|      | Program 6.8 Plane-strain-bearing capacity analysis of an elastic–plastic (von Mises) material using 8-node rectangular quadrilaterals. Flexible smooth footing. Load control. Consistent tangent stiffness. Radial return method (RR) with ‘line search’   | 286 |
| 6.11 | The Geotechnical Processes of Embanking and Excavation   | 289 |
|      | 6.11.1 Embanking   | 289 |
|      | Program 6.9 Plane-strain construction of an elastic–plastic (Mohr–Coulomb) embankment in layers on a foundation using 8-node quadrilaterals. Viscoplastic strain method  | 290 |
|      | 6.11.2 Excavation  | 294 |

|          |  |            |
|----------|--|------------|
|          | Program 6.10 Plane-strain construction of an elastic–plastic (Mohr–Coulomb) excavation in layers using 8-node quadrilaterals. Viscoplastic strain method   | 300        |
| 6.12     | Undrained Analysis   | 305        |
|          | Program 6.11 Axisymmetric ‘undrained’ strain of an elastic–plastic (Mohr–Coulomb) solid using 8-node rectangular quadrilaterals. Viscoplastic strain method  | 308        |
|          | Program 6.12 Three-dimensional strain analysis of an elastic–plastic (Mohr–Coulomb) slope using 20-node hexahedra. Gravity loading. Viscoplastic strain method   | 313        |
|          | Program 6.13 Three-dimensional strain analysis of an elastic–plastic (Mohr–Coulomb) slope using 20-node hexahedra. Gravity loading. Viscoplastic strain method. No global stiffness matrix assembly. Diagonally preconditioned conjugate gradient solver | 319        |
| 6.13     | Glossary of Variable Names   | 322        |
| 6.14     | Exercises  | 327        |
|          | References   | 331        |
| <b>7</b> | <b>Steady State Flow</b>   | <b>333</b> |
| 7.1      | Introduction   | 333        |
|          | Program 7.1 One-dimensional analysis of steady seepage using 2-node line elements  | 334        |
|          | Program 7.2 Plane or axisymmetric analysis of steady seepage using 4-node rectangular quadrilaterals. Mesh numbered in $x(r)$ - or $y(z)$ -direction   | 337        |
|          | Program 7.3 Analysis of plane free surface flow using 4-node quadrilaterals. ‘Analytical’ form of element conductivity matrix  | 344        |
|          | Program 7.4 General two- (plane) or three-dimensional analysis of steady seepage   | 351        |
|          | Program 7.5 General two- (plane) or three-dimensional analysis of steady seepage. No global conductivity matrix assembly. Diagonally preconditioned conjugate gradient solver  | 355        |
| 7.2      | Glossary of Variable Names   | 359        |
| 7.3      | Exercises  | 361        |
|          | References   | 367        |
| <b>8</b> | <b>Transient Problems: First Order (Uncoupled)</b>   | <b>369</b> |
| 8.1      | Introduction   | 369        |
|          | Program 8.1 One-dimensional transient (consolidation) analysis using 2-node ‘line’ elements. Implicit time integration using the ‘theta’ method  | 370        |
|          | Program 8.2 One-dimensional transient (consolidation) analysis (settlement and excess pore pressure) using 2-node ‘line’ elements. Implicit time integration using the ‘theta’ method  | 373        |
|          | Program 8.3 One-dimensional consolidation analysis using 2-node ‘line’ elements. Explicit time integration. Element by element. Lumped mass  | 377        |

|              |   |            |
|--------------|---|------------|
| Program 8.4  | Plane or axisymmetric transient (consolidation) analysis using 4-node rectangular quadrilaterals. Mesh numbered in $x(r)$ - or $y(z)$ -direction. Implicit time integration using the 'theta' method  | 380        |
| Program 8.5  | Plane or axisymmetric transient (consolidation) analysis using 4-node rectangular quadrilaterals. Mesh numbered in $x(r)$ - or $y(z)$ -direction. Implicit time integration using the 'theta' method. No global stiffness matrix assembly. Diagonally preconditioned conjugate gradient solver  | 388        |
| Program 8.6  | Plane or axisymmetric transient (consolidation) analysis using 4-node rectangular quadrilaterals. Mesh numbered in $x(r)$ - or $y(z)$ -direction. Explicit time integration using the 'theta = 0' method  | 390        |
| Program 8.7  | Plane or axisymmetric transient (consolidation) analysis using 4-node rectangular quadrilaterals. Mesh numbered in $x(r)$ - or $y(z)$ -direction. 'theta' method using an element-by-element product algorithm  | 394        |
| 8.2          | Comparison of Programs 8.4, 8.5, 8.6 and 8.7  | 397        |
| Program 8.8  | General two- (plane) or three-dimensional transient (consolidation) analysis. Implicit time integration using the 'theta' method  | 397        |
| Program 8.9  | Plane analysis of the diffusion–convection equation using 4-node rectangular quadrilaterals. Implicit time integration using the 'theta' method. Self-adjoint transformation  | 401        |
| Program 8.10 | Plane analysis of the diffusion–convection equation using 4-node rectangular quadrilaterals. Implicit time integration using the 'theta' method. Untransformed solution   | 405        |
| Program 8.11 | Plane or axisymmetric transient thermal conduction analysis using 4-node rectangular quadrilaterals. Implicit time integration using the 'theta' method. Option of convection and flux boundary conditions  | 410        |
| 8.3          | Glossary of Variable Names  | 416        |
| 8.4          | Exercises   | 419        |
|              | References  | 422        |
| <b>9</b>     | <b>Coupled Problems</b>   | <b>423</b> |
| 9.1          | Introduction  | 423        |
| Program 9.1  | Analysis of the plane steady-state Navier–Stokes equation using 8-node rectangular quadrilaterals for velocities coupled to 4-node rectangular quadrilaterals for pressures. Mesh numbered in $x$ -direction. Freedoms numbered in the order $u - p - v$  | 424        |
| Program 9.2  | Analysis of the plane steady-state Navier–Stokes equation using 8-node rectangular quadrilaterals for velocities coupled to 4-node rectangular quadrilaterals for pressures. Mesh numbered in $x$ -direction. Freedoms numbered in the order $u - p - v$ . Element-by-element solution using BiCGStab(l) with no preconditioning. No global matrix assembly | 429        |

|              |   |            |
|--------------|---|------------|
| Program 9.3  | One-dimensional coupled consolidation analysis of a Biot poroelastic solid using 2-node ‘line’ elements. Freedoms numbered in the order $v - u_w$ .   | 433        |
| Program 9.4  | Plane strain consolidation analysis of a Biot elastic solid using 8-node rectangular quadrilaterals for displacements coupled to 4-node rectangular quadrilaterals for pressures. Freedoms numbered in order $u - v - u_w$ . Incremental load version   | 438        |
| Program 9.5  | Plane strain consolidation analysis of a Biot elastic solid using 8-node rectangular quadrilaterals for displacements coupled to 4-node rectangular quadrilaterals for pressures. Freedoms numbered in order $u - v - u_w$ . Incremental load version. No global stiffness matrix assembly. Diagonally preconditioned conjugate gradient solver | 445        |
| Program 9.6  | Plane strain consolidation analysis of a Biot poroelastic–plastic (Mohr–Coulomb) material using 8-node rectangular quadrilaterals for displacements coupled to 4-node rectangular quadrilaterals for pressures. Freedoms numbered in the order $u - v - u_w$ . Viscoplastic strain method   | 448        |
| 9.2          | Glossary of Variable Names  | 454        |
| 9.3          | Exercises   | 459        |
|              | References  | 460        |
| <b>10</b>    | <b>Eigenvalue Problems</b>  | <b>461</b> |
| 10.1         | Introduction  | 461        |
| Program 10.1 | Eigenvalue analysis of elastic beams using 2-node beam elements. Lumped mass  | 462        |
| Program 10.2 | Eigenvalue analysis of an elastic solid in plane strain using 4- or 8-node rectangular quadrilaterals. Lumped mass. Mesh numbered in $y$ -direction   | 465        |
| Program 10.3 | Eigenvalue analysis of an elastic solid in plane strain using 4-node rectangular quadrilaterals. Lanczos method. Consistent mass. Mesh numbered in $y$ -direction   | 469        |
| Program 10.4 | Eigenvalue analysis of an elastic solid in plane strain using 4-node rectangular quadrilaterals with ARPACK. Lumped mass. Element-by-element formulation. Mesh numbered in $y$ -direction   | 474        |
| 10.2         | Glossary of Variable Names  | 477        |
| 10.3         | Exercises   | 480        |
|              | References  | 482        |
| <b>11</b>    | <b>Forced Vibrations</b>  | <b>483</b> |
| 11.1         | Introduction  | 483        |
| Program 11.1 | Forced vibration analysis of elastic beams using 2-node beam elements. Consistent mass. Newmark time stepping   | 483        |
| Program 11.2 | Forced vibration analysis of an elastic solid in plane strain using 4- or 8-node rectangular quadrilaterals. Lumped mass. Mesh numbered in the $y$ -direction. Modal superposition  | 489        |



|              |   |            |
|--------------|---|------------|
| Program 11.3 | Forced vibration analysis of an elastic solid in plane strain using rectangular 8-node quadrilaterals. Lumped or consistent mass. Mesh numbered in the $y$ -direction. Implicit time integration using the ‘theta’ method   | 493        |
| Program 11.4 | Forced vibration analysis of an elastic solid in plane strain using rectangular 8-node quadrilaterals. Lumped or consistent mass. Mesh numbered in the $y$ -direction. Implicit time integration using Wilson’s method  | 498        |
| Program 11.5 | Forced vibration of a rectangular elastic solid in plane strain using 8-node quadrilateral elements numbered in the $y$ -direction. Lumped mass, complex response   | 501        |
| Program 11.6 | Forced vibration analysis of an elastic solid in plane strain using uniform size rectangular 4-node quadrilaterals. Mesh numbered in the $y$ -direction. Lumped or consistent mass. Mixed explicit/ implicit time integration   | 504        |
| Program 11.7 | Forced vibration analysis of an elastic solid in plane strain using rectangular 8-node quadrilaterals. Lumped or consistent mass. Mesh numbered in the $y$ -direction. Implicit time integration using the ‘theta’ method. No global matrix assembly. Diagonally preconditioned conjugate gradient solver | 508        |
| Program 11.8 | Forced vibration analysis of an elastic–plastic (von Mises) solid in plane strain using rectangular 8-node quadrilateral elements. Lumped mass. Mesh numbered in the $y$ -direction. Explicit time integration  | 512        |
| 11.2         | Glossary of Variable Names  | 517        |
| 11.3         | Exercises   | 521        |
|              | References  | 522        |
| <b>12</b>    | <b>Parallel Processing of Finite Element Analyses</b>   | <b>523</b> |
| 12.1         | Introduction  | 523        |
| 12.2         | Differences between Parallel and Serial Programs  | 525        |
| 12.2.1       | <i>Parallel Libraries</i>   | 525        |
| 12.2.2       | <i>Global Variables</i>   | 526        |
| 12.2.3       | <i>MPI Library Routines</i>   | 526        |
| 12.2.4       | <i>The <code>_pp</code> Appendage</i>   | 527        |
| 12.2.5       | <i>Simple Test Problems</i>   | 527        |
| 12.2.6       | <i>Reading and Writing</i>  | 530        |
| 12.2.7       | <i>rest Instead of nf</i>   | 532        |
| 12.2.8       | <i>Gathering and Scattering</i>   | 533        |
| 12.2.9       | <i>Reindexing</i>   | 533        |
| 12.2.10      | <i>Domain Composition</i>   | 533        |
| 12.2.11      | <i>Third-party Mesh-partitioning Tools</i>  | 534        |
| 12.2.12      | <i>Load Balancing</i>   | 535        |
| Program 12.1 | Three-dimensional analysis of an elastic solid. Compare Program 5.6   | 536        |
| Program 12.2 | Three-dimensional analysis of an elastoplastic (Mohr–Coulomb) solid. Compare Program 6.13   | 542        |
| Program 12.3 | Three-dimensional Laplacian flow. Compare Program 7.5   | 548        |

|                      |   |            |
|----------------------|---|------------|
| Program 12.4         | Three-dimensional transient heat conduction–implicit analysis in time. Compare Program 8.5  | 553        |
| Program 12.5         | Three-dimensional transient flow–explicit analysis in time. Compare Program 8.6   | 562        |
| Program 12.6         | Three-dimensional steady-state Navier–Stokes analysis. Compare Program 9.2  | 565        |
| Program 12.7         | Three-dimensional analysis of Biot poro elastic solid. Incremental version. Compare Program 9.5   | 572        |
| Program 12.8         | Eigenvalue analysis of three-dimensional elastic solid. Compare Program 103   | 576        |
| Program 12.9         | Forced vibration analysis of a three-dimensional elastic solid. Implicit integration in time. Compare Program 11.7  | 581        |
| Program 12.10        | Forced vibration analysis of three-dimensional elasto plastic solid. Explicit integration in time. Compare Program 11.8   | 585        |
| 12.3                 | Graphics Processing Units   | 589        |
| Program 12.11        | Three-dimensional strain of an elastic solid using 8-, 14- or 20-node brick hexahedra. No global stiffness matrix assembly. Diagonally preconditioned conjugate gradient solver. GPU version. Compare Program 5.7 | 589        |
| 12.4                 | Cloud Computing   | 594        |
| 12.5                 | Conclusions   | 596        |
| 12.6                 | Glossary of Variable Names  | 597        |
|                      | References  | 602        |
| <b>Appendix A</b>    | <b>Equivalent Nodal Loads</b>   | <b>605</b> |
| <b>Appendix B</b>    | <b>Shape Functions and Element Node Numbering</b>   | <b>611</b> |
| <b>Appendix C</b>    | <b>Plastic Stress-Strain Matrices and Plastic Potential Derivatives</b>   | <b>619</b> |
| <b>Appendix D</b>    | <b>main Library Subprograms</b>   | <b>623</b> |
| <b>Appendix E</b>    | <b>geom Library Subroutines</b>   | <b>635</b> |
| <b>Appendix F</b>    | <b>Parallel Library Subroutines</b>   | <b>639</b> |
| <b>Appendix G</b>    | <b>External Subprograms</b>   | <b>645</b> |
| <b>Author Index</b>  |   | <b>649</b> |
| <b>Subject Index</b> |   | <b>653</b> |