

Contents

Preface xiii

Acknowledgments xv

Important Information xvii

1. Introduction to Bioconjugation 1

1. What is Bioconjugation? 1
2. Bioconjugation Strategy and Design 6
 - 2.1. Start with the Application in Mind 6
 - 2.2. Designing the Optimal Bioconjugate 10
3. The Applications of Bioconjugates 15
 - 3.1. Assay and Quantification 15
 - 3.2. Detection, Tracking, and Imaging 35
 - 3.3. Purification, Capture, and Scavenging 49
 - 3.4. Catalysis and Chemical Modification 78
 - 3.5. Therapeutics and *in vivo* Diagnostics 87
 - 3.6. Vaccines and Immune Modulation 119
4. Summary 125

2. Functional Targets for Bioconjugation 127

1. Modification of Amino Acids, Peptides, and Proteins 127
 - 1.1. Protein Structure and Reactivity 128
 - 1.2. Protein Crosslinking Methods 144
2. Modification of Sugars, Polysaccharides, and Glycoconjugates 148
 - 2.1. Carbohydrate Structure and Functionality 148
 - 2.2. Carbohydrate and Glycan Conjugation Methods 155
3. Modification of Nucleic Acids and Oligonucleotides 157
 - 3.1. Polynucleotide Structure and Functionality 157
 - 3.2. Polynucleotide Crosslinking Methods 164
4. Creating Specific Functionalities 165
 - 4.1. Introduction of Sulfhydryl Residues (Thiolation) 165
 - 4.2. Introduction of Carboxylate Groups 187
 - 4.3. Introduction of Primary Amine Groups 194
 - 4.4. Introduction of Aldehyde Residues 203
 - 4.5. Introduction of Hydrazine or Hydrazide Functionalities 209
 - 4.6. Introduction of Saccharide or Glycan Groups 215
5. Blocking or Protecting Groups 221
 - 5.1. Blocking or Protecting Amine Groups 221
 - 5.2. Blocking or Protecting Sulfhydryl Groups 223
 - 5.3. Blocking or Protecting Aldehyde or Ketone Groups 227
 - 5.4. Blocking or Protecting Carboxylate Groups 228

3. The Reactions of Bioconjugation 229

1. Amine Reactions 229
 - 1.1. Isothiocyanates 229
 - 1.2. Isocyanates 233
- 1.3. Acyl Azides 233
- 1.4. NHS Esters 233
- 1.5. Sulfonyl Chlorides 234
- 1.6. Tosylate Esters 235
- 1.7. Aldehydes and Glyoxals 235
- 1.8. Epoxides and Oxiranes 236
- 1.9. Carbonates 236
- 1.10. Arylating Agents 236
- 1.11. Imidoesters 237
- 1.12. Carbodiimides 237
- 1.13. Anhydrides 238
- 1.14. Fluorophenyl Esters 238
- 1.15. Hydroxymethyl Phosphine Derivatives 239
- 1.16. Guanidination of Amines 240

2. Thiol Reactions 240

- 2.1. Haloacetyl and Alkyl Halide Derivatives 240
- 2.2. Maleimides 241
- 2.3. Aziridines 241
- 2.4. Acryloyl Derivatives 242
- 2.5. Arylating Agents 242
- 2.6. Thiol–Disulfide Exchange Reagents 242
- 2.7. Vinyl Sulfone Derivatives 244
- 2.8. Metal–Thiol Dative Bonds 244
- 2.9. Native Chemical Ligation 246
- 2.10. Cisplatin Modification of Methionine and Cysteine 246

3. Carboxylate Reactions 246

- 3.1. Diazoalkanes and Diazoacetyl Compounds 246
- 3.2. *N,N'*-Carbonyl Diimidazole 248
- 3.3. Carbodiimides 248

4. Hydroxyl Reactions 248

- 4.1. Epoxides and Oxiranes 248
- 4.2. *N,N'*-Carbonyl Diimidazole 249
- 4.3. *N,N'*-Disuccinimidyl Carbonate or N-Hydroxysuccinimidyl Chloroformate 249
- 4.4. Oxidation with Periodate 249
- 4.5. Enzymatic Oxidation 250
- 4.6. Alkyl Halogens 250
- 4.7. Isocyanates 250

5. Aldehyde and Ketone Reactions 251

- 5.1. Hydrazine and Hydrazide Derivatives 251

5.2. Schiff Base Formation 251

5.3. Reductive Amination 251

5.4. Aminoxy Derivatives 252

5.5. Mannich Condensation 252

6. Active Hydrogen Reactions 252

6.1. Diazonium Derivatives 253

6.2. Mannich Condensation 253

6.3. Iodination Reactions 253

7. PhotoChemical Reactions 253

- 7.1. Aryl Azides and Halogenated Aryl Azides 254

- 7.2. Benzophenones 254

- 7.3. Anthraquinones 254
 7.4. Certain Diazo Compounds 255
 7.5. Diazirine Derivatives 256
 7.6. Psoralen Compounds 256
8. Cycloaddition Reactions 257
 8.1. Diels–Alder Reaction 257
 8.2. Complex Formation with Boronic Acid Derivatives 258
 8.3. Click Chemistry: Cu¹-Promoted Azide–Alkyne [3 + 2] Cycloaddition 258
- + Zero-Length Crosslinkers 259
1. Carbodiimides 259
 1.1. EDC 259
 1.2. EDC Plus Sulfo-NHS 263
 1.3. CMC 266
 1.4. DCC 267
 1.5. DIC 268
2. Woodward's Reagent K 269
3. N,N'-Carbonyl Diimidazole 270
4. Schiff Base Formation and Reductive Amination 272
- Homobifunctional Crosslinkers 275
1. Homobifunctional NHS Esters 277
 1.1. DSP and DTSSP 278
 1.2. DSS and BS³ 279
 1.3. DST and Sulfo-DST 281
 1.4. BSOCOES and Sulfo-BSOCOES 281
 1.5. EGS and Sulfo-EGS 282
 1.6. DSG 283
 1.7. DSC 283
2. Homobifunctional Imidoesters 284
 2.1. DMA 285
 2.2. DMP 285
 2.3. DMS 286
 2.4. DTBP 286
3. Homobifunctional Sulphydryl Reactive Crosslinkers 287
 3.1. DPDPB 288
 3.2. BMH 288
4. Difluorobenzene Derivatives 289
 4.1. DFDNB 289
 4.2. DFDNPS 290
5. Homobifunctional Photoreactive Crosslinkers 290
 5.1. BASED 290
6. Homobifunctional Aldehydes 291
 6.1. Formaldehyde 291
 6.2. Glutaraldehyde 292
7. BIS-Epoxides 294
 7.1. 1,4-Butanediol Diglycidyl Ether 295
8. Homobifunctional Hydrazides 295
 8.1. Adipic Acid Dihydrazide 295
 8.2. Carbohydrazide 296
9. BIS-Diazonium Derivatives 296
 9.1. o-Tolidine, Diazotized 297
 9.2. bis-Diazotized Benzidine 297
10. BIS-Alkylhalides 298
6. Heterobifunctional Crosslinkers 299
1. Amine-Reactive and Sulphydryl-Reactive Crosslinkers 300
 1.1. SPDP, LC-SPDP, and Sulfo-LC-SPDP 300
 1.2. SMPT and Sulfo-LC-SMPT 302
 1.3. SMCC and Sulfo-SMCC 303
 1.4. MBS and Sulfo-MBS 306
 1.5. SIAB and Sulfo-SIAB 307
 1.6. SMPB and Sulfo-SMPB 308
 1.7. GMBS and Sulfo-GMBS 310
 1.8. SBAP 311
 1.9. SIA 311
2. Carbonyl Reactive and Sulphydryl Reactive Crosslinkers 312
 2.1. MPBH 312
 2.2. M₂C₂H 313
 2.3. PDPH 313
3. Amine-Reactive and Photoreactive Crosslinkers 315
 3.1. NHS-ASA, Sulfo-NHS-ASA, and Sulfo-NHS-LC-ASA 317
 3.2. SASD 318
 3.3. HSAB and Sulfo-HSAB 320
 3.4. SANPAH and Sulfo-SANPAH 321
 3.5. ANB-NOS 322
 3.6. SAND 322
 3.7. SADP and Sulfo-SADP 323
 3.8. Sulfo-SAPB 325
 3.9. SAED 325
 3.10. Sulfo-SAMCA 329
 3.11. p-Nitrophenyl Diazopyruvate 330
 3.12. PNP-DTP 331
4. Sulphydryl-Reactive and Photoreactive Crosslinkers 331
 4.1. ASIB 331
 4.2. APDP 332
 4.3. Benzophenone-4-Iodoacetamide 333
 4.4. Benzophenone-4-maleimide 335
5. Carbonyl-Reactive and Photoreactive Crosslinkers 336
 5.1. ABH 336
6. Carboxylate-Reactive and Photoreactive Crosslinkers 337
 6.1. ASBA 337
7. Arginine-Reactive and Photoreactive Crosslinkers 338
 7.1. APG 339
- + Trifunctional Crosslinkers 341
1. 4-Azido-2-Nitrophenylbiocytin-4-Nitrophenyl Ester 341
 2. Sulfo-SBED 342
 3. MTS-ATF-Biotin and MTS-ATF-LC-Biotin 345
 4. Hydroxymethyl Phosphine Derivatives 347
 5. Tricepts Reagent 348
8. Dendrimers and Dendrons 351
1. Dendrimer Construction 351
 2. Conjugation to Dendrimers 358
 2.1. Coupling to Amine-Containing Dendrimers 359
 3. Dendrimer-Chelate Derivatives for Imaging Applications 380
 4. Dendrimer Derivatives as Surface Modification Agents 381
 5. Dendrimer Fluorescent Quantum Dots 384

9. Cross-Bridges and Cleavable Reagent Systems 387
1. Cleavage of Disulfides by Reduction 387
 2. Periodate-Cleavable Glycols 388
 3. Dithionite-Cleavable Bonds 389
 4. Hydroxylamine-Cleavable Esters 389
 5. Base Labile Sulfones 391
 6. Acyl Hydrazone-Cleavable Linkers 391
 7. Photocleavable Linkers 392
- Fluorescent Probes 395
1. Fluorescein Derivatives 398
 - 1.1. Amine-Reactive Fluorescein Derivatives 398
 - 1.2. Fluorescein Isothiocyanate (FITC) 399
 - 1.3. NHS–Fluorescein and NHS–LC–Fluorescein 400
 - 1.4. Sulfhydryl-Reactive Fluorescein Derivatives 401
 - 1.5. 5-(and 6)-Iodoacetamido-Fluorescein 401
 - 1.6. Fluorescein-5-Maleimide 403
 - 1.7. SAMSA–Fluorescein 404
 - 1.8. Aldehyde-/Ketone- and Cytosine-Reactive Fluorescein Derivatives 405
 - 1.9. Fluorescein-5-thiosemicarbazide 406
 - 1.10. 5-((2-(Carbohydrazino)methyl)thio)acetyl)-aminofluorescein 407
 2. Rhodamine Derivatives 408
 - 2.1. Amine-Reactive Rhodamine Derivatives 409
 - 2.2. Tetramethylrhodamine-5-(and 6)- isothiocyanate (TRITC) 409
 - 2.3. NHS–Rhodamine 410
 - 2.4. Lissamine™ Rhodamine B Sulfonyl Chloride 412
 - 2.5. Texas Red Sulfonyl Chloride 413
 - 2.6. Sulfhydryl-Reactive Rhodamine Derivatives 414
 - 2.7. Tetramethylrhodamine-5-(and 6)- iodoacetamide 414
 - 2.8. Aldehyde-/Ketone- and Cytosine-Reactive Rhodamine Derivatives 416
 - 2.9. Lissamine Rhodamine B Sulfonyl Hydrazine 416
 - 2.10. Texas Red Hydrazide 417
 3. Coumarin Derivatives 418
 - 3.1. Amine-Reactive Coumarin Derivatives 418
 - 3.2. AMCA 418
 - 3.3. AMCA–NHS and AMCA–Sulfo-NHS 419
 - 3.4. Sulfhydryl-Reactive Coumarin Derivatives 420
 - 3.5. AMCA–HPDP 420
 - 3.6. DCIA 422
 - 3.7. Aldehyde- and Ketone-Reactive Coumarin Derivatives 422
 - 3.8. AMCA–Hydrazide 423
 4. Boron Dipyrromethene Derivatives 424
 - 4.1. Amine-Reactive Boron Dipyrromethene Dyes 424
 - 4.2. BODIPY FL C₃-SE 425
 - 4.3. BODIPY 530/550 C₃ 425
 - 4.4. BODIPY 530/550 C₃-SE 426
 - 4.5. Aldehyde-/Ketone-Reactive Boron Dipyrromethene Dyes 427
 - 4.6. BODIPY 530/550 C₃ Hydrazide 427
 - 4.7. BODIPY 493/503 C₃ Hydrazide 428
 - 4.8. BODIPY FL C₃ Hydrazide 429
 - 4.9. Sulfhydryl-Reactive Boron Dipyrromethene Dyes 430
 - 4.10. BODIPY FL IA 430
 - 4.11. BODIPY 530/550 IA 431
 - 4.12. Br-BODIPY 493/503 431
 5. Pyrene Derivatives 432
 - 5.1. Amine-Reactive Cascade Blue Acetyl Azide 432
 - 5.2. Carboxylate-Reactive Cascade Blue Cadaverine and Cascade Blue Ethylenediamine 433
 - 5.3. Aldehyde-/Ketone-Reactive Cascade Blue Hydrazide 434
 6. Naphthalimide Derivatives 435
 - 6.1. Sulfhydryl-Reactive Lucifer Yellow Iodoacetamide 436
 - 6.2. Aldehyde-/Ketone-Reactive Lucifer Yellow CH 437
 7. Phycobiliprotein Derivatives 438
 - 7.1. Protocol 439
 8. Cyanine Dye Derivatives 440
 - 8.1. Amine-Reactive Cyanine Dyes 442
 - 8.2. Thiol-Reactive Cyanine Dyes 444
 - 8.3. Carbonyl-Reactive Cyanine Dyes 446
 9. Lanthanide Chelates for Time-Resolved Fluorescence 447
 10. Quantum Dot Nanocrystals 455
 - 10.1. Properties of Quantum Dots 455
 - 10.2. Conjugation to Quantum Dots 460
 - 10.3. Conjugation of Proteins to Quantum Dots using EDC 460
 - 10.4. Conjugation to Quantum Dots Using Sulfo-SMCC 462
 11. (Strept)Avidin–Biotin Systems 465
 1. The (Strept)Avidin–Biotin Interaction 465
 2. Use of (Strept)Avidin–Biotin Interactions in Assay Systems 467
 3. Preparation of (Strept)Avidin Conjugates 469
 - 3.1. NHS Ester–Maleimide-Mediated Conjugation Protocols 469
 - 3.2. Conjugation Using Periodate Oxidation/Reductive Amination 472
 - 3.3. Glutaraldehyde Conjugation Protocol 474
 4. Preparation of Fluorescently Labeled (Strept)Avidin 475
 - 4.1. Modification with FITC 476
 - 4.2. Modification with Lissamine Rhodamine B Sulfonyl Chloride 476
 - 4.3. Modification with AMCA–NHS 477
 - 4.4. Conjugation with Phycobiliproteins 478
 5. Preparation of Hydrazide Activated (Strept)Avidin 479
 6. Biotinylation Techniques 479
 - 6.1. Determination of the Level of Biotinylation 481
 - 6.2. Amine-Reactive Biotinylation Agents 482
 - 6.3. Sulfhydryl-Reactive Biotinylation Agents 490
 - 6.4. Carbonyl- or Carboxyl-Reactive Biotinylation Agents 493
 - 6.5. Photoreactive Biotinylation Agents 496
 - 6.6. Active Hydrogen-Reactive *p*-Aminobenzoyl Biocytin, Diazotized 498
 - 6.7. Glycan Biotinylation Reagents 501

- Isotopic Labeling Techniques 507
1. Bifunctional Chelating Agents and Radioimmunoconjugates 507
 - 1.1. DTPA 507
 - 1.2. DOTA, NOTA, and TETA 508
 - 1.3. DTTA 509
 - 1.4. DFA 509
 - 1.5. Use of Thiolation Reagents for Direct Labeling to Sulfhydryl Groups 510
 - 1.6. FeBABE 511
 2. Iodination Reagents 512
 - 2.1. Chloramine-T 514
 - 2.2. IODO-BEADS 515
 - 2.3. Iodogen 517
 - 2.4. Lactoperoxidase-Catalyzed Iodination 519
 - 2.5. Iodinatable Modification and Crosslinking Agents 519
 3. Mass Tags and Isotope Tags 523
 - 3.1. ICAT Reagents 524
 - 3.2. ECAT Reagents 528
 - 3.3. Isobaric Mass Tags 530
13. Silane Coupling Agents 535
1. Silane Reaction Strategies 537
 - 1.1. Aqueous/Organic Solvent Deposition 538
 - 1.2. Aqueous Deposition 538
 - 1.3. Organic Solvent Deposition 538
 - 1.4. Vapor-Phase Deposition 539
 2. Functional Silane Compounds 539
 - 2.1. 3-Aminopropyltriethoxysilane (APTS) and 3-Aminopropyltrimethoxysilane 539
 - 2.2. Carboxyethylsilanetriol 542
 - 2.3. N-(Trimethoxysilylpropyl)Ethylenediamine Triacetic Acid (TMS-EDTA) 543
 - 2.4. 3-Glycidoxypolypropyltrimethoxysilane (GOPTS) and 3-Glycidoxypolypropyltriethoxysilane 545
 - 2.5. Isocyanatopropyltriethoxysilane (ICPTES) 545
14. Microparticles and Nanoparticles 549
1. Particle Types 549
 2. Particle Characteristics and Stability 550
 3. Particle Concentration 553
 4. Polymeric Microspheres and Nanospheres 553
 - 4.1. Passive Adsorption 555
 - 4.2. Covalent Coupling to Polymeric Particles 557
 5. Silica Particles 575
 - 5.1. Fluorescent Silica Particles 576
 - 5.2. Silane Functionalization of Silica Particles 580
 6. Gold Particles 580
 - 6.1. Properties and Use of Gold Conjugates 581
 - 6.2. Preparation of Mono-Disperse Gold Suspensions for Protein Labeling 583
 - 6.3. Preparation of Protein A–Gold Complexes 584
 - 6.4. Preparation of Antibody–Gold Complexes 585
 - 6.5. Preparation of Lectin–Gold Complexes 586
 - 6.6. Preparation of (Strept)avidin–Gold Complexes 587
15. Immobilization of Ligands on Chromatography Supports 589
1. Support Materials used for Affinity Chromatography 591
 - 1.1. Natural Product Chromatography Supports 591
 - 1.2. Synthetic Polymeric Chromatography Supports 598
 2. Activation and Coupling of Affinity Ligands to Chromatography Supports 620
 - 2.1. Amine-Reactive Immobilization Methods 623
 - 2.2. Thiol-Reactive Immobilization Methods 670
 - 2.3. Hydroxyl-Reactive Immobilization Methods 690
 - 2.4. Carbonyl-Reactive Immobilization Methods 696
 - 2.5. Streptavidin-Mediated Immobilization Methods 712
 - 2.6. Protein A-, Protein G-, or Protein A/G-Mediated Antibody Immobilization Methods 713
 - 2.7. Reactive Hydrogen-Mediated Immobilization Methods 716
 - 2.8. Creating Spacer Arms on Chromatography Supports 722
- Buckyballs, Fullerenes, and Carbon Nanotubes 741
1. Buckyballs and Fullerenes 741
 - 1.1. Properties of Fullerenes 741
 - 1.2. Modification of Fullerenes 741
 2. Carbon Nanotubes 747
 - 2.1. Nanotube Properties 747
 - 2.2. Nanotube Functionalization 749
 - 2.3. Detergent or Lipid Modification of Carbon Nanotubes 750
 - 2.4. Pyrene Modification of Carbon Nanotubes 752
 - 2.5. Modification of Carbon Nanotubes by Cycloaddition 754
- Chemoselective Ligation Bioorthogonal Reagents 757
1. Diels–Alder Reagent Pairs 758
 2. Hydrazine–Aldehyde Reagent Pairs 760
 - 2.1. Conjugation using the Aldehyde/ Hydrazine Reaction 763
 3. Aminoxy–Aldehyde Reagent Pairs 763
 4. Boronic Acid–Salicylhydroxamate Reagent Pairs 766
 5. Click Chemistry: Cu(I)- Promoted Azide–Alkyne [3 + 2] Cycloaddition 769
 6. Staudinger Ligation 776
 7. Native Chemical Ligation 781
 - 7.1. Expressed Protein Ligation and Inteins 782
16. PEGylation and Synthetic Polymer Modification 787
1. Discrete PEG Reagents 787
 - 1.1. Homobifunctional PEG Crosslinkers 790
 - 1.2. Heterobifunctional PEG Reagents 794
 - 1.3. Biotinylation Reagents Containing Discrete PEG Linkers 806
 - 1.4. Discrete PEG Modification Reagents 819

2.	Use of Photoreactive Crosslinkers to Study Protein Interactions	999
2.1.	Sulfo-SAND, SANPAH, and Sulfo-SANPAH	1000
2.2.	Sulfo-SFAD	1000
3.	Trifunctional Label Transfer Reagents	1002
3.1.	Sulfo-SBED	1003
3.2.	MTS–ATF–Biotin and MTS–ATF–LC–Biotin	1007
4.	Metal Chelates in the Study of Protein Interactions	1010
4.1.	FeBABE for Protein Mapping Studies	1010
4.2.	Ru(II)bpy ₃ ²⁺ for Light-Triggered, Zero-Length Crosslinking of Protein Interactions	1014
	References	1017
	Index	1095