

# Contents

|  |           |
|--|-----------|
| List of figures  | xix       |
| Preface  | xxi       |
| <b>I General information</b>                             | <b>1</b>  |
| <b>1 Introduction</b>                                    | <b>7</b>  |
| 1.1 What is this book about? . . . . .                   | 7         |
| 1.2 Which models are considered? . . . . .               | 8         |
| 1.3 Whom is this book for? . . . . .                     | 9         |
| 1.4 How is the book organized? . . . . .                 | 9         |
| 1.5 The SPost software . . . . .                         | 11        |
| 1.5.1 Updating Stata . . . . .                           | 12        |
| 1.5.2 Installing SPost13 . . . . .                       | 13        |
| Uninstalling SPost9 . . . . .                            | 14        |
| Installing SPost13 using search . . . . .                | 14        |
| Installing SPost13 using net install . . . . .           | 16        |
| 1.5.3 Uninstalling SPost13 . . . . .                     | 17        |
| 1.6 Sample do-files and datasets . . . . .               | 17        |
| 1.6.1 Installing the spost13_do package . . . . .        | 17        |
| 1.6.2 Using spex to load data and run examples . . . . . | 17        |
| 1.7 Getting help with SPost . . . . .                    | 18        |
| 1.7.1 What if an SPost command does not work? . . . . .  | 18        |
| 1.7.2 Getting help from the authors . . . . .            | 19        |
| What we need to help you . . . . .                       | 20        |
| 1.8 Where can I learn more about the models? . . . . .   | 21        |
| <b>2 Introduction to Stata</b>                           | <b>23</b> |

|        |  |    |
|--------|--|----|
| 2.1    | The Stata interface . . . . .                    | 23 |
| 2.2    | Abbreviations . . . . .                          | 27 |
| 2.3    | Getting help . . . . .                           | 27 |
| 2.3.1  | Online help . . . . .                            | 27 |
| 2.3.2  | PDF manuals . . . . .                            | 28 |
| 2.3.3  | Error messages . . . . .                         | 28 |
| 2.3.4  | Asking for help . . . . .                        | 28 |
| 2.3.5  | Other resources . . . . .                        | 29 |
| 2.4    | The working directory . . . . .                  | 29 |
| 2.5    | Stata file types . . . . .                       | 30 |
| 2.6    | Saving output to log files . . . . .             | 30 |
| 2.7    | Using and saving datasets . . . . .              | 32 |
| 2.7.1  | Data in Stata format . . . . .                   | 32 |
| 2.7.2  | Data in other formats . . . . .                  | 33 |
| 2.7.3  | Entering data by hand . . . . .                  | 33 |
| 2.8    | Size limitations on datasets . . . . .           | 34 |
| 2.9    | Do-files . . . . .                               | 34 |
| 2.9.1  | Adding comments . . . . .                        | 35 |
| 2.9.2  | Long lines . . . . .                             | 36 |
| 2.9.3  | Stopping a do-file while it is running . . . . . | 37 |
| 2.9.4  | Creating do-files . . . . .                      | 37 |
| 2.9.5  | Recommended structure for do-files . . . . .     | 38 |
| 2.10   | Using Stata for serious data analysis . . . . .  | 40 |
| 2.11   | Syntax of Stata commands . . . . .               | 41 |
| 2.11.1 | Commands . . . . .                               | 43 |
| 2.11.2 | Variable lists . . . . .                         | 43 |
| 2.11.3 | if and in qualifiers . . . . .                   | 45 |
| 2.11.4 | Options . . . . .                                | 46 |
| 2.12   | Managing data . . . . .                          | 46 |
| 2.12.1 | Looking at your data . . . . .                   | 46 |

|          |   |           |
|----------|---|-----------|
| 2.12.2   | Getting information about variables . . . . .                 | 47        |
| 2.12.3   | Missing values . . . . .                                      | 50        |
| 2.12.4   | Selecting observations . . . . .                              | 51        |
| 2.12.5   | Selecting variables . . . . .                                 | 51        |
| 2.13     | Creating new variables . . . . .                              | 52        |
| 2.13.1   | The generate command . . . . .                                | 52        |
| 2.13.2   | The replace command . . . . .                                 | 54        |
| 2.13.3   | The recode command . . . . .                                  | 55        |
| 2.14     | Labeling variables and values . . . . .                       | 56        |
| 2.14.1   | Variable labels . . . . .                                     | 56        |
| 2.14.2   | Value labels . . . . .  | 57        |
| 2.14.3   | The notes command . . . . .                                   | 59        |
| 2.15     | Global and local macros . . . . .                             | 59        |
| 2.16     | Loops using foreach and forvalues . . . . .                   | 61        |
| 2.17     | Graphics . . . . .  | 63        |
| 2.17.1   | The graph command . . . . .                                   | 65        |
| 2.18     | A brief tutorial . . . . .                                    | 73        |
| 2.19     | A do-file template . . . . .                                  | 79        |
| 2.20     | Conclusion . . . . .  | 81        |
| <b>3</b> | <b>Estimation, testing, and fit</b>                           | <b>83</b> |
| 3.1      | Estimation . . . . .  | 84        |
| 3.1.1    | Stata’s output for ML estimation . . . . .                    | 84        |
| 3.1.2    | ML and sample size . . . . .                                  | 85        |
| 3.1.3    | Problems in obtaining ML estimates . . . . .                  | 85        |
| 3.1.4    | Syntax of estimation commands . . . . .                       | 86        |
| 3.1.5    | Variable lists . . . . .                                      | 87        |
|          | Using factor-variable notation in the variable list . . . . . | 87        |
|          | Specifying interaction and polynomials . . . . .              | 89        |
|          | More on factor-variable notation . . . . .                    | 90        |
| 3.1.6    | Specifying the estimation sample . . . . .                    | 93        |

|   |            |
|---|------------|
| Missing data . . . . .  | 93         |
| Information about missing values . . . . .                      | 95         |
| Postestimation commands and the estimation sample . . . . .     | 98         |
| 3.1.7    Weights and survey data . . . . .                      | 99         |
| Complex survey designs . . . . .                                | 100        |
| 3.1.8    Options for regression models . . . . .                | 102        |
| 3.1.9    Robust standard errors . . . . .                       | 103        |
| 3.1.10   Reading the estimation output . . . . .                | 105        |
| 3.1.11   Storing estimation results . . . . .                   | 107        |
| (Advanced) Saving estimates to a file . . . . .                 | 108        |
| 3.1.12   Reformatting output with estimates table . . . . .     | 111        |
| 3.2    Testing . . . . .  | 114        |
| 3.2.1   One-tailed and two-tailed tests . . . . .               | 115        |
| 3.2.2   Wald and likelihood-ratio tests . . . . .               | 115        |
| 3.2.3   Wald tests with test and testparm . . . . .             | 116        |
| 3.2.4   LR tests with lrtest . . . . .                          | 118        |
| Avoiding invalid LR tests . . . . .                             | 120        |
| 3.3    Measures of fit . . . . .                                | 120        |
| 3.3.1   Syntax of fitstat . . . . .                             | 120        |
| 3.3.2   Methods and formulas used by fitstat . . . . .          | 123        |
| 3.3.3   Example of fitstat . . . . .                            | 129        |
| 3.4    estat postestimation commands . . . . .                  | 130        |
| 3.5    Conclusion . . . . .                                     | 131        |
| <b>4    Methods of interpretation</b>                           | <b>133</b> |
| 4.1    Comparing linear and nonlinear models . . . . .          | 133        |
| 4.2    Approaches to interpretation . . . . .                   | 136        |
| 4.2.1   Method of interpretation based on predictions . . . . . | 137        |
| 4.2.2   Method of interpretation using parameters . . . . .     | 138        |
| 4.2.3   Stata and SPost commands for interpretation . . . . .   | 138        |
| 4.3    Predictions for each observation . . . . .               | 138        |

|           |   |            |
|-----------|---|------------|
| 4.4       | Predictions at specified values . . . . .                         | 139        |
| 4.4.1     | Why use the $m^*$ commands instead of margins? . . . . .          | 140        |
| 4.4.2     | Using margins for predictions . . . . .                           | 141        |
|           | Predictions using interaction and polynomial terms . . . . .      | 146        |
|           | Making multiple predictions . . . . .                             | 146        |
|           | Predictions for groups defined by levels of categorical variables | 150        |
| 4.4.3     | (Advanced) Nondefault predictions using margins . . . . .         | 153        |
|           | The predict() option . . . . .                                    | 153        |
|           | The expression() option . . . . .                                 | 154        |
| 4.4.4     | Tables of predictions using mtable . . . . .                      | 155        |
|           | mtable with categorical and count outcomes . . . . .              | 158        |
|           | (Advanced) Combining and formatting tables using mtable .         | 160        |
| 4.5       | Marginal effects: Changes in predictions . . . . .                | 162        |
| 4.5.1     | Marginal effects using margins . . . . .                          | 163        |
| 4.5.2     | Marginal effects using mtable . . . . .                           | 164        |
| 4.5.3     | Posting predictions and using mlincom . . . . .                   | 165        |
| 4.5.4     | Marginal effects using mchange . . . . .                          | 166        |
| 4.6       | Plotting predictions . . . . .                                    | 171        |
| 4.6.1     | Plotting predictions with marginsplot . . . . .                   | 171        |
| 4.6.2     | Plotting predictions using mgen . . . . .                         | 173        |
| 4.7       | Interpretation of parameters . . . . .                            | 178        |
| 4.7.1     | The listcoef command . . . . .                                    | 179        |
| 4.7.2     | Standardized coefficients . . . . .                               | 180        |
| 4.7.3     | Factor and percentage change coefficients . . . . .               | 184        |
| 4.8       | Next steps . . . . .  | 184        |
| <b>II</b> | <b>Models for specific kinds of outcomes</b>                      | <b>185</b> |
| <b>5</b>  | <b>Models for binary outcomes: Estimation, testing, and fit</b>   | <b>187</b> |
| 5.1       | The statistical model . . . . .                                   | 187        |
| 5.1.1     | A latent-variable model . . . . .                                 | 188        |

|   |  |            |
|---|--|------------|
| 5.1.2   | A nonlinear probability model . . . . .                                    | 192        |
| 5.2   | Estimation using logit and probit commands . . . . .                       | 192        |
| 5.2.1   | Example of logit model . . . . .   | 194        |
| 5.2.2   | Comparing logit and probit . . . . .                                       | 196        |
| 5.2.3   | (Advanced) Observations predicted perfectly . . . . .                      | 197        |
| 5.3   | Hypothesis testing . . . . .   | 200        |
| 5.3.1   | Testing individual coefficients . . . . .                                  | 200        |
| 5.3.2   | Testing multiple coefficients . . . . .                                    | 203        |
| 5.3.3   | Comparing LR and Wald tests . . . . .                                      | 205        |
| 5.4   | Predicted probabilities, residuals, and influential observations . . . . . | 206        |
| 5.4.1   | Predicted probabilities using predict . . . . .                            | 206        |
| 5.4.2   | Residuals and influential observations using predict . . . . .             | 209        |
| 5.4.3   | Least likely observations . . . . .  | 216        |
| 5.5   | Measures of fit . . . . .  | 218        |
| 5.5.1   | Information criteria . . . . .   | 219        |
| 5.5.2   | Pseudo-R <sup>2</sup> 's . . . . .   | 221        |
| 5.5.3   | (Advanced) Hosmer–Lemeshow statistic . . . . .                             | 223        |
| 5.6   | Other commands for binary outcomes . . . . .                               | 225        |
| 5.7   | Conclusion . . . . .   | 225        |
| <b>6</b>                                      | <b>Models for binary outcomes: Interpretation</b>                          | <b>227</b> |
| 6.1   | Interpretation using regression coefficients . . . . .                     | 228        |
| 6.1.1   | Interpretation using odds ratios . . . . .                                 | 228        |
| 6.1.2   | (Advanced) Interpretation using $y^*$ . . . . .                            | 235        |
| 6.2   | Marginal effects: Changes in probabilities . . . . .                       | 239        |
| 6.2.1   | Linked variables . . . . .   | 241        |
| 6.2.2   | Summary measures of change . . . . .                                       | 242        |
| MEMs and MERs . . . . .                       | 243  |            |
| AMEs . . . . .                                | 243  |            |
| Standard errors of marginal effects . . . . . | 244  |            |
| 6.2.3   | Should you use the AME, the MEM, or the MER? . . . . .                     | 244        |

|          |   |            |
|----------|---|------------|
| 6.2.4    | Examples of marginal effects . . . . .                                    | 246        |
|          | AMEs for continuous variables . . . . .                                   | 248        |
|          | AMEs for factor variables . . . . .                                       | 251        |
|          | Summary table of AMEs . . . . .   | 252        |
|          | Marginal effects for subgroups . . . . .                                  | 254        |
|          | MEMs and MERs . . . . .   | 255        |
|          | Marginal effects with powers and interactions . . . . .                   | 259        |
| 6.2.5    | The distribution of marginal effects . . . . .                            | 261        |
| 6.2.6    | (Advanced) Algorithm for computing the distribution of effects . . . . .  | 265        |
| 6.3      | Ideal types . . . . .   | 270        |
| 6.3.1    | Using local means with ideal types . . . . .                              | 273        |
| 6.3.2    | Comparing ideal types with statistical tests . . . . .                    | 274        |
| 6.3.3    | (Advanced) Using macros to test differences between ideal types . . . . . | 275        |
| 6.3.4    | Marginal effects for ideal types . . . . .                                | 278        |
| 6.4      | Tables of predicted probabilities . . . . .                               | 280        |
| 6.5      | Second differences comparing marginal effects . . . . .                   | 285        |
| 6.6      | Graphing predicted probabilities . . . . .                                | 286        |
| 6.6.1    | Using marginsplot . . . . .   | 287        |
| 6.6.2    | Using mgen with the graph command . . . . .                               | 290        |
| 6.6.3    | Graphing multiple predictions . . . . .                                   | 293        |
| 6.6.4    | Overlapping confidence intervals . . . . .                                | 297        |
| 6.6.5    | Adding power terms and plotting predictions . . . . .                     | 301        |
| 6.6.6    | (Advanced) Graphs with local means . . . . .                              | 303        |
| 6.7      | Conclusion . . . . .  | 308        |
| <b>7</b> | <b>Models for ordinal outcomes</b>  | <b>309</b> |
| 7.1      | The statistical model . . . . .   | 310        |
| 7.1.1    | A latent-variable model . . . . .   | 310        |
| 7.1.2    | A nonlinear probability model . . . . .                                   | 314        |
| 7.2      | Estimation using ologit andoprobit . . . . .                              | 314        |

|        |   |     |
|--------|---|-----|
| 7.2.1  | Example of ordinal logit model . . . . .                        | 315 |
| 7.2.2  | Predicting perfectly . . . . .                                  | 319 |
| 7.3    | Hypothesis testing . . . . .                                    | 320 |
| 7.3.1  | Testing individual coefficients . . . . .                       | 321 |
| 7.3.2  | Testing multiple coefficients . . . . .                         | 322 |
| 7.4    | Measures of fit using fitstat . . . . .                         | 324 |
| 7.5    | (Advanced) Converting to a different parameterization . . . . . | 325 |
| 7.6    | The parallel regression assumption . . . . .                    | 326 |
| 7.6.1  | Testing the parallel regression assumption using oparallel . .  | 329 |
| 7.6.2  | Testing the parallel regression assumption using brant . .      | 330 |
| 7.6.3  | Caveat regarding the parallel regression assumption . . . .     | 331 |
| 7.7    | Overview of interpretation . . . . .                            | 331 |
| 7.8    | Interpreting transformed coefficients . . . . .                 | 332 |
| 7.8.1  | Marginal change in $y^*$ . . . . .                              | 332 |
| 7.8.2  | Odds ratios . . . . .   | 335 |
| 7.9    | Interpretations based on predicted probabilities . . . . .      | 338 |
| 7.10   | Predicted probabilities with predict . . . . .                  | 339 |
| 7.11   | Marginal effects . . . . .                                      | 341 |
| 7.11.1 | Plotting marginal effects . . . . .                             | 344 |
| 7.11.2 | Marginal effects for a quick overview . . . . .                 | 350 |
| 7.12   | Predicted probabilities for ideal types . . . . .               | 351 |
| 7.12.1 | (Advanced) Testing differences between ideal types . . . . .    | 354 |
| 7.13   | Tables of predicted probabilities . . . . .                     | 355 |
| 7.14   | Plotting predicted probabilities . . . . .                      | 359 |
| 7.15   | Probability plots and marginal effects . . . . .                | 364 |
| 7.16   | Less common models for ordinal outcomes . . . . .               | 370 |
| 7.16.1 | The stereotype logistic model . . . . .                         | 370 |
| 7.16.2 | The generalized ordered logit model . . . . .                   | 371 |
| 7.16.3 | (Advanced) Predictions without using factor-variable notation   | 374 |

|                                       |  |            |
|---------------------------------------|--|------------|
| 7.16.4                                | The sequential logit model . . . . .                       | 378        |
| 7.17                                  | Conclusion . . . . .                                       | 382        |
| <b>8</b>                              | <b>Models for nominal outcomes</b>                         | <b>385</b> |
| 8.1                                   | The multinomial logit model . . . . .                      | 386        |
| 8.1.1                                 | Formal statement of the model . . . . .                    | 390        |
| 8.2                                   | Estimation using the mlogit command . . . . .              | 390        |
| Weights and complex samples . . . . . | 391  |            |
| Options . . . . .                     | 391  |            |
| 8.2.1                                 | Example of MNLM . . . . .                                  | 392        |
| 8.2.2                                 | Selecting different base outcomes . . . . .                | 395        |
| 8.2.3                                 | Predicting perfectly . . . . .                             | 397        |
| 8.3                                   | Hypothesis testing . . . . .                               | 398        |
| 8.3.1                                 | mlogtest for tests of the MNLM . . . . .                   | 398        |
| 8.3.2                                 | Testing the effects of the independent variables . . . . . | 399        |
| 8.3.3                                 | Tests for combining alternatives . . . . .                 | 403        |
| 8.4                                   | Independence of irrelevant alternatives . . . . .          | 407        |
| 8.4.1                                 | Hausman–McFadden test of IIA . . . . .                     | 408        |
| 8.4.2                                 | Small–Hsiao test of IIA . . . . .                          | 409        |
| 8.5                                   | Measures of fit . . . . .                                  | 411        |
| 8.6                                   | Overview of interpretation . . . . .                       | 411        |
| 8.7                                   | Predicted probabilities with predict . . . . .             | 412        |
| 8.8                                   | Marginal effects . . . . .                                 | 415        |
| 8.8.1                                 | (Advanced) The distribution of marginal effects . . . . .  | 420        |
| 8.9                                   | Tables of predicted probabilities . . . . .                | 423        |
| 8.9.1                                 | (Advanced) Testing second differences . . . . .            | 425        |
| 8.9.2                                 | (Advanced) Predictions using local means and subsamples .  | 428        |
| 8.10                                  | Graphing predicted probabilities . . . . .                 | 432        |
| 8.11                                  | Odds ratios . . . . .                                      | 435        |
| 8.11.1                                | Listing odds ratios with listcoef . . . . .                | 435        |
| 8.11.2                                | Plotting odds ratios . . . . .                             | 436        |

|          |   |            |
|----------|---|------------|
| 8.12     | (Advanced) Additional models for nominal outcomes . . . . .                       | 444        |
| 8.12.1   | Stereotype logistic regression . . . . .  | 445        |
| 8.12.2   | Conditional logit model . . . . .   | 454        |
| 8.12.3   | Multinomial probit model with IIA . . . . .                                       | 465        |
| 8.12.4   | Alternative-specific multinomial probit . . . . .                                 | 469        |
| 8.12.5   | Rank-ordered logit model . . . . .  | 475        |
| 8.13     | Conclusion . . . . .  | 479        |
| <b>9</b> | <b>Models for count outcomes</b>  | <b>481</b> |
| 9.1      | The Poisson distribution . . . . .  | 481        |
| 9.1.1    | Fitting the Poisson distribution with the poisson command                         | 483        |
| 9.1.2    | Comparing observed and predicted counts with mgen . . . . .                       | 484        |
| 9.2      | The Poisson regression model . . . . .  | 487        |
| 9.2.1    | Estimation using poisson . . . . .  | 488        |
|          | Example of the PRM . . . . .  | 489        |
| 9.2.2    | Factor and percentage changes in $E(y   x)$ . . . . .                             | 490        |
|          | Example of factor and percentage change . . . . .                                 | 492        |
| 9.2.3    | Marginal effects on $E(y   x)$ . . . . .  | 493        |
|          | Examples of marginal effects . . . . .  | 495        |
| 9.2.4    | Interpretation using predicted probabilities . . . . .                            | 496        |
|          | Predicted probabilities using mtable and mchange . . . . .                        | 496        |
|          | Treating a count independent variable as a factor variable .                      | 498        |
|          | Predicted probabilities using mgen . . . . .                                      | 500        |
| 9.2.5    | Comparing observed and predicted counts to evaluate model specification . . . . . | 501        |
| 9.2.6    | (Advanced) Exposure time . . . . .  | 504        |
| 9.3      | The negative binomial regression model . . . . .                                  | 507        |
| 9.3.1    | Estimation using nbreg . . . . .  | 509        |
|          | NB1 and NB2 variance functions . . . . .  | 509        |
| 9.3.2    | Example of NBRM . . . . .   | 510        |
| 9.3.3    | Testing for overdispersion . . . . .  | 511        |

|                      |  |            |
|----------------------|--|------------|
| 9.3.4                | Comparing the PRM and NBRM using estimates table . . . . .       | 511        |
| 9.3.5                | Robust standard errors . . . . .                                 | 512        |
| 9.3.6                | Interpretation using $E(y   x)$ . . . . .                        | 514        |
| 9.3.7                | Interpretation using predicted probabilities . . . . .           | 516        |
| 9.4                  | Models for truncated counts . . . . .                            | 518        |
| 9.4.1                | Estimation using tpoisson and tnbreg . . . . .                   | 521        |
|                      | Example of zero-truncated model . . . . .                        | 521        |
| 9.4.2                | Interpretation using $E(y   x)$ . . . . .                        | 523        |
| 9.4.3                | Predictions in the estimation sample . . . . .                   | 524        |
| 9.4.4                | Interpretation using predicted rates and probabilities . . . . . | 525        |
| 9.5                  | (Advanced) The hurdle regression model . . . . .                 | 527        |
| 9.5.1                | Fitting the hurdle model . . . . .                               | 528        |
| 9.5.2                | Predictions in the sample . . . . .                              | 531        |
| 9.5.3                | Predictions at user-specified values . . . . .                   | 533        |
| 9.5.4                | Warning regarding sample specification . . . . .                 | 534        |
| 9.6                  | Zero-inflated count models . . . . .                             | 535        |
| 9.6.1                | Estimation using zinb and zip . . . . .                          | 538        |
| 9.6.2                | Example of zero-inflated models . . . . .                        | 539        |
| 9.6.3                | Interpretation of coefficients . . . . .                         | 540        |
| 9.6.4                | Interpretation of predicted probabilities . . . . .              | 541        |
|                      | Predicted probabilities with mtable . . . . .                    | 542        |
|                      | Plotting predicted probabilities with mgen . . . . .             | 543        |
| 9.7                  | Comparisons among count models . . . . .                         | 544        |
| 9.7.1                | Comparing mean probabilities . . . . .                           | 545        |
| 9.7.2                | Tests to compare count models . . . . .                          | 547        |
| 9.7.3                | Using countfit to compare count models . . . . .                 | 551        |
| 9.8                  | Conclusion . . . . .   | 558        |
| <b>References</b>    |  | <b>561</b> |
| <b>Author index</b>  |  | <b>569</b> |
| <b>Subject index</b> |  | <b>573</b> |